

## QUICK ADJUST WRENCH RANGE





# **Quick Adjust Wrench Range**Work more efficiently with ease

- Highly efficient jaw opening: just pull down for quick jaw release
- Engineered for use by plumbers, DIYers, engineers and industrial users
- Extra capacity: Up to 15% wider than a standard adjustable wrench providing ability to use in a broader range of applications
- Head Design: Metric and Imperial scale, 22.5 degree angle for difficult to reach applications
- Improved Handle: Increased comfort delivers ability to apply more torque
- Tether ready for safe use at heights
- Performance exceeds ISO standards









Product Code	Length	Jaw Capacity	Barcode
SCMT25192	200mm (8")	33mm	9311927251927
SCMT25194	300mm (12")	41mm	9311927251941

### **Highly Efficient, Ergonomic** How to Use:

- 1. Pull down the worm screw to instantly release the adjustable jaw
- 2. Manually adjust the jaw to the size required
- 3. Use the worm screw to fine tune the adjustment















Product Code	Length	Jaw Capacity	Barcode
SCMT25170	100mm (4")	17mm	9311927251705
SCMT25171	150mm (6")	23mm	9311927251712
SCMT25172	200mm (8")	33mm	9311927251729
SCMT25173	250mm (10")	38mm	9311927251736
SCMT25174	300mm (12")	41mm	9311927251743
SCMT25175	375mm (15")	50mm	9311927251750
SCMT25176	450mm (18")	63mm	9311927251767





# QUICK ADJUST FEATURE HOW TO USE

### STEP 1

Pull down the worm screw to instantly release the adjustable jaw



#### STEP 2

Manually adjust the jaw to the size required



### STEP 3

Use the worm screw to fine tune the adjustment



SIDCHROME.COM.AU

Find us on





