

SIDCHROME®

PRODUCT CATALOGUE





AUSTRALIAN NATIONAL CALL CENTRE

Toll Free Phone: 1800 338 002

Sales Fax: 1800 080 898

Sales Order Enquiries:
auorders@sbdinc.com



NEW ZEALAND NATIONAL CALL CENTRE

Toll Free Phone: 0800 339 258

Sales Fax: 0800 278 265



WARRANTY & SUPPORT

Toll Free Phone: 1800 338 002

See Page 215



A P R O U D H I S T O R Y

Sidchrome is an iconic brand within the Australian & New Zealand tool and storage market.

Since 1942, Sidchrome has held a reputation among engineers and mechanics as a high quality professional product.

Products are manufactured to last a lifetime, and supported with a "Built To Last A Lifetime" guarantee against faulty workmanship or material.

Innovation is key within the product development to ensure that Sidchrome continue to introduce new technology to maximize safety, save time, effort and money.

As part of a global company rich with innovation, anyone working on mechanical applications will continue to enjoy the Sidchrome experience.

**YOU CANNA
HAND A MAN
A GRANDER
SPANNER**



BUILT TO LAST A LIFETIME™

Sidchrome has built its reputation on supplying tradespeople with high quality, premium and professional products that last a lifetime, which is evident through Sidchrome's lifetime guarantee against faulty workmanship and material on most products.



ANTISLIP™ FASTENING SYSTEM

ANTISLIP™ Design features on the open end of the Sidchrome spanners, which is a locking groove to prevent slippage of a nut and bolt, which prevents knuckle injury.



TORQUEPLUS™ FASTENING SYSTEM

Apart from allowing extra torque, TORQUEPLUS™ also reduces the risk of fastener rounding, provides a greater opportunity to turn worn, rounded fasteners and meets aerospace specification.



REAL TOOL COUNT

The Sidchrome Tool kit range feature a Real Tool Count, where the only tools that go into a kit are professional quality tools - not piece count boosters. For example, we don't count feeler gauge blades as pieces as some brands do. Sidchrome tool kits can be logically and easily built up they comprise of the most popular tools in the section of the range and laid out to allow for quick and easy access to your tools when working in a busy workshop.

TOOL KITS 5

Combo Metric/AF Kits
Metric Only Kits
Wall Mount Kits
Cantilever Kits



TOOL STORAGE 33

Top Chests
Roller Cabinets
Wide Bodies
Triple Banks
Trolleys
Side Cabinets
Wall Cabinets
Cantilever Boxes
Soft Storage
Cooler



SOCKETS & ACCESSORIES 41



1/4" Drive Ratchets & Accessories
3/8" Drive Ratchets & Accessories
1/2" Drive Ratchets & Accessories
3/4" Drive Ratchets & Accessories
1/4" Drive Sockets & Accessories
3/8" Drive Sockets & Accessories
1/2" Drive Sockets & Accessories
3/4" Drive Sockets & Accessories

1/4" Drive Sets
3/8" Drive Sets
1/2" Drive Sets
3/4" Drive Sets
Mixed Drive Sets
Torx & In Hex
Socket & Spanner Sets

SPANNERS & WRENCHES 73



440 Spanners & Sets
Ring Open End Spanners & Sets
467 Geared Spanners & Sets
467 Geared Stubby Spanners & Sets
Flex Head Geared Spanners & Sets
Open End Spanners & Sets
Ring Spanners & Sets
Flare Nut Spanners
Ratcheting Ring Spanners

Adjustable Wrenches
Podger Bars
Structural Wrenches
Crowsfoot Wrenches
Face Spanners
Chain Wrenches
Slugging Spanners
Pipe Wrenches
Hook Spanners

FASTENING 95



Pro Twist Screwdrivers & Sets
Thru Tang Screwdrivers & Sets
Ergonomic Screwdrivers & Sets
Ratcheting Screwdrivers
Torx & Tamperproof Screwdrivers
Torx & Tamperproof Bits Sets
Impact Screwdriving
Mechanic Bits Set
Hex Key Sets
T-Handle Hex Key Sets

PLIERS & CUTTING 103



Pliers
Multi Grip Pliers
Locking Pliers
Circlip & Retaining Ring Pliers
End Nippers
Needle Nose Pliers
Twisting Pliers

Safety Locking Wire
Heavy Duty Scissors
Universal Shears
Aviation Snips
Lock Ring Pliers
Multi Function Tool
Hacksaws

STRIKING & PRYING 115



Anti Vibe Hammers
Ball Pein Hammer
Club Hammer
Punches & Sets
Cold Chisels & Sets
Pin Punch Set
Pray Bars & Sets

MEASURING

123



Calipers
Micrometers
Indicator Sets
Dial Indicators
Telescoping Gauge Set
Measuring Tape

TORQUE CONTROL

127



Digital Torque Wrenches
Digital Torque Adaptors
Torque Wrenches

AIR & CORDLESS TOOLS

135



Air Impact Guns
Air Ratchets
Air Orbital Sanders
Air Hammers
Air Drills
Air Tool Accessories
Cordless Tools
Cordless Tool Accessories

IMPACT SOCKETS

149



3/8" Drive Sockets & Accessories
1/2" Drive Sockets, Sets & Accessories
3/4" Drive Sockets, Sets & Accessories
1" Drive Sockets & Accessories
1-1/2" Drive Sockets & Accessories
Impact Socket Retaining Pins & O-Rings

LIGHTING & INSPECTION

167



Inspection Lights
Torches
Mirrors
Pickup Tools

ELECTRICAL & DIAGNOSTICS

173



Multimeters
Digital Thermometers
Tachometers
Stethoscopes
Timing Lights
Circuit Testers

AUTOMOTIVE & SPECIALTY

179



Engine Service & Tune-up
Oil Change
Battery Service
Cooling System / Radiator
Fuel Injection
Brake Service
Wheels & Tyres
Drive Train
Specialty Auto Workshop Tools



Tool Kits



Why Buy a Sidchrome Tool Kit?

Choice and Quality


That's what you get when you buy a Sidchrome Tool Kit

We've designed our sets to give you an even greater range of tools which can be easily built up to meet your changing and growing needs.

Premium Quality Tools forged from special alloy steel and heat treated for maximum strength and durability.

The range of kits will appeal to the apprentice through to the industrial user or professional mechanic wanting to fully kit out a workshop or site.

SIDCHROME. PREMIUM QUALITY. PROFESSIONAL PRODUCTS.



ANTISLIP™ FASTENING SYSTEM

ANTISLIP™ Design features on the open end of the Sidchrome spanners, which is a locking groove to prevent slippage of a nut and bolt and prevents knuckle injury.



REAL TOOL COUNT

The Sidchrome Tool Kit range feature a Real Tool Count, where the only tools that go into a kit are professional quality tools - not piece count boosters, we don't count feeler gauge blades as pieces as some brands do. Sidchrome tool kits can be logically and easily built up they comprise of the most popular tools in the section of the range and laid out to allow for quick and easy access to your tools when working in a busy workshop.



TORQUEPLUS™ FASTENING SYSTEM

Apart from allowing extra torque, TORQUEPLUS™ also reduces the risk of fastener rounding, provides a greater opportunity to turn worn, rounded fasteners and meets aerospace specification. The Sidchrome range of sockets, ratchets and accessories offer design and durability to give you the professional advantage. All Sidchrome hand sockets are manufactured to rigid industrial specifications ensuring: concentric openings; large clearance holes; tight nut end tolerances.



BUILT TO LAST A LIFETIME™

Sidchrome has built its reputation on supplying mechanics with high quality, premium and professional products that last a lifetime, which is evident through Sidchrome's lifetime guarantee against faulty workmanship and material on most products.

Sidchrome Tool Kits Feature Heavy Duty Metal Storage

Top Chests & Roll Cabs



Drawer Liners



2.5mm foam matting

Lid Stays



Traditional stays

Gauge Steel



Approx. 0.8-1.2mm

Drawer Slides



Auto return ball bearing spring-loaded slides

Structural Design



Fully welded, rolled edges, and reinforced sides

Rolled Edges



Rolled drawer edges prevent from flexing

Work Mat



Heavy duty rubber work mat

Casters



Heavy duty polypropylene 5"x2" lockable

Features

- ARS - auto return ball bearing, spring loaded slides
- Heavy gauge steel for durability and strength
- Polyester/epoxy powder coat
- U.V resistant
- Comfortable epoxy coated side handle
- Drawer liners
- Rolled edge drawers for safety & strength
- Wide grip drawer handles
- 100% drawer access







TOOL KITS

Combo Metric/AF Tool Kits



SCMT10100K

527 Piece Metric/AF Tool Kit

Barcode: 9311927995180

1/4" Drive Sockets & Accessories

- 10 Standard: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
- 10 Deep: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
- 9 Standard: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"
- 9 Deep: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"
- 5 Ratchet, Extension: 50 & 150mm, Adjustable Offset Handle: 145mm, Universal Joint
- 4 TORX®: S-10, S-15, S-20, S-25

3/8" Drive Sockets & Accessories

- 18 Standard: 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm
- 10 Deep: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 11 Standard: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8"
- 7 Deep: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
- 2 Spark Plug: 5/8 & 13/16"
- 6 Ratchet, Extensions: 75, 150, 250mm, Adjustable Offset Handle: 220mm, Universal Joint
- 2 3/8" Female to 1/4" Male, 3/8" Female to 1/2" Male
- 6 TORX®: T-27, T-30, T-40, T-45, T-50, T-55

1/2" Drive Sockets & Accessories

- 19 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm
- 17 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4"
- Spark Plug: 5/8 & 13/16"
- 10 Deep socket: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 7 Deep socket: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
- 5 Ratchet, Extension: 125 & 250mm, Adjustable Offset Handle: 375mm, Universal Joint
- 6 Extension: 500mm, ELL Handle: 190mm, Adjustable Offset Handle: 220 & 450mm, T-slider Handle: 240mm, Speed Brace: 420mm

1/2" Drive In-Hex Sockets

- 7 Inhex Short: 6, 7, 8, 10, 12, 14, 17mm,
- 9 3/16, 7/32, 1/4, 9/32, 5/16, 3/8, 1/2, 9/16, 5/8"
- 2 Inhex Long: 8 & 10mm
- 1 Spline Short: M6
- 3 Spline Long: M8, M10, M12

1/2" Drive Impact Sockets

- 10 10, 11, 12, 13, 14, 17, 19, 21, 22, 24mm
- 10 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"

Ring Spanners

- 11 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32mm
- 8 1/4x5/16, 3/8x7/16, 1/2x9/16, 9/16x5/8, 11/16x3/4, 13/16x7/8, 15/16x1, 1-1/8x1-1/4"

Open End Spanners

- 11 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32mm
- 9 1/4x5/16, 3/8x7/16, 7/16x1/2, 1/2x9/16, 5/8x11/16, 11/16x3/4, 13/16x7/8, 15/16x1, 1-1/8x1-1/4"

Ring & Open End Spanners

- 21 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32, 36mm
- 20 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2"

Flex Head Geared Wrenches

- 5 10, 11, 12, 13, 14mm

Flare Nut Spanners

- 5 10x11, 12x13, 13x14, 15x17, 19x22mm
- 4 3/8x7/16, 1/2x9/16, 5/8x11/16, 3/4x7/8"

Geared Wrenches

- 10 Stubby: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 7 Stubby: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"



Screwdrivers

- 6 Precision Screwdrivers
- Standard: 1.4, 2.0, 2.4, 3.0, Phillips®: Opt & 1pt
- 9 Standard: 4.75x150, 4.75x200, 6.35x250, 9.5x200, 3.2x75, 4.75x100, 6.35x40, 6.35x100, 7.9x150mm
- 6 Philips®: #2x200, #0x75, #1x75, #2x40, #2x100, #3x150
- 21 T-Handle Ratchet Screwdriver Set
- Phillips®: 1, 2, 3, Pozidrive®: 1, 2, 3, Slotted: 4, 5.5, 6, Hex Head: 3, 4, 5, TORX®: 10, 15, 20, 25, 27, 1/4"x50mm & 100mm long knurled shaft, 1/4" Hex - 1/4" Square Drive Adaptor

Mechanics Bits

- 7 In-Hex 4, 5, 6, 7, 8, 10, 12mm (30mm bit Lengths)
- 7 In-Hex 4, 5, 6, 7, 8, 10, 12mm (75mm bit Lengths)
- 5 Spline M5, M6, M8, M10, M12 (30mm bit Lengths)
- 5 Spline M5, M6, M8, M10, M12 (75mm bit Lengths)
- 9 Torx® T20, T25, T27, T30, T40, T45, T50, T55, T60 (30mm bit Lengths)
- 8 Torx® T20, T25, T30, T40, T45, T50, T55, T60 (75mm bit Lengths)
- 2 Bit Holders: 10mm hex 3/8" & 1/2" Square Drive Adaptor

Hex Keys

- 9 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 8 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

T-Handle Hex Keys

- 8 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 10 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Punches & Cold Chisels

- 3 Short Pin: 2, 2.5, 3mm
- 6 Long Pin: 4, 5, 6, 6.5, 8, 10mm
- 9 Centre: 2, 2.5, 3, 4, 5, 6.5, 8, 10, 12mm
- 6 Starter Drift: 2, 3, 5, 6.5, 8, 10mm
- 5 Cold Chisel: 12, 16, 19, 22, 25mm

Pliers

- 4 Retaining Ring: Internal Straight, External Straight, Internal Bent, External Bent
- 7 Combination Plier: 165 & 200mm, Diagonal Cutting: 160 & 200mm, Linesman: 208mm, End Nipper: 200mm, Long Nose: 200mm
- 6 Lock & Slip Plier Multi Grips, Locking: 180 & 240mm, Universal Straight Shears, Aviation Snips Straight Cut

Adjustable Wrenches

- 6 100, 150, 200, 250, 300, 375mm

3 Antivibe Ball Pein Hammers: 225g, 450g, 680g

5 Mini Pliers

1 1/2" Drive Torque Wrench: 40-200Nm

4 Pry Bars

1 Heavy Duty Scissors

1 Premium Hacksaw

1 Inspection Lamp

1 Tape: 8M

1 Strap Filter Wrench

1 Mechanic Feeler Gauge

1 6-12V DC Circuit Tester

4 Mini Pick And Hook Set

1 Knife

1 Telescopic Inspection Mirror

1 Telescopic Magnet

2 Two Sided Steel Rules: 150 & 300mm

10 Drawer Heavy Duty Tool Chest

7 Drawer Heavy Roller Cabinet



SCMT10146

364 Piece Metric/AF Tool Kit

Barcode: 9311927101468

1/4" Drive Sockets & Accessories

- 10 Standard: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
- 10 Deep: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
- 9 Standard: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"
- 9 Deep: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"
- 5 Ratchet, Extension: 50 & 150mm, Adjustable Offset Handle: 145mm, Universal Joint

3/8" Drive Sockets & Accessories

- 28 Standard: 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm
- Deep: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 20 Standard: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8"
- Deep: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
- Spark Plug: 5/8 & 13/16"
- 6 Ratchet, Extension: 75, 150 & 250mm, Adjustable Offset Handle: 220mm, Universal Joint
- 2 3/8" Female to 1/4" Male, 3/8" Female to 1/2" Male

1/2" Drive Sockets & Accessories

- 19 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm
- 17 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1", 1-1/16, 1-1/8, 1-3/16, 1-1/4"
- Spark Plug: 5/8 & 13/16"
- 5 Ratchet, Extension: 125 & 250mm, Adjustable Offset Handle: 375mm, Universal joint
- 3 Adjustable Offset Handle: 220mm, T-Slider Handle: 240mm, Speed Brace: 420mm

1/2" Drive In-Hex Socket Set

- 16 Inhex Short: 6, 7, 8, 10, 12, 14, 17mm, 3/16, 7/32, 1/4, 9/32, 5/16, 3/8, 1/2, 9/16, 5/8"
- 2 Inhex Long: 8 & 10mm
- 1 Spline Short: M6
- 3 Spline Long: M8, M10, M12

Ring Spanners

- 11 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32mm
- 8 1/4x5/16, 3/8x7/16, 1/2x9/16, 9/16x5/8, 11/16x3/4, 13/16x7/8, 15/16x1, 1-1/8x1-1/4"

Open End Spanners

- 11 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32mm
- 9 1/4x5/16, 3/8x7/16, 7/16x1/2, 1/2x9/16, 5/8x11/16, 11/16x3/4, 13/16x7/8, 15/16x1, 1-1/8x1-1/4"

Ring & Open End Spanners

- 14 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 13 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"

Flare Nut Spanners

- 5 10x11, 12x13, 13x14, 15x17, 19x22mm
- 4 3/8x7/16, 1/2x9/16, 5/8x11/16, 3/4x7/8"

Geared Wrenches

- 10 Stubby: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 7 Stubby: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"

Flex Head Geared Wrenches

- 5 10, 11, 12, 13, 14mm

Screwdrivers

- 5 Phillip 75x#0, 75x#1, 40x#2, 100x#2, 150mmx#3
- 5 Standard 75x3.2, 100x4.75, 40x6.35, 100x6.35, 150x7.9mm
- 21 T-Handle Ratchet Screwdriver Set
- Phillips®: 1, 2, 3, Pozidrive®: 1, 2, 3,
- Slotted: 4, 5.5, 6, Hex Head: 3, 4, 5,
- TORX®: 10, 15, 20, 25, 27,
- 1/4"x50mm & 100mm long knurled shaft, 1/4" Hex - 1/4" Square Drive
- Adaptor

Hex Keys

- 9 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 8 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Punches & Chisels

- 3 Short Pin Punches: 2, 2.5, 3mm
- 6 Long Pin Punches: 4, 5, 6, 6.5, 8, 10mm
- 5 Centre: 2, 2.5, 3, 4, 5mm
- 6 Starter Drift: 2, 3, 5, 6.5, 8, 10mm
- 5 Cold Chisel: 12, 16, 19, 22, 25mm



Pliers

- 3 Combination Plier: 200mm, Diagonal Cutting: 200mm, Long Nose: 200mm
- 2 Retaining Ring: Internal Straight, External Straight
- 3 Multi Grip: 250mm, Locking: 240mm, End Nippers: 200mm

Adjustable Wrenches

- 3 150, 200 & 300mm

1 Strap Filter Wrench

1 Mechanic Feeler Gauge

1 6-12V DC Circuit Tester

4 Mini Pick And Hook Set

1 Knife

1 Telescopic Inspection Mirror

1 Telescopic Magnet

2 Two Sided Steel Rule: 150 & 300mm

1 Tape: 8M

1 Premium Hacksaw

1 AntiVibe Ball Pein Hammer: 680g

1 Heavy Duty Scissors

1 Inspection Lamp

13 Drawer Widebody Roller Cabinet



SCMT10114

364 Piece Metric/AF Tool Kit

Barcode: 9311927101147

1/4" Drive Sockets & Accessories

- 10 Standard: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
- 10 Deep: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
- 9 Standard: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"
- 9 Deep: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"
- 5 Ratchet, Extension: 50 & 150mm, Adjustable Offset Handle: 145mm, Universal joint

3/8" Drive Sockets & Accessories

- 28 Standard: 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm
- Deep: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 20 Standard: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8"
- Deep: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
- Spark Plug: 5/8 & 13/16"
- 6 Ratchet, Extensions: 75, 150, 250mm, Adjustable Offset Handle: 220mm, Universal Joint
- 2 3/8" Female to 1/4" Male, 3/8" Female to 1/2" Male

1/2" Drive Sockets & Accessories

- 19 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm
- 17 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1", 1-1/16, 1-1/8, 1-3/16, 1-1/4"
- Spark Plug: 5/8 & 13/16"
- 5 Ratchet, Extension: 125 & 250mm, Adjustable Offset Handle: 375mm, Universal Joint
- 3 Adjustable Offset Handle: 220mm, T-Slider Handle: 240mm, Speed Brace: 420mm

1/2" Drive In-Hex Socket Set

- 16 Inhex Short: 6, 7, 8, 10, 12, 14, 17mm, 3/16, 7/32, 1/4, 9/32, 5/16, 3/8, 1/2, 9/16, 5/8"
- 2 Inhex Long: 8 & 10mm
- 1 Spline Short: M6
- 3 Spline Long: M8, M10, M12

Ring Spanners

- 11 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32mm
- 8 1/4x5/16, 3/8x7/16, 1/2x9/16, 9/16x5/8, 11/16x3/4, 13/16x7/8, 15/16x1, 1-1/8x1-1/4"

Open End Spanners

- 11 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32mm
- 9 1/4x5/16, 3/8x7/16, 7/16x1/2, 1/2x9/16, 5/8x11/16, 11/16x3/4, 13/16x7/8, 15/16x1, 1-1/8x1-1/4"

Ring & Open End Spanners

- 14 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 13 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"

Flex Head Geared Wrenches

- 5 10, 11, 12, 13, 14mm

Flare Nut Spanners

- 5 10x11, 12x13, 13x14, 15x17, 19x22mm
- 4 3/8x7/16, 1/2x9/16, 5/8x11/16, 3/4x7/8"

Geared Wrenches

- 10 Stubby: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 7 Stubby: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"

Screwdrivers

- 5 Phillip 75x#0, 75x#1, 40x#2, 100x#2, 150mmx#3
- 5 Standard 75x3.2, 100x4.75, 40x6.35, 100x6.35, 150x7.9mm
- 21 T-Handle Ratchet Screwdriver Set
- Phillips®: 1, 2, 3, Pozidrive®: 1, 2, 3,
- Slotted: 4, 5.5, 6, Hex Head: 3, 4, 5,
- TORX®: 10, 15, 20, 25, 27,
- 1/4"x50mm & 100mm long knurled shaft, 1/4" Hex - 1/4" Square Drive
- Adaptor

Hex Keys

- 9 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 9 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Punches & Chisels

- 3 Short Pin Punches: 2, 2.5, 3mm
- 6 Long Pin Punches: 4, 5, 6, 6.5, 8, 10mm
- 5 Centre: 2, 2.5, 3, 4, 5mm
- 6 Starter Drift: 2, 3, 5, 6.5, 8, 10mm
- 5 Cold Chisel: 12, 16, 19, 22, 25mm



Pliers

- 3 Combination Plier: 200mm, Diagonal Cutting: 200mm, Long Nose: 200mm
- 2 Retaining Ring: Internal Straight, External Straight
- 3 Multi Grip: 250mm, Locking: 240mm, End Nippers: 200mm

Adjustable Wrenches

- 3 150, 200 & 300mm

1 Strap Filter Wrench

1 Mechanic Feeler Gauge

1 6-12V DC Circuit Tester

4 Mini Pick And Hook Set

1 Knife

1 Telescopic Inspection Mirror

1 Telescopic Magnet

2 Two Sided Steel Rule: 150 & 300mm

1 Tape: 8M

1 Premium Hacksaw

1 AntiVibe Ball Pein Hammer: 680g

1 Heavy Duty Scissors

1 Inspection Lamp

10 Drawer Heavy Duty Tool Chest



SCMT10144

319 Piece Metric/AF Tool Kit

Barcode: 9311927101444

1/4" Drive Sockets & Accessories

- 7 4, 5, 6, 7, 8, 9, 10mm
- 7 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8"
- 1 Socket Driver: 150mm

3/8" Drive Sockets & Accessories

- 8 10, 11, 12, 13, 14, 15, 17, 19mm
- 9 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
- Spark Plug: 5/8 & 13/16"
- 6 Ratchet, Extension: 75mm & 150mm, Adjustable Offset Handle: 220mm, Universal Joint, 3/8F to 1/4M Adapter

1/2" Drive Sockets & Accessories

- 19 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm
- 17 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1", 1-1/16, 1-1/8, 1-3/16, 1-1/4"
- Spark Plug: 5/8 & 13/16"
- 5 Ratchet, Extension: 125 & 250mm, Adjustable Offset Handle: 375mm, Universal Joint
- 10 Deep socket: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 7 Deep socket: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"

1/2" Drive Impact Set

- 10 10, 11, 12, 13, 14, 17, 19, 21, 22, 24mm
- 10 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"

Ring Spanners

- 7 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19mm
- 6 1/4x5/16, 3/8x7/16, 1/2x9/16, 9/16x5/8, 11/16x3/4, 13/16x7/8"

Ring & Open End Spanners

- 10 8, 10, 11, 12, 13, 14, 16, 17, 18, 19mm
- 10 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 15/16"

Flare Nut Spanners

- 5 10x11, 12x13, 13x14, 15x17, 19x22mm
- 4 3/8x7/16, 1/2x9/16, 5/8x11/16, 3/4x7/8"

Hex Keys

- 9 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 9 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

T-Handle Hex Key Set

- 8 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 10 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Mechanics Bit Set

- 7 In-Hex: 4, 5, 6, 7, 8, 10, 12mm (30mm bit Lengths)
- 7 In-Hex: 4, 5, 6, 7, 8, 10, 12mm (75mm bit Lengths)
- 5 Splines: M5, M6, M8, M10, M12 (30mm bit Lengths)
- 5 Splines: M5, M6, M8, M10, M12 (75mm bit Lengths)
- 9 Torx®: T20, T25, T27, T30, T40, T45, T50, T55, T60 (30mm bit Lengths)
- 8 Torx®: T20, T25, T30, T40, T45, T50, T55, T60 (75mm bit Lengths)
- 2 Bit Holders: 10mm hex x 3/8" & 1/2" Square Drive Adaptor

Screwdrivers

- 6 Precision Screwdriver Set: Standard: 1.4, 2.0, 2.4, 3.0mm Phillips®: Opt & 1pt
- 5 Standard: 3.2x75, 4.75x100, 6.35x40, 6.35x100, 7.9x150mm
- 5 Phillips®: #0x75, #1x75, #2x40, #2x100, #3x150
- 21 T-Handle Ratchet Screwdriver Set
- Phillips®: 1, 2, 3, Pozidrive®: 1, 2, 3,
- Slotted: 4, 5.5, 6, Hex Head: 3, 4, 5,
- TORX®: 10, 15, 20, 25, 27,
- 1/4"x50mm & 100mm long knurled shaft, 1/4" Hex - 1/4" Square Drive Adaptor

Punch Set

- 10 Centre Punches: 3, 4, 5, 6.5mm
- Long Pin Punches: 3, 4, 5, 6mm
- Starter Drift Punches: 3, 5mm
- 3 Cold Chisels: 12, 19, 25mm

Pliers

- 2 Retaining Ring: Internal Straight, External Straight,
- 5 Combination Plier: 200mm, Diagonal Cutting: 200mm, Long Nose: 200mm, Locking: 240mm, Multi Grip: 250mm

Adjustable Wrenches

- 3 150, 300, 375mm



- 4 Pry Bar
- 1 Hacksaw
- 1 1/2" Drive Torque Wrench: 40-200Nm
- 1 Mechanic Feeler Gauge
- 1 6-12V DC Circuit Tester
- 1 Heavy Duty Scissors
- 1 Tape: 8M
- 1 Inspection Lamp
- 1 Strap Filter Wrench
- 1 Telescopic Inspection Mirror
- 1 Telescopic Magnet
- 4 Mini Pick And Hook Set
- 1 Knife
- 1 Two Sided Steel Rule: 300mm
- 2 Antivibe Ball Pein Hammer: 225g & 450g

8 Drawer Heavy Duty Tool Chest

5 Drawer Heavy Duty Roller Cabinet



SCMT10109K

317 Piece Metric/AF Tool Kit

Barcode: 9311927996279

1/4" Drive Sockets & Accessories

- 7 4, 5, 6, 7, 8, 9, 10mm
- 7 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8"
- 3 Ratchet, Extension: 50mm, Adjustable Offset Handle: 145mm

3/8" Drive Sockets & Accessories

- 8 10, 11, 12, 13, 14, 15, 17, 19mm
- 7 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
- 6 Ratchet, Extension: 75mm & 150mm, Adjustable Offset Handle: 220mm, Universal Joint, 3/8" to 1/2" Adapter

1/2" Drive Sockets & Accessories

- 19 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm
- 15 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4"
- 2 Spark Plug: 5/8 & 13/16"
- 6 Ratchet, Extension: 125 & 250mm, Adjustable Offset Handle: 375mm, Sliding-T Handle: 240mm, Universal Joint

1/2" Drive In-Hex Sockets

- 16 Inhex Short: 6, 7, 8, 10, 12, 14, 17mm 3/16, 7/32, 1/4, 9/32, 5/16, 3/8, 1/2, 9/16, 5/8"
- 2 Inhex Long: 8 & 10mm
- 1 Spline Short: M6
- 3 Spline Long: M8, M10, M12

1/2" Drive Impact Sockets

- 18 Standard: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm

Ring Spanners

- 7 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19mm
- 6 1/4x5/16, 3/8x7/16, 1/2x9/16, 5/8x11/16, 3/4x7/8, 15/16x1"

Open End Spanners

- 11 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32mm
- 10 1/4x5/16, 3/8x7/16, 7/16x1/2, 1/2x9/16, 5/8x11/16, 11/16x3/4, 13/16x7/8, 15/16x1", 15/16x1-1/16", 1-1/8x1-1/4"

Ring & Open End Spanners

- 18 6, 7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 27, 30, 32mm
- 16 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4"

Geared Wrenches

- 10 Stubby: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 7 Stubby: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
- 6 Flex: 8, 10, 11, 12, 13, 14mm

Flare Nut Spanners

- 5 10x11, 12x13, 13x14, 15x17, 19x22mm
- 4 3/8x7/16, 1/2x9/16, 5/8x11/16, 3/4x7/8"

Screwdrivers

- 4 Thru Tang Standard: 5x100, 6x150, 8x200, 10x250mm
- 4 Thru Tang Phil: #1x75, #2x100, #2x150, #3x200mm
- 21 T-Handle Ratchet Screwdriver Set
- Phillips®: 1, 2, 3, Pozidrive®: 1, 2, 3,
- Slotted: 4, 5.5, 6, Hex Head: 3, 4, 5,
- TORX®: 10, 15, 20, 25, 27,
- 1/4"x50mm & 100mm long knurled shaft, 1/4" Hex - 1/4" Square Drive Adaptor

Hex Keys

- 9 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 9 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Pliers

- 3 Combination Plier: 200mm, Diagonal Cutting: 200mm, Long Nose: 200mm
- 2 Retaining Ring: Internal Straight, External Straight
- 6 Multi Grip: 250mm, Locking: 240mm, Straight Shears, Aviation Snips Left, Right & Straight

Punches & Chisels

- 3 Short Pin Punches: 2, 2.5, 3
- 6 Long Pin Punches: 4, 5, 6, 6.5, 8, 10mm
- 5 Centre: 2, 2.5, 3, 4, 5mm
- 6 Starter Drift: 2, 3, 5, 6.5, 8, 10mm
- 3 Cold Chisels: 12, 19, 25mm



Adjustable Wrenches

- 3 150, 200 & 300mm

1 Digital Vernier: 200mm

1 Feeler Gauge Set

1 6-12V DC Circuit Tester

1 Retractable Knife

1 Digital Multimeter

1 Telescopic Inspection Mirror

1 Telescopic Magnet

1 Inspection Lamp

1 Torque Wrench: 10-200Nm 1/2" Drive

1 Tape: 8M

1 Hacksaw

1 AntiVibe Ball Pein Hammer: 680g

1 Impact Tool: 1/2" DR

10 Drawer Heavy Duty Tool Chest

7 Drawer Heavy Duty Roller Cabinet



SCMT10152K

313 Piece Metric/AF Tool Kit

Barcode: 9311927995203

1/4" Drive Sockets & Accessories

- 7 4, 5, 6, 7, 8, 9, 10mm
- 7 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8"
- 3 Ratchet, Extension: 50mm, Adjustable Offset Handle: 145mm

3/8" Drive Sockets & Accessories

- 8 10, 11, 12, 13, 14, 15, 17, 19mm
- 7 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
- 6 Ratchet, Extension: 75mm & 150mm, Adjustable Offset Handle: 220mm, Universal Joint, 3/8" F to 1/2" M Adaptor

1/2" Drive Sockets & Accessories

- 19 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm
- 15 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4"
- 2 Spark Plug: 5/8 & 13/16"
- 6 Ratchet, Extension: 125 & 250mm, Adjustable Offset Handle: 375mm, Sliding-T Handle: 240mm, Universal Joint

1/2" Drive In-Hex Socket Set

- 16 Inhex Short: 6, 7, 8, 10, 12, 14, 17mm, 3/16, 7/32, 1/4, 9/32, 5/16, 3/8, 1/2, 9/16, 5/8"
- 2 Inhex Long: 8 & 10mm
- 1 Spline Short: M6
- 3 Spline Long: M8, M10, M12

1/2" Drive Impact Sockets

- 18 Standard: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm

Open End Spanners

- 11 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32mm
- 10 1/4x5/16, 3/8x7/16, 7/16x1/2, 1/2x9/16, 5/8x11/16, 11/16x3/4, 13/16x7/8, 15/16x1, 15/16x1-1/16, 1-1/8x1-1/4"

Ring & Open End Spanners

- 18 6, 7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 27, 30, 32mm
- 16 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4"

Flare Nut Spanners

- 5 10x11, 12x13, 13x14, 15x17, 19x22mm
- 4 3/8x7/16, 1/2x9/16, 5/8x11/16, 3/4x7/8"

Geared Wrenches

- 9 Standard: 8, 10, 11, 12, 13, 14, 16, 17, 19mm
- 10 Stubby: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 7 Stubby: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
- 6 Flex: 8, 10, 11, 12, 13, 14mm

Screwdrivers

- 4 Thru Tang Standard: 5x100, 6x150, 8x200, 10x250mm
- 4 Thru Tang Phillips®: #1x75, #2x100, #2x150, #3x200mm
- 21 T-Handle Ratchet Screwdriver Set
- Phillips®: 1, 2, 3, Pozidrive®: 1, 2, 3,
- Slotted: 4, 5.5, 6, Hex Head: 3, 4, 5,
- TORX®: 10, 15, 20, 25, 27,
- 1/4"x50mm & 100mm long knurled shaft, 1/4" Hex - 1/4" Square Drive Adaptor

Hex Keys

- 9 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 9 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Pliers

- 3 Combination Plier: 200mm, Diagonal Cutting: 200mm, Long Nose: 200mm
- 2 Retaining Ring: Internal Straight, External Straight
- 6 Multi Grip: 250mm, Curved Jaw Locking: 235mm, Straight Shears, Aviation Snips: Left, Right & Straight

Punches & Chisels

- 3 Short Pin Punches: 2, 2.5, 3
- 6 Long Pin Punches: 4, 5, 6, 6.5, 8, 10mm
- 5 Centre: 2, 2.5, 3, 4, 5mm
- 6 Starter Drift: 2, 3, 5, 6.5, 8, 10mm
- 3 Cold Chisels: 12, 19, 25mm



Adjustable Wrenches

- 3 150, 200 & 300mm

1 Digital Vernier: 200mm

1 Mechanic Feeler Gauge

1 6-12V DC Circuit Tester

1 Retractable Knife

1 Digital Multimeter

1 Telescopic Inspection Mirror

1 Telescopic Magnet

1 Inspection Lamp

1 Torque Wrench: 40-200Nm 1/2" DR

1 Tape: 8M

1 Hacksaw

1 AntiVibe Ball Pein Hammer: 680g

1 Impact Tool: 1/2" DR

10 Drawer Heavy Duty Tool Chest



SCMT10119

286 Piece Metric/AF Tool Kit

Barcode: 9311927101192

1/4" Drive Sockets & Accessories

- 7 4, 5, 6, 7, 8, 9, 10mm
- 7 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8"
- 1 Socket Driver 150mm

3/8" Drive Sockets & Accessories

- 8 10, 11, 12, 13, 14, 15, 17, 19mm
- 9 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
- Spark Plug: 5/8 & 13/16"
- 6 Ratchet, Extension: 75mm & 150mm, Adjustable Offset Handle: 220mm, Universal Joint, 3/8F to 1/4M Adapter

1/2" Drive Sockets & Accessories

- 19 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm
- 17 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1", 1-1/16, 1-1/8, 1-3/16, 1-1/4"
- Spark Plug: 5/8 & 13/16"
- 5 Ratchet, Extension: 125 & 250mm, Adjustable Offset Handle: 375mm, Universal joint
- 3 Adjustable Offset Handle: 220mm, T-Slider Handle: 240mm, Speed Brace: 420mm

1/2" Drive In-Hex Socket Set

- 9 Short: 6, 7, 8, 10, 12, 14, 17mm, Long: 8 & 10mm
- 9 Short: 3/16, 7/32, 1/4, 9/32, 5/16, 3/8, 1/2, 9/16, 5/8"
- 4 Spline Short M6, Long M8, M10, M12

Flare Nut Spanners

- 5 10x11, 12x13, 13x14, 15x17, 19x22mm
- 4 3/8x7/16, 1/2x9/16, 5/8x11/16, 3/4x7/8"

Geared Wrenches

- 10 Stubby: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 7 Stubby: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"

Ring Spanners

- 11 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32mm
- 8 1/4x5/16, 3/8x7/16, 1/2x9/16, 9/16x5/8, 11/16x3/4, 13/16x7/8, 15/16x1, 1-1/8x1-1/4"

Open End Spanners

- 11 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32mm
- 9 1/4x5/16, 3/8x7/16, 7/16x1/2, 1/2x9/16, 5/8x11/16, 11/16x3/4, 13/16x7/8, 15/16x1, 1-1/8x1-1/4"

Ring & Open End Spanners

- 14 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 13 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"

Screwdrivers

- 5 Standard: 3.2x75, 4.75x100, 6.35x40, 6.35x100, 7.9x150mm
- 5 Phillips®: #0x75, #1x75, #2x40, #2x100, #3x150
- 21 T-Handle Ratchet Screwdriver Set
- Phillips®: 1, 2, 3, Pozidrive®: 1, 2, 3,
- Slotted: 4, 5, 5, 6, Hex Head: 3, 4, 5,
- TORX®: 10, 15, 20, 25, 27,
- 1/4"x50mm & 100mm long knurled shaft, 1/4" Hex - 1/4" Square Drive
- Adaptor

Hex Keys

- 9 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 9 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Punches & Chisels

- 3 Short Pin Punches: 2, 2.5, 3mm
- 6 Long Pin Punches: 4, 5, 6, 6.5, 8, 10mm
- 5 Centre: 2, 2.5, 3, 4, 5mm
- 6 Starter Drift: 2, 3, 5, 6.5, 8, 10mm
- 3 Cold Chisels: 2, 19, 25mm

Pliers

- 3 Combination Plier: 200mm, Diagonal Cutting: 200mm, Long Nose: 200mm
- 2 Retaining Ring: Internal Straight, External Straight,
- 2 Multi Grip: 250mm, Locking: 240mm

Adjustable Wrenches

- 3 150, 200 & 300mm



1 AntiVibe Ball Pein Hammer: 680g

1 Inspection Lamp

1 Heavy Duty Scissors

1 Hacksaw

1 Tape: 8M

1 Knife

1 Mechanic Feeler Gauge

1 6-12V DC Circuit Tester

10 Drawer Heavy Duty Tool Chest



SCMT10118

260 Piece Metric/AF Tool Kit

Barcode: 9311927101185

1/4" Drive Sockets & Accessories

- 7 4, 5, 6, 7, 8, 9, 10mm
- 7 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8"
- 1 Socket Driver: 150mm

3/8" Drive Sockets & Accessories

- 8 10, 11, 12, 13, 14, 15, 17, 19mm
- 7 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
- Spark Plug: 5/8 & 13/16"
- 6 Ratchet, Extension: 75mm & 150mm, Adjustable Offset Handle: 220mm, Universal Joint, 3/8F to 1/4M Adaptor

1/2" Drive Sockets & Accessories

- 19 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm
- 15 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4"
- 2 Spark Plug: 5/8 & 13/16"
- 8 Ratchet, Extension: 125mm & 250mm, Adjustable Offset Handle: 220 & 375mm, Universal Joint, T-Slider Handle: 240mm, Speed Brace: 420mm

1/2" Drive In-Hex Sockets

- 9 Short: 6, 7, 8, 10, 12, 14, 17mm, Long: 8 & 10mm
- 9 Short: 3/16, 7/32, 1/4, 9/32, 5/16, 3/8, 1/2, 9/16, 5/8"
- 4 Spline Short: M6, Long M8, M10, M12

Flare Nut Spanners

- 5 10x11, 12x13, 13x14, 15x17, 19x22mm
- 4 3/8x7/16, 1/2x9/16, 5/8x11/16, 3/4x7/8"

Geared Wrenches

- 10 Stubby: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 7 Stubby: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"

Ring Spanners

- 11 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32mm
- 8 1/4x5/16, 3/8x7/16, 1/2x9/16, 9/16x5/8, 11/16x3/4, 13/16x7/8, 15/16x1, 1-1/8x1-1/4"

Open End Spanners

- 11 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32mm
- 9 1/4x5/16, 3/8x7/16, 7/16x1/2, 1/2x9/16, 5/8x11/16, 11/16x3/4, 13/16x7/8, 15/16x1, 1-1/8x1-1/4"

Ring & Open End Spanners

- 14 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 13 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"

Hex Keys

- 9 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 9 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Screwdrivers

- 5 Standard: 3.2x75, 4.75x100, 6.35x40, 6.35x100, 7.9x150mm
- 5 Phillips®: #0x75, #1x75, #2x40, #2x100, #3 x 150mm
- 21 T-Handle Ratchet Screwdriver Set
- Phillips®: 1, 2, 3 Pozidrive®: 1, 2, 3
- Slotted: 4, 5.5, 6 Hex Head: 3, 4, 5
- Torx®: 10, 15, 20, 25, 27
- 1 1/4"x50mm & 100mm long knurled shaft, 1/4" Square Drive Adaptor

Pliers

- 3 Combination Pliers: 200mm, Diagonal Cutting: 180mm, Long Nose: 200mm
- 2 Retaining Ring: Internal Straight, External Straight
- 2 Multi Grip: 250mm, Locking: 240mm

1 Adjustable Wrench: 200mm

1 Antivibe Ball Pein Hammer: 680g

1 Inspection Lamp

1 Heavy Duty Scissors

1 Hacksaw

1 Mechanics Feeler Gauge

1 6-12V DC Circuit Tester

1 1/2" Micrometer Torque Wrench 40-200Nm

10 Drawer Heavy Duty Tool Chest



SCMT10111K

244 Piece Metric/AF Tool Kit

Barcode: 9311927996378

1/4" Drive Sockets & Accessories

- 7 4, 5, 6, 7, 8, 9, 10mm
- 7 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8"
- 3 Ratchet, Extension: 50mm, Adjustable Offset Handle: 145mm

3/8" Drive Sockets & Accessories

- 8 10, 11, 12, 13, 14, 15, 17, 19mm
- 7 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
- 6 Ratchet, Extension: 75mm & 150mm, Adjustable Offset Handle: 220mm, Universal Joint, 3/8" to 1/2" Adapter

1/2" Drive Sockets & Accessories

- 19 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm
- 15 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4"
- 2 Spark Plug: 5/8 & 13/16"
- 6 Ratchet, Extension: 125 & 250mm, Adjustable Offset Handle: 375mm, Sliding-T Handle: 240mm, Universal Joint

1/2" Drive In-Hex Socket Set

- 16 Inhex Short: 6, 7, 8, 10, 12, 14, 17mm, 3/16, 7/32, 1/4, 9/32, 5/16, 3/8, 1/2, 9/16, 5/8"
- 2 Inhex Long: 8 & 10mm
- 1 Spline Short: M6
- 3 Spline Long: M8, M10, M12

Open End Spanners

- 11 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32mm
- 10 1/4x5/16, 3/8x7/16, 7/16x1/2, 1/2x9/16, 5/8x11/16, 11/16x3/4, 13/16x7/8, 15/16x1", 15/16x1-1/16", 1-1/8x1-1/4"

Ring & Open End Spanners

- 18 6, 7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 27, 30, 32mm
- 16 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4"

Flare Nut Spanners

- 5 10x11, 12x13, 13x14, 15x17, 19x22mm
- 4 3/8x7/16, 1/2x9/16, 5/8x11/16, 3/4x7/8"



Geared Wrenches

- 10 Stubby: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 7 Stubby: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"

Screwdrivers

- 4 Thru Tang Standard: 5x100, 6x150, 8x200, 10x250mm
- 4 Thru Tang Phil: #1x75, #2x100, #2x150, #3x200mm
- 21 T-Handle Ratchet Screwdriver Set
- Phillips®: 1, 2, 3, Pozidrive®: 1, 2, 3,
- Slotted: 4, 5.5, 6, Hex Head: 3, 4, 5,
- TORX®: 10, 15, 20, 25, 27,
- 1/4"x50mm & 100mm long knurled shaft, 1/4" Hex - 1/4" Square Drive Adaptor

Hex Keys

- 9 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 9 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Pliers

- 3 Combination Plier: 200mm, Diagonal Cutting: 200mm, Long Nose: 200mm
- 2 Retaining Ring: Internal Straight, External Straight
- 2 Multi Grip: 250mm, Aviation Snips Straight

Adjustable Wrenches

- 3 150, 200 & 300mm

1 Inspection Lamp

1 Tape: 8M

1 Hacksaw

1 AntiVibe Ball Pein Hammer: 680g

10 Drawer Heavy Duty Tool Chest

7 Drawer Heavy Duty Roller Cabinet



SCMT10110K

244 Piece Metric/AF Tool Kit

Barcode: 9311927996347

1/4" Drive Sockets & Accessories

- 7 4, 5, 6, 7, 8, 9, 10mm
- 7 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8"
- 3 Ratchet, Extension: 50mm,
Adjustable Offset Handle: 145mm

3/8" Drive Sockets & Accessories

- 8 10, 11, 12, 13, 14, 15, 17, 19mm
- 7 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
- 6 Ratchet, Extension: 75mm & 150mm, Adjustable Offset Handle:
220mm, Universal Joint, 3/8" to 1/2" Adapter

1/2" Drive Sockets & Accessories

- 19 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm
- 15 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8,
1-3/16, 1-1/4"
- 2 Spark Plug: 5/8 & 13/16"
- 6 Ratchet, Extension: 125 & 250mm, Adjustable Offset Handle: 375mm,
Sliding-T Handle: 240mm, Universal Joint

1/2" Drive In-Hex Socket Set

- 16 Inhex Short: 6, 7, 8, 10, 12, 14, 17mm, 3/16, 7/32, 1/4, 9/32, 5/16, 3/8,
1/2, 9/16, 5/8"
- 2 Inhex Long: 8 & 10mm
- 1 Spline Short: M6
- 3 Spline Long: M8, M10, M12

Open End Spanners

- 11 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27,
30x32mm
- 10 1/4x5/16, 3/8x7/16, 7/16x1/2, 1/2x9/16, 5/8x11/16, 11/16x3/4,
13/16x7/8, 15/16x1, 15/16x1-1/16,
1-1/8x1-1/4"

Ring & Open End Spanners

- 18 6, 7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 27, 30, 32mm
- 16 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1,
1-1/16, 1-1/8, 1-1/4"

Flare Nut Spanners

- 5 10x11, 12x13, 13x14, 15x17, 19x22mm
- 4 3/8x7/16, 1/2x9/16, 5/8x11/16, 3/4x7/8"

Geared Wrenches

- 10 Stubby: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 7 Stubby: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"

Screwdrivers

- 4 Thru Tang Standard: 5x100, 6x150, 8x200, 10x250mm
- 4 Thru Tang Phil: #1x75, #2x100, #2x150, #3x200mm
- 21 T-Handle Ratchet Screwdriver Set
Phillips®: 1, 2, 3, Pozidrive®: 1, 2, 3,
Slotted: 4, 5.5, 6, Hex Head: 3, 4, 5,
TORX®: 10, 15, 20, 25, 27,
1/4"x50mm & 100mm long knurled shaft, 1/4" Hex - 1/4" Square Drive
Adaptor

Hex Keys

- 9 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 9 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Pliers

- 3 Combination Plier: 200mm, Diagonal Cutting: 200mm, Long Nose:
200mm
- 2 Retaining Ring: Internal Straight, External Straight
- 2 Multi Grip: 250mm, Aviation Snips Straight

Adjustable Wrenches

- 3 150, 200 & 300mm

1 Inspection Lamp

1 Tape: 8M

1 Hacksaw

1 AntiVibe Ball Pein Hammer: 680g

10 Drawer Heavy Duty Tool Chest



SCMT10137

199 Piece Metric/AF Foam Tool Kit

Barcode: 9311927101376

1/4" Drive Sockets & Accessories

- 7 4, 5, 6, 7, 8, 9, 10mm
- 7 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8"
- 1 Socket Driver: 150mm

3/8" Drive Sockets & Accessories

- 8 10, 11, 12, 13, 14, 15, 17, 19mm
- 7 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
- 2 Spark Plug: 5/8 & 13/16
- 6 Ratchet, Extension: 75mm & 150mm, Adjustable Offset Handle: 220mm, Universal Joint, 3/8" to 1/4" Adaptor

1/2" Drive Sockets & Accessories

- 19 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm
- 15 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4"
- 2 Spark Plug: 5/8 & 13/16
- 5 Ratchet, Extension: 125mm & 250mm, Adjustable Offset Handle: 375mm, Universal Joint

Ring & Open End Spanners

- 10 8, 10, 11, 12, 13, 14, 16, 17, 18, 19mm
- 10 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 15/16"

Hex Keys

- 9 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 9 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Screwdrivers

- 5 Standard: 3.2x75, 4.75x100, 6.35x40, 6.35x100, 7.9x150mm
- 5 Phillips®: #0x75, #1x75, #2x40, #2x100, #3x150mm
- 21 T-Handle Ratchet Screwdriver Set
- Phillips®: 1, 2, 3, Pozidrive®: 1, 2, 3,
- Slotted: 4, 5.5, 6, Hex Head: 3, 4, 5,
- TORX®: 10, 15, 20, 25, 27,
- 1/4"x50mm & 100mm long knurled shaft, 1/4" Hex - 1/4" Square Drive Adaptor

Pliers

- 3 Combination Pliers: 200mm, Diagonal Cutting: 180mm, Long Nose: 200mm
- 2 Retaining Ring: Internal Straight, External Straight
- 1 Multi Grip: 250mm Locking

1 Antivibe Ball Pein Hammer: 450g

1 Adjustable Wrench: 250mm

43 Piece Mechanics Bit Set

6 Drawer Heavy Duty Tool Chest



SCMT10133

198 Piece Metric/AF Tool Kit

Barcode: 9311927101338

1/4" Drive Sockets & Accessories

- 7 4, 5, 6, 7, 8, 9, 10mm
- 7 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8"
- 1 Socket Driver

3/8" Drive Sockets & Accessories

- 8 10, 11, 12, 13, 14, 15, 17, 19mm
- 7 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
- 2 Spark Plug: 5/8 & 13/16"
- 6 Ratchet, Extension: 75mm & 150mm, Adjustable Offset Handle: 220mm, Universal Joint, 3/8F to 1/4M Adapter

1/2" Drive Sockets & Accessories

- 19 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm
- 15 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1", 1-1/16, 1-1/8, 1-3/16, 1-1/4"
- 2 Spark Plug: 5/8 & 13/16"
- 5 Ratchet, Extension: 125mm & 250mm, Adjustable Offset Handle: 375mm, Universal Joint

Ring End Spanners

- 7 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19mm
- 6 1/4 x 5/16, 3/8 x 7/16, 1/2 x 9/16, 9/16 x 5/8, 11/16 x 3/4, 13/16 x 7/8"

Ring & Open End Spanners

- 10 8, 10, 11, 12, 13, 14, 16, 17, 18, 19mm
- 10 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 15/16"

Flare Nut Spanners

- 5 10x11, 12x13, 13x14, 15x17, 19x22mm
- 4 3/8x7/16, 1/2x9/16, 5/8x11/16, 3/4x7/8"

Hex Keys

- 9 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 9 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Screwdrivers

- 5 Phillips®: 75x#0, 75x#1, 40x#2, 100x#2, 150mmx#3
- 5 Standard: 75x3.2, 100x4.75, 40x6.35, 100x6.35, 150x7.9mm
- 21 T-Handle Ratchet Screwdriver Set
- Phillips®: 1, 2, 3, Pozidrive®: 1, 2, 3,
- Slotted: 4, 5.5, 6, Hex Head: 3, 4, 5,
- TORX®: 10, 15, 20, 25, 27,
- 1/4"x50mm & 100mm long knurled shaft, 1/4" Hex - 1/4" Square Drive Adaptor

Punch Set

- 10 Centre Punches: 3, 4, 5, 6.5mm
- Long Pin Punches: 3, 4, 5, 6mm
- Starter Drift Punches: 3, 5mm
- 3 Cold Chisels: 12, 19, 25mm

Pliers

- 3 Combination Plier: 200mm, Diagonal Cutting: 200mm, Long Nose: 200mm
- 2 Retaining Ring: Internal Straight, External Straight
- 2 Multi Grip: 250mm, Locking: 240mm

Adjustable Wrenches

- 2 150, 300mm

1 Hacksaw

1 Mechanic Feeler Gauge

1 6-12V DC Circuit Tester

1 Tape: 8M

1 Anti-Vibe ball pein Hammer: 450g

1 Heavy Duty Scissors

8 Drawer Heavy Duty Tool Chest





192 Piece Metric/AF Tool Kit

1/4" Drive Sockets & Accessories

- 7 4, 5, 6, 7, 8, 9, 10mm
7 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8"
2 Ratchet, Extension: 150mm

3/8" Drive Sockets & Accessories

- 8 10, 11, 12, 13, 14, 15, 17, 19mm
7 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
6 Ratchet, Extension: 75mm & 150mm, Adjustable Offset Handle:
220mm, Universal Joint, 3/8F to 1/4M Adapter

1/2" Drive Sockets & Accessories

- 19 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm
15 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1", 1-1/16, 1-1/8,
1-3/16, 1-1/4"
2 Spark Plug: 5/8 & 13/16"
5 Ratchet, Extension: 125mm & 250mm, Adjustable Offset Handle:
375mm. Universal Joint

Ring & Open End Spanners

- 20 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 24, 27, 30, 32mm
16 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1",
1-1/16, 1-1/8, 1-1/4"

Geared Wrenches

- 6 Flex: 8, 10, 11, 12, 13, 14mm

Flare Nut Spanners

- 5 10x11, 12x13, 13x14, 15x17, 19x22mm
4 3/8x7/16, 1/2x9/16, 5/8x11/16, 3/4x7/8"



Screwdrivers

- 5 Standard 3.2x75, 4.75x100, 6.35x40, 6.35x100, 7.9x150mm
5 Phillips® #0x75, #1x75, #2x40, #2x100, #3x150mm
21 T-Handle Ratchet Screwdriver Set
Phillips®: 1, 2, 3, Pozidrive®: 1, 2, 3,
Slotted: 4, 5.5, 6, Hex Head: 3, 4, 5,
TORX®: 10, 15, 20, 25, 27,
1/4"x50mm & 100mm long knurled shaft, 1/4" Hex - 1/4" Square Drive
Adaptor

Hex Keys

- 9 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
9 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Pliers

- 3 Combination Plier: 200mm, Diagonal Cutting: 200mm, Long Nose: 200mm
2 Retaining Ring: Internal Straight, External Straight
3 Multi Grip: 250mm, Locking: 240mm, Straight Aviation Snips

Adjustable Wrenches

- 2 150, 300mm

1 Tape: 8M

1 Hacksaw

- 1 Anti-Vibe ball pein Hammer: 450g**

1 Cold Chisel: 19x200mm

8 Drawer Heavy Duty Tool Tool Chest



SCMT10122

165 Piece Metric/AF Tool Kit

Barcode: 9311927101222

1/2" Drive Sockets & Accessories

- 19 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm
- 17 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1", 1-1/16, 1-1/8, 1-3/16, 1-1/4"
- Spark Plug: 5/8 & 13/16"
- 5 Ratchet, Extension: 125 & 250mm, Adjustable Offset Handle: 375mm, Universal joint

Open End Spanners

- 8 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22mm
- 7 1/4x5/16, 3/8x7/16, 1/2x9/16, 5/8x11/16, 11/16x3/4, 13/16x7/8, 15/16x1"

Ring End Spanners

- 7 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19mm
- 6 1/4x5/16, 3/8x7/16, 1/2x9/16, 9/16x5/8, 11/16x3/4, 13/16x7/8"

Ring & Open End Spanners

- 14 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 13 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"

Screwdrivers

- 4 Standard: 6.35x100mm, 3.2x75mm, 4.75x100mm, 7.9x150mm
- 3 Phillips: #1x75mm, #2x4mm, #2x100mm
- 21 T-Handle Ratchet Screwdriver Set
- Phillips®: 1, 2, 3, Pozidrive®: 1, 2, 3,
- Slotted: 4, 5, 5, 6, Hex Head: 3, 4, 5,
- TORX®: 10, 15, 20, 25, 27,
- 1/4"x50mm & 100mm long knurled shaft,
- 1/4" Hex - 1/4" Square Drive Adaptor

Pliers

- 3 Combination Plier: 200mm, Diagonal Cutting: 200mm, Long Nose: 200mm
- 2 Multi Grip: 250mm, Locking: 240mm

Hex Keys

- 9 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 9 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Punch Set

- 10 Centre Punches: 3, 4, 5, 6.5mm
- Long Pin Punches: 3, 4, 5, 6mm
- Starter Drift Punches: 3, 5mm
- 3 Cold Chisels: 12, 19, 25mm

Adjustable Wrenches

- 2 150 & 300mm

1 Hacksaw

1 Antivibe Ball Pein Hammer: 450g

1 Heavy Duty Scissor

8 Drawer Heavy Duty Tool Chest





159 Piece Metric/AF Tool Kit

1/4" Drive Sockets & Accessories

- 7 4, 5, 6, 7, 8, 9, 10mm
7 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8"
1 Socket Driver

3/8" Drive Sockets & Accessories

- 8 10, 11, 12, 13, 14, 15, 17, 19mm
7 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
2 5/8 & 13/16" Spark Plug
6 Ratchet, 75mm & 150mm Extension, Adjustable Offset Handle 220mm,
Universal Joint, 3/8F to 1/4M Adapter

1/2" Drive Sockets & Accessories

- 19 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm
15 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1", 1-1/16, 1-1/8,
1-3/16, 1-1/4"
2 5/8 & 13/16" Spark Plug
5 Ratchet, Extension: 125mm & 250mm, Adjustable Offset Handle:
375mm, Universal Joint

Ring Spanners

- 7 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19mm
6 1/4 x 5/16, 3/8 x 7/16, 1/2 x 9/16, 9/16 x 5/8, 11/16 x 3/4,
13/16 x 7/8"



Ring & Open End Spanners

- 10 8, 10, 11, 12, 13, 14, 16, 17, 18, 19mm
10 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 15/16"

Flare Nut Spanners

- 5 10x11, 12x13, 13x14, 15x17, 19x22mm
4 3/8x7/16, 1/2x9/16, 5/8x11/16, 3/4x7/8"

Hex Keys

- 9 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
9 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Screwdrivers

- 5 Phillips®: 75x#0, 75x#1, 40x#2, 100x#2, 150mmx#3
5 Standard: 75x3.2, 100x4.75, 40x6.35, 100x6.35, 150x7.9mm

Pliers

- 3 Combination Plier: 200mm, Diagonal Cutting: 180mm, Long Nose: 200mm
2 Retaining Ring: Internal Straight, External Straight
1 Multi Grip: 250mm

Adjustable Wrenches

- 2 150, 300mm

1 8M Tape

- 1 Anti-Vibe ball pein Hammer: 450g**

8 Drawer Heavy Duty Tool Chest



Find us on



A red Sidchrome toolbox is shown with its lid and four drawers open. The lid features the 'SIDCHROME' logo in a stylized, metallic font. The first drawer contains a set of sockets and a few screwdrivers. The second drawer is filled with various sizes of open-end wrenches. The third drawer contains a set of sockets and a few screwdrivers. The fourth drawer is filled with a variety of hand tools, including a large pair of pliers, a hammer, and several screwdrivers. The toolbox is designed for portability and easy access to a wide range of tools.

SCMT10135

131 Piece Metric/AF Tool Kit

Barcode: 9311927101352

1/4" Drive Sockets & Accessories

- 7 4, 5, 6, 7, 8, 9, 10mm
- 7 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8"
- 4 Ratchet, Extension: 50 & 150mm, Universal Joint

1/2" Drive Sockets & Accessories

- 15 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27mm
- 13 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"
- Spark Plug: 5/8 & 13/16"
- 5 Ratchet, Extension: 65 & 125mm, Sliding T-Handle: 240mm, Universal Joint

Ring & Open End Spanners

- 8 8, 10, 11, 12, 13, 14, 15, 17mm
- 8 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4"

Punch Set

- 10 Centre Punches: 3, 4, 5, 6.5mm
- Long Pin Punches: 3, 4, 5, 6mm
- Starter Drift Punches: 3, 5mm

Hex Keys

- 9 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 9 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"



Screwdrivers

- 4 Standard: 6.35x100, 3.2x75, 4.75x100, 7.9x150mm
- 3 Phillips: #1x75, #2x40, #2x100mm
- 21 T-Handle Ratchet Screwdriver Set
- Phillips®: 1, 2, 3, Pozidrive®: 1, 2, 3,
- Slotted: 4, 5.5, 6, Hex Head: 3, 4, 5,
- TORX®: 10, 15, 20, 25, 27,
- 1/4"x50mm & 100mm long knurled shaft, 1/4" Hex - 1/4" Square Drive Adaptor

Pliers

- 3 Combination Plier: 185mm, Diagonal Cutting 180mm, Long Nose: 160mm
- 2 Multi Grip: 250mm, Locking: 250mm

Adjustable Wrenches

- 1 250mm

1 Antivibe Ball Pein Hammer: 450g

1 Heavy Duty Scissors

3 Drawer Heavy Duty Tool Chest



SCMT10150K

124 Piece Metric/AF Tool Kit

Barcode: 9311927996064

1/4" Drive Sockets & Accessories

- 7 4, 5, 6, 7, 8, 9, 10mm
- 7 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8"
- 4 Ratchet, Extension: 50mm & 150mm, Universal Joint

1/2" Drive Sockets & Accessories

- 15 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27mm
- 11 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"
- 2 Spark Plug: 5/8" & 13/16"
- 6 Ratchet, Extension: 65mm & 125mm, Adjustable Offset Handle: 300mm, Sliding T-Bar: 240mm, Universal Joint

Ring & Open End Spanners

- 12 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 9 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"

Hex Keys

- 9 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 9 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Screwdrivers

- 4 Thru Tang Standard: 5x100, 6x150, 8x200, 10x250mm
- 4 Thru Tang Phillips®: #1x75, #2x100, #2x150, #3x200mm



Pliers

- 3 Combination Plier: 200mm, Diagonal Cutting: 180mm, Long Nose: 200mm
- 3 Multi Grip: 250mm, Curved Jaw Locking: 250mm, Aviation Snips: Straight Cut

Punches & Cold Chisels

- 4 Centre Punches: 3, 4, 5, 6.5mm
- 4 Long Pin Punches: 3, 4, 5, 6mm
- 2 Starter Drift Punches: 3, 5mm
- 1 Cold Chisel: 200x19mm

Adjustable Wrenches

- 2 200, 300mm

Hacksaw

- 1 Anti-Vibe Ball Pein Hammer: 450g

Tape: 8M

- 1 Telescopic Inspection Mirror

- 1 Telescopic Magnet

- 1 Heavy Duty Scissors

6 Drawer Heavy Duty Tool Chest



SCMT10116K

107 Piece Metric/AF Tool Kit

Barcode: 9311927996415

1/4" Drive Sockets & Accessories

- 7 4, 5, 6, 7, 8, 9, 10mm
- 7 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8"
- 4 Ratchet, Extension: 50 & 150mm, Universal joint

1/2" Drive Sockets & Accessories

- 15 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27mm
- 13 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"
- Spark Plug: 5/8 & 13/16"
- 5 Ratchet, Extension: 65 & 125mm, Sliding T-Handle, Universal joint

Ring & Open End Spanners

- 10 8, 10, 11, 12, 13, 14, 16, 17, 18, 19mm
- 10 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 15/16"

Pliers

- 3 Combination Plier: 200mm, Diagonal Cutting: 180mm, Long Nose: 200mm
- 2 Multi Grip: 250mm, Locking: 240mm



Screwdrivers

- 4 Standard: 6.35x100mm, 3.2x75mm, 4.75x100mm, 7.9x150mm
- 3 Phillips®: #1x75mm, #2x40mm, #2x100mm
- 21 T-Handle Ratchet Screwdriver Set
- Phillips®: 1, 2, 3, Pozidrive®: 1, 2, 3,
- Slotted: 4, 5.5, 6, Hex Head: 3, 4, 5,
- TORX®: 10, 15, 20, 25, 27,
- 1/4"x50mm & 100mm long knurled shaft, 1/4" Hex - 1/4" Square Drive Adaptor

Adjustable Wrenches

- 2 150 & 300mm

1 Antivibe Ball Pein Hammer: 450g

6 Drawer Heavy Duty Tool Chest



SCMT10117

101 Piece Metric Tool Kit

Barcode: 9311927101178

1/4" Drive Sockets & Accessories

- 7 4, 5, 6, 7, 8, 9, 10mm
- 2 Ratchet, Extension: 150mm

1/2" Drive Sockets & Accessories

- 19 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm
- 2 Spark Plug: 5/8 & 13/16"
- 5 Ratchet, Extension: 125mm & 250mm, Adjustable Offset Handle: 375mm, Universal Joint

Ring & Open End Spanners

- 20 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 24, 27, 30, 32mm

Flare Nut Spanners

- 5 10x11, 12x13, 13x14, 15x17, 19x22mm

Hex Keys

- 9 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm

Screwdrivers

- 4 Standard: 3.2x75, 4.75x100, 6.35x100, 7.9x150mm
- 3 Phillips®: #1x75, #2x40, #2x100mm
- 16 Ratchet Screwdriver Set with Bits



Adjustable Wrenches

- 1 250mm

Pliers

- 3 Combination Pliers: 200mm, Diagonal Cutting: 180mm, Long Nose: 200mm
- 2 Retaining Ring: Internal Straight, External Straight
- 1 Multi Grip: 250mm, Curved Jaw Locking

Hacksaw

- 1 Antivibe Ball Pein Hammer: 450g

6 Drawer Heavy Duty Grade Tool Chest



SCMT10105

225 Piece Metric/AF Tool Kit

Barcode: 9311927101055

1/2" Drive Sockets & Accessories

- 20 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 26, 27, 30, 32mm
- 15 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4"
- 2 5/8", 13/16" 12 Point Spark plugs
- 10 Ratchet, 65,125,250,500mm Extensions,220 &375mm Adjustable Offset Handle, 420mm Speed brace, 240mm Sliding T-Handle, Universal Joint

1/2" Drive In-Hex Socket Set

- 7 Short: 6, 7, 8, 10, 12, 14, 17mm
- 9 Short: 3/16, 7/32, 1/4, 9/32, 5/16, 3/8, 1/2, 9/16, 5/8"

Ring Spanners

- 11 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32mm
- 8 1/4x5/16, 3/8x7/16, 1/2x9/16, 9/16x5/8, 11/16x3/4, 13/16x7/8, 15/16x1, 1-1/8x1-1/4"

Open End Spanners

- 11 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32mm
- 9 1/4x5/16, 3/8x7/16, 7/16x1/2, 1/2x9/16, 5/8x11/16, 11/16x3/4, 13/16x7/8, 15/16x1", 1-1/8x1-1/4"

Ring & Open End Spanners

- 10 8, 10, 11, 12, 13, 14, 16, 17, 18, 19mm
- 10 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 15/16"

Geared Wrenches

- 10 Stubby: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 7 Stubby: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"

Hex Keys

- 9 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 9 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"



Screwdrivers

- 4 Phillips: #0x60, #1x75, #2x40, #2x200mm
- 5 Standard: 6.35x100, 6.35x40, 4.75x200, 3.2x75, 4.7x100mm
- 10 Ratcheting Screwdriver Bit Set
- 21 T-Handle Ratchet Screwdriver Set
- Phillips®: 1, 2, 3, Pozidrive®: 1, 2, 3, Slotted: 4, 5.5, 6, Hex Head: 3, 4, 5, TORX®: 10, 15, 20, 25, 27, 1/4"x50mm & 100mm long knurled shaft, 1/4" Hex - 1/4" Square Drive Adaptor

Pliers

- 3 Combination Plier: 200mm, Diagonal Cutting: 200mm, Long Nose: 200mm
- 2 Retaining Ring: Internal Straight, External Straight
- 2 Mult Grip: 250mm, Locking: 240mm

Punch Set

- 10 Centre Punches: 3, 4, 5, 6.5mm
- Long Pin Punches: 3, 4, 5, 6mm
- Starter Drift Punches: 3, 5mm
- 3 Cold Chisels 12,19, 25mm

Adjustable Wrenches

- 2 150, 300mm

Hacksaw

1 6-12V DC Circuit Tester

1 Heavy Duty scissors

1 Mechanic Feeler Gauge

1 Tape: 8M

1 AntiVibe Ball Pein Hammer: 680g

Sidchrome Wall Cabinet



SCMT10136

136 Piece Metric/AF Tool Kit

Barcode: 9311927101369

1/4" Drive Sockets & Accessories

- 7 4, 5, 6, 7, 8, 9, 10mm
- 7 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8"
- 1 Socket Driver, 150mm

3/8" Drive Sockets & Accessories

- 8 10, 11, 12, 13, 14, 15, 17, 19mm
- 9 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
- Spark Plug: 5/8 & 13/16"
- 6 Ratchet, Extension: 75 & 150mm, Adjustable Offset Handle: 220mm, Universal Joint, 3/8F to 1/4M Adaptor

1/2" Drive Sockets & Accessories

- 9 10, 12, 13, 14, 15, 16, 17, 18, 19mm
- 11 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1" Spark Plug 5/8"
- 4 Ratchet, Extensions: 125 & 250mm, Adjustable Offset Handle: 300mm

Ring & Open End Spanners

- 10 8, 10, 11, 12, 13, 14, 16, 17, 18, 19mm
- 10 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 15/16"

Hex Keys

- 9 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 9 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"



Screwdrivers

- 4 Standard: 6.35x100mm, 3.2x75, 4.75x100, 7.9x150mm
- 3 Phillips®: #1x75, #2x40, #2x100mm
- 21 T-Handle Ratchet Screwdriver Set
- Phillips®: 1, 2, 3, Pozidrive®: 1, 2, 3,
- Slotted: 4, 5.5, 6, Hex Head: 3, 4, 5,
- TORX®: 10, 15, 20, 25, 27,
- 1/4"x50mm & 100mm long knurled shaft, 1/4" Hex - 1/4" Square Drive Adaptor

Pliers

- 3 Combination Plier: 185mm, Diagonal Cutting: 180mm, Long Nose: 160mm
- 2 Multi Grip: 250mm, Locking: 240mm

1 Adjustable Wrench: 250mm

1 Antivibe Ball Pein Hammer: 450g

1 Heavy Duty Scissors

5 Tray Cantilever Tool Box



SCMT10138

112 Piece Metric/AF Tool Kit

Barcode: 9311927101383

1/4" Drive Sockets & Accessories

- 7 Metric Sockets - Standard: 4, 5, 6, 7, 8, 9, 10mm
- 7 AF Sockets - Standard: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8"
- 1 Socket Accessory - Socket Driver, 150mm

3/8" Drive Sockets & Accessories

- 8 Metric Sockets - Standard: 10, 11, 12, 13, 14, 15, 17, 19mm
- 7 AF Sockets - Standard: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
- 2 Spark Plug: 5/8 & 13/16"
- 6 Socket Accessories
 - Ratchet, Reversible Male, 195mm
 - Extension, Male & Female, 75mm & 150mm
 - Adjustable Offset Handle, 220mm
 - Universal Joint
 - Adaptor, 3/8" Female to 1/4" Male

1/2" Drive Sockets & Accessories

- 9 Metric Sockets - Standard: 10, 12, 13, 14, 15, 16, 17, 18, 19mm
- 10 AF Sockets - Standard: 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"
- 1 Spark Plug: 5/8"
- 4 Socket Accessories
 - Ratchet, Reversible Male, 250mm
 - Extension, Male & Female, 125mm & 250mm
 - Adjustable Offset Handle, 300mm



Ring & Open End Spanners

- 10 8, 10, 11, 12, 13, 14, 16, 17, 18, 19mm
- 10 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 15/16"

Hex Keys

- 9 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 9 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Screwdrivers

- 4 Standard: 3.2x75, 4.75x100, 6.35x100, 7.9x150mm
- 3 Phillips®: #1x75, #2x40, #2x100mm

Pliers

- 2 Combination Pliers: 185mm, Diagonal Cutting: 180mm
- 1 Hacksaw
- 1 Antivibe Ball Pein Hammer: 450g
- 1 Adjustable Wrench: 250mm

1 Adjustable Wrench: 250mm

1 Antivibe Ball Pein Hammer: 450g

1 Heavy Duty Scissors

5 Tray Cantilever Tool Box





**HEAVY
DUTY**



Tool Storage



Sidchrome Heavy Duty Tool Storage



Top Chests

Features

- ARS - auto return ball bearing, spring loaded slides
- Heavy gauge steel for durability and strength
- Polyester/epoxy powder coat
- U.V resistant
- Chrome plated, PVC coated side handles
- Heavy duty traditional lid stays
- Drawer liners
- Rolled edge drawers for safety & strength
- Wide grip drawer handles
- 100% drawer access



Gauge Steel



Approx. 0.8-1.2mm

Drawer Slides



Auto return ball bearing spring-loaded slides

Drawer Liners



2.5mm foam matting

Structural Design




Fully welded, rolled edges, and reinforced sides

Rolled Edges



Rolled drawer edges prevent from flexing

Lid Stays



Traditional stays

Roll Cabs

Features

- ARS - auto return ball bearing, spring loaded slides
- Heavy gauge steel for durability and strength
- Polyester/epoxy powder coat
- U.V resistant
- Comfortable epoxy coated side handle
- Drawer liners
- Rolled edge drawers for safety & strength
- Wide grip drawer handles
- 100% drawer access



Gauge Steel



Approx. 0.8-1.2mm

Drawer Slides



Auto return ball bearing spring-loaded slides

Drawer Liners



2.5mm foam matting

Structural Design



Fully welded, rolled edges, and reinforced sides

Rolled Edges



Rolled drawer edges prevent from flexing

Work Mat



Heavy duty rubber work mat

Casters



Heavy duty polypropylene 5"x2" lockable

SCMT50203

3 Drawer Tool Chest

Barcode: 076174502039

<u>Chest</u>	<u>Width</u>	<u>Depth</u>	<u>Height</u>
	600mm	260mm	325mm
<u>Drawers</u>	<u>Width</u>	<u>Depth</u>	<u>Height</u>
3 x	510mm	225mm	65mm



SCMT50216

6 Drawer Tool Chest

Barcode: 076174502169

<u>Chest</u>	<u>Width</u>	<u>Depth</u>	<u>Height</u>
	663mm	335mm	383mm
<u>Drawers</u>	<u>Width</u>	<u>Depth</u>	<u>Height</u>
3 x	170mm	270mm	40mm
2 x	570mm	270mm	40mm
1 x	570mm	270mm	60mm



SCMT50208

8 Drawer Tool Chest

Barcode: 076174502084

<u>Chest</u>	<u>Width</u>	<u>Depth</u>	<u>Height</u>
	663mm	335mm	438mm
<u>Drawers</u>	<u>Width</u>	<u>Depth</u>	<u>Height</u>
1 x *	170mm	270mm	90mm
4 x	170mm	270mm	40mm
2 x	570mm	270mm	40mm
1 x	570mm	270mm	60mm

*independently lockable



SCMT50200

10 Drawer Extra Deep Tool Chest

Barcode: 076174502008

<u>Chest</u>	<u>Width</u>	<u>Depth</u>	<u>Height</u>
	678mm	459mm	514mm
<u>Drawers</u>	<u>Width</u>	<u>Depth</u>	<u>Height</u>
6 x	170mm	400mm	45mm
2 x	570mm	400mm	45mm
1 x	570mm	400mm	65mm
1 x *	170mm	400mm	150mm

*independently lockable





SCMT50215

5 Drawer Roller Cabinet

Barcode: 076174502152



Cabinet	Width	Depth	Height
	679mm	459mm	860mm*
*includes castors			
Drawers	Width	Depth	Height
3 x	570mm	400mm	75mm
2 x	570mm	400mm	150mm



SCMT50207

7 Drawer Roller Cabinet

Barcode: 076174502077



Cabinet	Width	Depth	Height
	679mm	459mm	1016mm*
*includes castors			
Drawers	Width	Depth	Height
5 x	570mm	400mm	60mm
2 x	570mm	400mm	140mm



SCMT50218

8 Drawer Widebody Tool Chest

Barcode: 9311927502180

Chest	Width	Depth	Height
	1065mm	459mm	490mm
Drawers	Width	Depth	Height
4 x	335mm	400mm	60mm
4 x	595mm	400mm	60mm





SCMT50224

13 Drawer Widebody Roller Cabinet

Barcode: 9311927502241

Cabinet	Width	Depth	Height
	1065mm	459mm	1004mm*

*includes castors

Drawers	Width	Depth	Height
1 x	960mm	400mm	145mm
5 x	570mm	400mm	70mm
1 x	570mm	400mm	145mm
5 x	320mm	400mm	70mm
1 x	320mm	400mm	145mm



SCMT50272

12 Drawer Triple Bank Top Chest

Barcode: 9311927502722

Chest	Width	Depth	Height
	1450mm	459mm	565mm

Drawers	Width	Depth	Height
6 x	320mm	400mm	70mm
3 x	570mm	400mm	70mm
2 x	320mm	400mm	145mm
1 x	570mm	400mm	145mm



SCMT50273

20 Drawer Triple Bank Roll Cabinet

Barcode: 9311927502739

Cabinet	Width	Depth	Height
	1450mm	459mm	1004mm*

*includes castors

Drawers	Width	Depth	Height
1 x	960mm	400mm	145mm
5 x	570mm	400mm	70mm
1 x	570mm	400mm	70mm
10x	320mm	400mm	70mm
3 x	320mm	400mm	145mm





SCMT50350

3 Tier Trolley

Barcode: 9311927503507

- Shelf load – 67Kg
- Anti-slip rubber self mats
- Fits most Sidchrome top chests
- Polyester epoxy powder coat paint
- Heavy duty castors
- Heavy duty metal handle



SCMT50347

7 Drawer Side Cabinet

Barcode: 9311927503477



Cabinet	Width	Depth	Height
	427mm	459mm	858mm
Drawers	Width	Depth	Height
5 x	321mm	400mm	65mm
2 x	321mm	400mm	141mm



SCMT50331

Side Cabinet

Barcode: 9311927503316



Cabinet	Width	Depth	Height
	427mm	459mm	858mm



SCMT50233

3 Drawer Intermediate Tool Chest

Barcode: 076174502336

Fits under 3, 6 and 8 drawer Tool Chests



Chest	Width	Depth	Height
	670mm	344mm	292mm
Drawers	Width	Depth	Height
2 x	570mm	270mm	45mm
1 x	570mm	270mm	70mm



SCMT50330

Side Shelf

Barcode: 076174503302



Shelf	Width	Depth	Height
	450mm	435mm	170mm





SCMT51252

2 Drawer Wall Cabinet

Barcode: 9311927512523

Wall Cab	Width	Depth	Height
	745mm	210mm	880mm
Drawers	Width	Depth	Height
2 x	625mm	165mm	50mm



SCMT51108

5 Tray Cantiliver Tool Box

Barcode: 9311927511083

Tool Box	Width	Depth	Height
	535mm	255mm	220mm
Trays	Width	Depth	Height
4 x	530mm	120mm	50mm
1 x	530mm	240mm	95mm



SCMT51130

Cantiliver Tool Box

Barcode: 9311927511304

Tool Box	Width	Depth	Height
	455mm	210mm	180mm
Trays	Width	Depth	Height
1 x	435mm	210mm	25mm
1 x	435mm	210mm	160mm



SCMT50000

Open Tote Contractor's Tool Bag

Barcode: 9311927500001

- High strength design
- Highly resistant 1200 x 1200 denier fabric
- Rigid, waterproof tool bottom
- Aluminium handle
- Safe and comfortable
- Leather grip
- Shoulder strap with reinforced padded shoulder
- Closing flap
- Handy storage
- Elastic tool retaining strap
- Special screwdriver partition
- Easy access to tool compartment
- Large number of side pockets



SCMT50001

Heavy Duty Round Top Tool Bag

Barcode: 9311927500018

- High quality leather combined with 1200x1200 Denier Nylon
- Easy access pockets
- Rigid construction - maintains shape
- Multiple tool compartments
- Suitable for power tools/air tools
- Mesh pouch under lid
- Twin zips with rubber grips
- Quick access, spring-loaded "tool chute"
- Padded backing & shoulder strap
- 2 Pce interlocking handle
- Water resistant base
- Unique "2 position" side pocket





SCMT80004

Tool Chest Cooler

Barcode: 9311927800040

- 48 Litre capacity
- Heavy-Duty Metal Tool Chest Cooler



Drinks not included.



Sockets & Accessories



Sidchrome Maintenance Free Pear Head Ratchet

Sealed and Robust

Ultra-Resistant and Sealed Head for Longer Life

- Double sealing gasket: mechanism sealed and dust free.
- Maintenance free.
- Tested in aggressive conditions.



High Precision

- SCMT14970
1/2Dr 72 teeth for 5" increments dimensions 120mmL x 20mmW
- SCMT13970
3/8DR 72 teeth for 5" increments dimensions 210mmL x 25mmW
- SCMT12970
1/4DR 52 teeth for 7" increments dimensions 260mmL x 38mmW

Reduced Fatigue:

- Lighter ratchets (Than traditional lever ratchets.)
- Center of gravity moved towards the head for easier increment movements.

Palm Control System

- For more powerful loosening.



Recessed Reverse Lever

- Avoids accidental reversal and is easier to operate with gloved hands.



Comfortable:

- No discontinuity between the plastic and metal sections.

Hook Eye



Sidchrome Rotator Dual Function Ratchet The Fast Ratchet With Rotating Handle

Work Twice As Fast With The Rotating Handle

- The rotating handle allows fast access to improve productivity.
- Gain time, especially in confined work spaces.




Maximum Comfort

- No need to hold the socket in the access phase = just place the socket on the screen and turn the handle.
- More comfort and access, especially in confined work spaces.

Socket Locking

- No need to secure the socket by hand when tightening threads or nuts with little or no locking.



Palm Control

- Ratchet head can be pressed for more powerful tightening and untightening.



SCMT12919

1/4" Drive Microtough Ratchet

Barcode: 9311927129196

- Small ratchet head allows access to confined areas
- 72 Tooth gear for a small 5° arc swing
- Reversible
- Male
- 140mm



SCMT12905

1/4" Drive Reversible Ratchet

Barcode: 9311927129059

- 45 Tooth mechanism for a small 8° arc swing
- Reversible
- Male
- 145mm



SCMT12970

1/4" Drive Maintenance Free Pear Head Ratchet

Barcode: 9311927129707

- Smallest ratchet head in the industry providing access to confined areas
- Fully Sealed Head
- Ergonomic Handle
- Maintenance Free
- 52 teeth



SCMT12914

1/4" Drive Rotator Ratchet

Barcode: 9311927129141

- Twist action handle for tight spaces
- Rotates with 0° swing
- 60 Tooth gear for a small 6° arc swing
- Dual Function
- Male
- 185mm

Rotator™



Continuous drive using twist action handle

PROTO®

J4749

1/4" Drive Ratchet

Barcode: 662679141288

- 24 Tooth mechanism for a 15° arc swing
- Reversible
- Male
- 127mm



SCMT13906

3/8" Drive Reversible Ratchet

Barcode: 9311927139065

- 30 Tooth mechanism for a 12° arc swing
- Quick-Release
- Male
- 195mm



SCMT13904

3/8" Drive Swiveling Head Ratchet

Barcode: 9311927139041

- Head can be pre-set to desired angle for access to hard to reach places
- When head is set "straight" the ratchet can be used like a screwdriver
- 72 Tooth gear for a small 5° arc swing
- Male
- 265mm



SCMT13970

3/8" Drive Maintenance Free Pear Head Ratchet

Barcode: 9311927139706

- Fully Sealed Head
- Ergonomic Handle
- Maintenance Free
- Length: 210mm
- 72 teeth



SCMT13914

3/8" Drive Rotator Ratchet

Barcode: 9311927139140

- Twist action handle for tight spaces
- Rotates with 0° swing
- 60 Tooth gear for a small 6° arc swing
- Dual Function
- Male
- 225mm

Rotator™



Continuous drive using twist action handle

SCMT14919

1/2" Drive Microtough Ratchet

Barcode: 9311927149194

- 72 Tooth gear for a small 5° arc swing
- Reversible
- Male
- 250mm



SCMT14906

1/2" Drive Reversible Ratchet

Barcode: 9311927149064

- 36 Tooth mechanism for a 10° arc swing
- Quick-Release
- Male
- 250mm



SCMT14904

1/2" Drive BigFella Ratchet

Barcode: 9311927149040

- 36 Tooth mechanism for a 10° arc swing
- Quick-Release
- Male
- 425mm



SCMT14970

1/2" Drive Maintenance Free Pear Head Ratchet

Barcode: 9311927149705

- Fully Sealed Head
- Ergonomic Handle
- Maintenance Free
- Length: 262mm
- 72 teeth



SCMT14914

1/2" Drive Rotator Ratchet

Barcode: 9311927149149

- Twist action handle for tight spaces
- Rotates with 0° swing
- 60 Tooth gear for a small 6° arc swing
- Dual Function
- Male
- 225mm



Rotator™



Continuous drive using twist action handle

PROTO

J5450

1/2" Drive Heavy Duty Long Ratchet

Barcode: 662679181567

- 24 Tooth mechanism for a 15° arc swing
- Reversible
- Male
- 406mm



SCMT15970

3/4" Drive Dust Proof Ratchet

Barcode: 9311927159704

- 120 tooth
- Ultra-resistant mechanism for more durability
- Dust proof to industrial dusts
- No maintenance required
- Tested in most aggressive conditions
- Palm control system for more power
- Compact head: H=52mm, Ø=60mm
- Increased accessibility
- Palm control system for more power



SCMT12908

1/4" Drive Adjustable Offset Handle

Barcode: 9311927129080

- 145mm




SCMT12910

1/4" Drive Socket Driver

Barcode: 9311927129103

- 150mm



SCMT13925

3/8" Drive Adjustable Offset Handle

Barcode: 9311927139256

- 220mm



SCMT13928

3/8" Drive Sliding T Handle

Barcode: 9311927139287

- 200mm



SCMT13930

3/8" Drive Speed Brace

Barcode: 9311927139300

- 400mm



1/2" Drive Adjustable Offset Handle

Part No.	Barcode	Size
SCMT14930	9311927149309	220mm
SCMT14931	9311927149316	300mm
SCMT14932	9311927149323	375mm
SCMT14933	9311927149330	450mm



SCMT14947

1/2" Drive Extra Long Adjustable Offset Handle

Barcode: 9311927149477

- Length: 600mm
- Extra long handle for increased leverage
- Chrome Molybdenum Head
- Soft Feel Rubber Grip

*Repair Kit available: SCMT44102



SCMT14948

1/2" Drive Extra Long Adjustable Offset Handle

Barcode: 9311927149484

- Length: 750mm
- Extra long handle for increased leverage
- Chrome Molybdenum Head
- Soft Feel Rubber Grip

*Repair Kit available: SCMT44102



SCMT14935

1/2" Drive Sliding T Handle

Barcode: 9311927149354

- 240mm



SCMT14907

1/2" Drive Swivel Head Ratchet with T-Bar Handle

Barcode: 9311927149071

- 60 Tooth gear for a small 6° arc swing
- 180° Swivel head
- T Bar handle
- Male
- 340mm



SCMT14949

1/2" Drive Impact Bar

Barcode: 9311927149491

- Creates impact to shock frozen nuts loose
- 8x Torque multiplication with a single hammer blow
- No compressed air required
- 180°+ swivel head
- 440mm




SCMT14941

1/2" Drive ELL Handle

Barcode: 9311927149415

- 190mm



SCMT14937

1/2" Drive Speed Brace

Barcode: 9311927149378

- 420mm



SCMT15954

3/4" Drive Adjustable Offset Handle

Barcode: 9311927159544

- 500mm



SCMT15955

3/4" Drive Sliding T Handle

Barcode: 9311927159551

- 450mm



SCMT15956

3/4" Drive ELL Handle

Barcode: 9311927159568


- 400mm



Sidchrome Torque Plus Fastening System

TORQUEPLUS™ delivers power where you need it

With TorquePlus™ technology, our sockets grip fasteners tighter than a conventional socket can, enabling you to solidly seal fasteners and more easily break stubborn fasteners free.




Conventional Sockets vs TORQUEPLUS™

The difference is in the points. A TorquePlus™ socket features rounded points which allow the socket walls to contact the fastener walls, keeping pressure off the points. This engineering change helps the socket find a longer, better grip on the flat of the fastener head. All Sidchrome® hand sockets feature the innovative TorquePlus™ design.



**CONVENTIONAL
6 POINT SOCKET**



**TORQUEPLUS™
12 POINT SOCKET**

6 Point Metric Sockets - Standard

Part No.	Barcode	Size
SCMT12215	9311927122159	4mm
SCMT12216	9311927122166	5mm
SCMT12217	9311927122173	6mm
SCMT12218	9311927122180	7mm
SCMT12219	9311927122197	8mm
SCMT12220	9311927122203	9mm
SCMT12221	9311927122210	10mm
SCMT12222	9311927122227	11mm
SCMT12223	9311927122234	12mm
SCMT12224	9311927122241	13mm



6 Point AF Sockets - Standard

Part No.	Barcode	Size
SCMT12415	9311927124153	3/16"
SCMT12416	9311927124160	7/32"
SCMT12417	9311927124177	1/4"
SCMT12418	9311927124184	9/32"
SCMT12419	9311927124191	5/16"
SCMT12420	9311927124207	11/32"
SCMT12421	9311927124214	3/8"
SCMT12422	9311927124221	7/16"
SCMT12423	9311927124238	1/2"



SCMT12230

10 Piece 1/4" Drive Deep Socket Set

Barcode: 9311927122302

10 Metric Sockets
Deep: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
Clip & Rail



6 Point Metric Sockets - Deep

Part No.	Barcode	Size
SCMT12235	9311927122357	4mm
SCMT12236	9311927122364	5mm
SCMT12237	9311927122371	6mm
SCMT12238	9311927122388	7mm
SCMT12239	9311927122395	8mm
SCMT12240	9311927122401	9mm
SCMT12241	9311927122418	10mm
SCMT12242	9311927122425	11mm
SCMT12243	9311927122432	12mm
SCMT12244	9311927122449	13mm



6 Point AF Sockets - Deep

Part No.	Barcode	Size
SCMT12435	9311927124351	3/16"
SCMT12436	9311927124368	7/32"
SCMT12437	9311927124375	1/4"
SCMT12438	9311927124382	9/32"
SCMT12439	9311927124399	5/16"
SCMT12440	9311927124405	11/32"
SCMT12441	9311927124412	3/8"
SCMT12442	9311927124429	7/16"
SCMT12443	9311927124436	1/2"



SCMT12430

9 Piece 1/4" Drive Deep Socket Set

Barcode: 9311927124306

9 AF Sockets
Deep: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"
Clip & Rail





Sockets Tru-Torque (Torx®)

Part No.	Barcode	Size
SCMT12375	9311927123750	T-10
SCMT12376	9311927123767	T-15
SCMT12377	9311927123774	T-20
SCMT12378	9311927123781	T-25



Extensions

- Male & Female

Part No.	Barcode	Size
SCMT12906	9311927129066	50mm
SCMT12907	9311927129073	150mm



SCMT12909

Universal Joint

Barcode: 9311927129097

- Link Joint



SCMT70272

1/4" Socket Holding Rail

Barcode: 9311911702725

- Neatly stores sockets in toolbox or on workbench
- Clearly shows missing sockets



6 Point Metric Sockets - Standard

Part No.	Barcode	Size
SCMT13215	9311927132158	5mm
SCMT13216	9311927132165	6mm
SCMT13217	9311927132172	7mm



12 Point Metric Sockets - Standard

Part No.	Barcode	Size
SCMT13218	9311927132189	8mm
SCMT13219	9311927132196	9mm
SCMT13220	9311927132202	10mm
SCMT13221	9311927132219	11mm
SCMT13222	9311927132226	12mm
SCMT13223	9311927132233	13mm
SCMT13224	9311927132240	14mm
SCMT13225	9311927132257	15mm
SCMT13226	9311927132264	16mm
SCMT13227	9311927132271	17mm
SCMT13228	9311927132288	18mm
SCMT13229	9311927132295	19mm
SCMT13230	9311927132301	20mm
SCMT13231	9311927132318	21mm
SCMT13232	9311927132325	22mm



6 Point Metric Sockets - Deep

Part No.	Barcode	Size
SCMT13240	9311927132400	10mm
SCMT13241	9311927132417	11mm
SCMT13242	9311927132424	12mm
SCMT13243	9311927132431	13mm
SCMT13244	9311927132448	14mm
SCMT13245	9311927132455	15mm
SCMT13246	9311927132462	16mm
SCMT13247	9311927132479	17mm
SCMT13248	9311927132486	18mm
SCMT13249	9311927132493	19mm



6 Point AF Sockets - Standard

Part No.	Barcode	Size
SCMT13415	9311927134152	1/4"



12 Point AF Sockets - Standard

Part No.	Barcode	Size
SCMT13416	9311927134169	5/16"
SCMT13417	9311927134176	3/8"
SCMT13418	9311927134183	7/16"
SCMT13419	9311927134190	1/2"
SCMT13420	9311927134206	9/16"
SCMT13421	9311927134213	5/8"
SCMT13422	9311927134220	11/16"
SCMT13423	9311927134237	3/4"
SCMT13424	9311927134244	13/16"
SCMT13425	9311927134251	7/8"



6 Point AF Sockets - Deep

Part No.	Barcode	Size
SCMT13440	9311927134404	3/8"
SCMT13441	9311927134411	7/16"
SCMT13442	9311927134428	1/2"
SCMT13443	9311927134435	9/16"
SCMT13444	9311927134442	5/8"
SCMT13445	9311927134459	11/16"
SCMT13446	9311927134466	3/4"





SCMT13235

10 Piece 3/8" Drive Deep Socket Set

Barcode: 9311927132356

10 Metric Sockets
Deep: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
Clips & Rail



SCMT13430

7 Piece 3/8" Drive Deep Socket Set

Barcode: 9311927134305

7 AF Sockets
Deep: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
Clips & Rail



Sockets Tru-Torque (Torx®)

Part No.	Barcode	Size
SCMT13375	9311927133759	T-27
SCMT13376	9311927133766	T-30
SCMT13377	9311927133773	T-40
SCMT13378	9311927133780	T-45
SCMT13379	9311927133797	T-50
SCMT13380	9311927133803	T-55



12 Point Spark Plug Sockets

Part No.	Barcode	Size
SCMT13435	9311927134350	5/8"
SCMT13436	9311927134367	13/16"



Extensions - Male & Female

- Male & Female


Part No.	Barcode	Size
SCMT13915	9311927139157	75mm
SCMT13916	9311927139164	150mm
SCMT13917	9311927139171	250mm
SCMT13918	9311927139188	500mm



Extensions - Male & Female Wobble

- Male & Female
- Allows sockets to be driven at up to 15° angle

Part No.	Barcode	Size
SCMT13920	9311927139201	75mm
SCMT13921	9311927139218	150mm
SCMT13922	9311927139225	250mm



SCMT13950

Universal Joint

Barcode: 9311927139508

- Link Joint



SCMT70274

3/8" Socket Holding Rail

Barcode: 9311911702749

- Neatly stores sockets in toolbox or on workbench
- Clearly shows missing sockets



SCMT19155

Adaptor

Barcode: 9311927191551

- 3/8" Female to 1/4" Male



SCMT19157

Adaptor

Barcode: 9311927191575

- 3/8" Female to 1/2" Male



12 Point Metric Sockets - Standard

Part No.	Barcode	Size
SCMT14225	9311927142256	8mm
SCMT14226	9311927142263	9mm
SCMT14227	9311927142270	10mm
SCMT14228	9311927142287	11mm
SCMT14229	9311927142294	12mm
SCMT14230	9311927142300	13mm
SCMT14231	9311927142317	14mm
SCMT14232	9311927142324	15mm
SCMT14233	9311927142331	16mm
SCMT14234	9311927142348	17mm
SCMT14235	9311927142355	18mm
SCMT14236	9311927142362	19mm
SCMT14237	9311927142379	20mm
SCMT14238	9311927142386	21mm
SCMT14239	9311927142393	22mm
SCMT14240	9311927142409	23mm
SCMT14241	9311927142416	24mm
SCMT14242	9311927142423	25mm
SCMT14243	9311927142430	26mm
SCMT14244	9311927142447	27mm
SCMT14245	9311927142454	28mm
SCMT14246	9311927142461	29mm
SCMT14247	9311927142478	30mm
SCMT14248	9311927142485	31mm
SCMT14249	9311927142492	32mm



12 Point AF Sockets - Standard

Part No.	Barcode	Size
SCMT14425	9311927144250	3/8"
SCMT14426	9311927144267	7/16"
SCMT14427	9311927144274	1/2"
SCMT14428	9311927144281	9/16"
SCMT14429	9311927144298	5/8"
SCMT14430	9311927144304	11/16"
SCMT14431	9311927144311	3/4"
SCMT14432	9311927144328	13/16"
SCMT14433	9311927144335	7/8"
SCMT14434	9311927144342	15/16"
SCMT14435	9311927144359	1"
SCMT14436	9311927144366	1-1/16"
SCMT14437	9311927144373	1-1/8"
SCMT14438	9311927144380	1-3/16"
SCMT14439	9311927144397	1-1/4"



SCMT14252

10 Piece 1/2" Drive Deep Socket Set

Barcode: 9311927142522

10 Metric Sockets
Deep: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
Clips & Rail



SCMT14451

7 Piece 1/2" Drive Deep Socket Set

Barcode: 9311927144519

7 AF Sockets
Deep: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"



12 Point Metric Sockets - Deep

Part No.	Barcode	Size
SCMT14255	9311927142553	10mm
SCMT14256	9311927142560	11mm
SCMT14257	9311927142577	12mm
SCMT14258	9311927142584	13mm
SCMT14259	9311927142591	14mm
SCMT14260	9311927142607	15mm
SCMT14261	9311927142614	16mm
SCMT14262	9311927142621	17mm
SCMT14263	9311927142638	18mm
SCMT14264	9311927142645	19mm



12 Point AF Sockets - Deep

Part No.	Barcode	Size
SCMT14454	9311927144540	3/8"
SCMT14455	9311927144557	7/16"
SCMT14456	9311927144564	1/2"
SCMT14457	9311927144571	9/16"
SCMT14458	9311927144588	5/8"
SCMT14459	9311927144595	11/16"
SCMT14460	9311927144601	3/4"





Metric Inhex Sockets

Part No.	Barcode	Size
SCMT14280	9311927142805	6 x 60mm
SCMT14281	9311927142812	7 x 60mm
SCMT14282	9311927142829	8 x 60mm
SCMT14283	9311927142836	10 x 60mm
SCMT14284	9311927142843	12 x 60mm
SCMT14285	9311927142850	14 x 60mm
SCMT14286	9311927142867	17 x 60mm
SCMT14287	9311927142874	8 x 135mm
SCMT14288	9311927142881	10 x 135mm



AF Inhex Sockets

Part No.	Barcode	Size
SCMT14470	9311927144700	3/16" x 60mm
SCMT14471	9311927144717	7/32" x 60mm
SCMT14472	9311927144724	1/4" x 60mm
SCMT14473	9311927144731	9/32" x 60mm
SCMT14474	9311927144748	5/16" x 60mm
SCMT14475	9311927144755	3/8" x 60mm
SCMT14476	9311927144762	1/2" x 60mm
SCMT14477	9311927144779	9/16" x 60mm
SCMT14478	9311927144786	5/8" x 60mm



Spline Type Inhex Sockets

Part No.	Barcode	Size
SCMT14295	9311927142959	M6 x 60mm
SCMT14296	9311927142966	M8 x 110mm
SCMT14297	9311927142973	M10 x 110mm
SCMT14298	9311927142980	M12 x 110mm



12 Point Spark Plugs

Part No.	Barcode	Size
SCMT14445	9311927144458	5/8"
SCMT14446	9311927144465	13/16"



Extensions - Male & Female

- Male & Female

Part No.	Barcode	Size
SCMT14915	9311927149156	65mm
SCMT14916	9311927149163	125mm
SCMT14917	9311927149170	250mm
SCMT14918	9311927149187	500mm



Extensions - Male & Female Wobble

- Male & Female
- Allows sockets to be driven at up to 15° angle

Part No.	Barcode	Size
SCMT14920	9311927149200	70mm
SCMT14921	9311927149217	150mm
SCMT14922	9311927149224	250mm



SCMT14925

Extension

Barcode: 9311927149255

- Double Male
- 40mm



SCMT14940

Universal Joint

Barcode: 9311927149408

- Link Joint



SCMT19156

Adaptor

Barcode: 9311927191568

- 1/2" Female to 3/8" Male



SCMT19159

Adaptor

Barcode: 9311927191599

- 1/2" Female to 3/4" Male



SCMT70276

1/2" Socket Holding Rail

Barcode: 9311911702763

- Neatly stores sockets in toolbox or on workbench
- Clearly shows missing sockets



12 Point Metric Sockets - Standard

Part No.	Barcode	Size
SCMT15715	9311927157151	19mm
SCMT15717	9311927157175	22mm
SCMT15718	9311927157182	24mm
SCMT15720	9311927157205	27mm
SCMT15722	9311927157229	30mm
SCMT15723	9311927157236	32mm
SCMT15725	9311927157250	36mm
SCMT15726	9311927157267	38mm
SCMT15727	9311927157274	41mm
SCMT15728	9311927157281	46mm
SCMT15729	9311927157298	50mm
SCMT15730	9311927157304	55mm



12 Point AF Sockets - Standard

Part No.	Barcode	Size
SCMT15800	9311927158004	3/4"
SCMT15801	9311927158011	13/16"
SCMT15802	9311927158028	7/8"
SCMT15803	9311927158035	15/16"
SCMT15804	9311927158042	1"
SCMT15805	9311927158059	1-1/16"
SCMT15806	9311927158066	1-1/8"
SCMT15807	9311927158073	1-3/16"
SCMT15808	9311927158080	1-1/4"
SCMT15809	9311927158097	1-5/16"
SCMT15810	9311927158103	1-3/8"
SCMT15811	9311927158110	1-7/16"
SCMT15812	9311927158127	1-1/2"
SCMT15813	9311927158134	1-5/8"
SCMT15814	9311927158141	1-11/16"
SCMT15815	9311927158158	1-3/4"
SCMT15816	9311927158165	1-13/16"
SCMT15817	9311927158172	1-7/8"
SCMT15818	9311927158189	2"



Extensions - Male & Female

• Male & Female

Part No.	Barcode	Size
SCMT15951	9311927159513	100mm
SCMT15952	9311927159520	200mm
SCMT15953	9311927159537	400mm



SCMT15957

Universal Joint

Barcode: 9311927159575

- Link Joint



SCMT19158

Adaptor

Barcode: 9311927191582

- 3/4" Female to 1/2" Male



SCMT19160

Adaptor

Barcode: 9311927191605

- 3/4" Female to 1" Male



The Sidchrome Nano Concept

Ultra-Complete: 100% Bolting-Tightening

- 38 piece metric, 1/4" square drive 6 point sockets, with standard / pear head / fast ratchet.

Ultra-Compact

- 50% more compact than 1/4" sets in regular box.




Practical: Save Time

- Easy set and tool selection thanks to tool pattern tag.
- Thanks to 3-sided set identification sticker.



Easy Tool Picking

- Bit strips rise automatically when opening the set.
- Socket picking by tilting.
- Auto-closing clasp: closes instantly.



Sockets, Bits, and Accessories held in case of tipping



Strength and Comfort by Sidchrome

- Sturdy closing system: metal clasp and hinge rod
- Bi-material body: - Box frame in PC/B > Rigid and unbreakable.
 - Skin in TPU = soft anti-slip > Good grip
 - > Does not slip on work surface
 - > Does not scratch bodywork when working on vehicles
- Plastic resistant to workshop solvents.



SCMT12120

38 Piece Metric 1/4" Drive Nano Set

Barcode: 9311927121206

1/4" Drive Sockets & Accessories

- 11 Sockets: 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
- 4 Reversible Ratchet, 50mm & 100mm Extensions, Universal joint
- 1 Screwdriver Handle
- Assorted bits:
 - 3 Slotted
 - 3 Phillips
 - 3 Pozi
 - 7 Torx
 - 5 Hex
 - 1 Square

Comes in blow moulded case



SCMT12110

23 Piece Metric/AF 1/4" Drive Socket Set

Barcode: 9311927121107

1/4" Drive Sockets & Accessories

10 Metric Sockets - Standard: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm

9 AF Sockets - Standard: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"

4 Socket Accessories

Ratchet, Reversible Male, 145mm

Extension, Male & Female, 50mm

Extension, Male & Female, 150mm

Adjustable Offset Handle, 145mm

SCMT51112 Replacement Box Only

240 x 70 x 43mm



SCMT12130

43 Piece Metric/AF 1/4" Drive Socket Set

Barcode: 9311927121305

1/4" Drive Sockets & Accessories

20 Metric Sockets

Standard: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm

Deep: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm

18 AF Sockets

Standard: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"

Deep: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"

5 Socket Accessories

Ratchet, Reversible Male, 145mm

Extension, Male & Female, 50mm

Extension, Male & Female, 150mm

Adjustable Offset Handle, 145mm

Universal Joint

SCMT51154 Replacement Box Only

330 x 140 x 52mm



SCMT10355

60 Piece Metric/AF 1/4" Drive Socket Set

Barcode: 9311927103554

1/4" Drive Sockets & Accessories

Metric Sockets

Standard:

10 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm

9 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"

Deep:

10 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm

9 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"

Socket Accessories

3 Ratchet, Flex handle, Universal Joint,

2 Extension: 50mm & 150mm

16 Ratchet Screwdriver bits

– Phillips: 1, 2, 3

– Pozidrive®: 1, 2, 3

– TORX®: 15, 20, 25

– Slotted: 4, 5.5

– Hex Head: 3, 4, 5

– 1/4" hex - 1/4" Square Drive adaptor

1 200mm Adjustable wrench

SCMT51116 Replacement Box Only

425 x 175 x 52mm



SCMT10804

20 Piece Metric 3/8" Drive Socket Set

Barcode: 9311927108047

3/8" Drive Sockets & Accessories

- 15 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm
- 2 Spark Plug: 5/8" & 13/16"
- 3 Ratchet, Extension: 75mm & 250mm



SCMT13205

21 Piece Metric 3/8" Drive Socket Set

Barcode: 9311927132059

3/8" Drive Sockets & Accessories

- 17 Sockets - Standard: 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- Spark Plug: 5/8 & 13/16"
- 4 Socket Accessories
- Ratchet, Reversible Male, 195mm
- Extension, Male & Female, 150mm
- Adjustable Offset Handle, 220mm
- Universal Joint

SCMT51154 Replacement Box Only

330 x 140 x 52mm



SCMT13105

32 Piece Metric/AF 3/8" Drive Socket Set

Barcode: 9311927131052

3/8" Drive Sockets & Accessories

- 15 Metric Sockets - Standard: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 20, 21, 22mm
- 13 AF Sockets - Standard: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8"
- Spark Plug: 5/8 & 13/16"
- 4 Socket Accessories
- Ratchet, Reversible Male, 195mm
- Extension, Male & Female, 150mm
- Adjustable Offset Handle, 220mm
- Universal Joint

SCMT51154 Replacement Box Only

330 x 140 x 52mm





SCMT13107

43 Piece Metric/AF 3/8" Drive Socket Set

Barcode: 9311927131076

3/8" Drive Sockets & Accessories

22 Metric Sockets
Standard: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
Deep: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
14 AF Sockets
Standard: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
Deep: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
7 Socket Accessories
Ratchet, Reversible Male, 195mm
Extension, Male & Female, 75mm
Extension, Male & Female, 150mm
Extension, Male & Female, 250mm
Adjustable Offset Handle, 220mm
Universal Joint
Adaptor, 3/8" Female to 1/4" Male

SCMT51116 Replacement Box Only

425 x 175 x 52mm



SCMT13110

56 Piece Metric/AF 3/8" Drive Socket Set

Barcode: 9311927131106

3/8" Drive Sockets & Accessories

28 Metric Sockets
Standard: 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm
Deep: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
20 AF Sockets
Standard: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8"
Deep: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
Spark Plug: 5/8 & 13/16"
8 Socket Accessories
Ratchet, Reversible Male, 195mm
Extension, Male & Female, 75mm
Extension, Male & Female, 150mm
Extension, Male & Female, 250mm
Adjustable Offset Handle, 220mm
Universal Joint
Adaptor, 3/8" Female to 1/4" Male
Adaptor, 3/8" Female to 1/2" Male

SCMT51141 Replacement Box Only

490 x 205 x 50mm





SCMT14414

15 Piece AF 1/2" Drive Socket Set

Barcode: 9311927144144

1/2" Drive Sockets & Accessories

15 AF Sockets

Standard: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1", 1-1/16, 1-1/8, 1-3/16, 1-1/4"

SCMT51154 Replacement Box Only

330 x 140 x 52mm



SCMT14214

20 Piece Metric 1/2" Drive Socket Set

Barcode: 9311927142140

1/2" Drive Sockets & Accessories

20 Metric Sockets

Standard: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 26, 27, 30, 32mm

SCMT51154 Replacement Box Only

330 x 140 x 52mm



SCMT14208

20 Piece Metric 1/2" Drive Socket Set

Barcode: 9311927142089

1/2" Drive Sockets & Accessories

17 Sockets - Standard: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm
Spark Plug: 5/8 & 13/16"

3 Socket Accessories

Ratchet, Reversible Male, 250mm

Extension, Male & Female, 125mm

Adjustable Offset Handle, 220mm

SCMT51154 Replacement Box Only

330 x 140 x 52mm





SCMT14412

21 Piece AF 1/2" Drive Socket Set

Barcode: 9311927144120

1/2" Drive Sockets & Accessories

17 AF Sockets

Standard: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1", 1-1/16, 1-1/8, 1-3/16, 1-1/4"

Spark Plug: 5/8 & 13/16"

4 Socket Accessories

Ratchet, Reversible Male, 250mm

Extension, Male & Female, 125mm

Extension, Male & Female, 250mm

Universal Joint, Ball Type

SCMT51154 Replacement Box Only

330 x 140 x 52mm



SCMT14110

24 Piece Metric/AF 1/2" Drive Socket Set

Barcode: 9311927141105

1/2" Drive Sockets & Accessories

9 Metric Sockets - Standard: 10, 12, 13, 14, 15, 16, 17, 18, 19mm

11 AF Sockets - Standard: 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"

Spark Plug: 5/8"

4 Socket Accessories

Ratchet, Reversible Male, 250mm

Extension, Male & Female, 125mm

Extension, Male & Female, 250mm

Adjustable Offset Handle, 300mm

SCMT51154 Replacement Box Only

330 x 140 x 52mm



SCMT14210

33 Piece Metric 1/2" Drive Socket Set

Barcode: 9311927142102

1/2" Drive Sockets & Accessories

27 Sockets

Standard: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32mm

Spark Plug: 5/8 & 13/16"

6 Socket Accessories

Ratchet, Reversible Male, 250mm

Extension, Male & Female, 125mm

Extension, Male & Female, 250mm

Adjustable Offset Handle, 375mm

Speed Brace, 420mm

Universal Joint, Ball Type

SCMT51141 Replacement Box Only

490 x 205 x 50mm





SCMT14105

40 Piece Metric/AF 1/2" Drive Socket Set

Barcode: 9311927141051

1/2" Drive Sockets & Accessories

18 Metric Sockets - Standard: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 26, 27, 30, 32mm

16 AF Sockets - Standard: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1", 1-1/16, 1-1/8, 1-3/16, 1-1/4"

Spark Plug: 13/16"

6 Socket Accessories

Ratchet, Reversible Male, 250mm

Extension, Male & Female, 65mm

Extension, Male & Female, 125mm

Extension, Male & Female, 250mm

Sliding T Handle, 240mm

Universal Joint, Ball Type

SCMT51116 Replacement Box Only

425 x 175 x 52mm



SCMT14104

41 Piece Metric/AF 1/2" Drive Socket Set

Barcode: 9311927141044

1/2" Drive Sockets & Accessories

19 Metric Sockets - Standard: 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm

17 AF Sockets - Standard: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1", 1-1/16, 1-1/8, 1-3/16, 1-1/4"

Spark Plug: 5/8" & 13/16"

5 Socket Accessories

Ratchet, Reversible Male, 250mm

Extension, Male & Female, 125mm

Extension, Male & Female, 250mm

Adjustable Offset Handle, 375mm

Universal Joint, Ball Type

SCMT51141 Replacement Box Only

490 x 205 x 50mm



SCMT10356

42 Piece Metric/AF 1/2" Drive Socket Set

Barcode: 9311927103561

1/2" Drive Sockets & Accessories

19 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm
15 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4"

2 Spark Plug: 5/8" & 13/16"

3 Ratchet, 375mm Flex handle, Universal Joint,

2 Extension: 125mm & 250mm

1 200mm Adjustable Wrench

SCMT51141 Replacement Box Only

490 x 205 x 50mm





SCMT14130

51 Piece Metric/AF 1/2" Drive Socket Set

Barcode: 9311927141303

1/2" Drive Sockets & Accessories

25 Metric Sockets
Standard: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24mm
Deep: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
20 AF Sockets
Standard: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"
Deep: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
Spark Plug: 5/8 & 13/16"
6 Socket Accessories
Ratchet, Reversible Male, 250mm
Extension, Male & Female, 65mm
Extension, Male & Female, 125mm
Extension, Male & Female, 250mm
Adjustable Offset Handle, 375mm
Universal Joint, Ball Type

SCMT51141 Replacement Box Only

490 x 205 x 50mm



SCMT10801

61 Piece Metric 1/2" Drive Socket Set

Barcode: 9311927108016

1/2" Drive Sockets & Accessories

18 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 26, 27, 30, 32mm
15 5/8, 9/16, 1/2, 7/16, 3/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4"
2 5/8, 13/16 Spark Plug
2 Reversible Ratchet, 220mm Adjustable Offset Handle
2 Extension: 125 & 250mm

1/4" Drive Bits

3 Bit Holder, Spinner Handle, Universal Joint
18 Screwdriver bits 1, 2, 3, 3, 4, 4, 4.5, 5, 5.5, 6, 7, 8, 10, 15, 20, 25, 30, 40

Comes in blow moulded case





SCMT15205

17 Piece Metric 3/4" Drive Socket Set

Barcode: 9311927152057

3/4" Drive Sockets & Accessories

12 Metric Sockets
Standard: 19, 22, 24, 27, 30, 32, 36, 38, 41, 46, 50, 55mm
5 Socket Accessories
Ratchet, Reversible Male, 500mm
Extension, Male & Female, 200mm
Extension, Male & Female, 400mm
Adjustable Offset Handle, 500mm
Universal Joint

SCMT51233 Replacement Box Only

490 x 205 x 85mm



SCMT15405

19 Piece AF 3/4" Drive Socket Set

Barcode: 9311927154051

3/4" Drive Sockets & Accessories

14 AF Sockets
Standard: 15/16, 1", 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-7/16, 1-1/2, 1-11/16, 1-3/4, 1-13/16, 1-7/8, 2"
5 Socket Accessories
Ratchet, Reversible Male, 500mm
Extension, Male & Female, 200mm
Extension, Male & Female, 400mm
Adjustable Offset Handle, 500mm
Universal Joint

SCMT51233 Replacement Box Only

490 x 205 x 85mm



SCMT15106

32 Piece Metric/AF 3/4" Drive Socket Set

Barcode: 9311927151067

3/4" Drive Sockets & Accessories

12 Metric Sockets
Standard: 19, 22, 24, 27, 30, 32, 36, 38, 41, 46, 50, 55mm
15 AF Sockets
Standard: 3/4, 13/16, 7/8, 15/16, 1", 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-5/8, 1-7/8"
5 Socket Accessories
Ratchet, Reversible Male, 500mm
Extension, Male & Female, 200mm
Extension, Male & Female, 400mm
Adjustable Offset Handle, 500mm
Universal Joint

SCMT51270 Replacement Box Only

510 x 295 x 85mm





SCMT19230

57 Piece Metric 1/4" & 3/8" Drive Socket Set

Barcode: 9311927192305

1/4" Drive Sockets & Accessories

20 Metric Sockets
Standard: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
Deep: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
4 Socket Accessories
Ratchet, Reversible Male, 145mm
Extension, Male & Female, 50mm
Extension, Male & Female, 150mm
Universal Joint

3/8" Drive Sockets & Accessories

27 Metric Sockets
Standard: 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm
Deep: 10, 11, 12, 13, 14, 15, 16, 17, 18mm
6 Socket Accessories
Ratchet, Reversible Male, 195mm
Extension, Male & Female, 75mm
Extension, Male & Female, 250mm
Adjustable Offset Handle, 220mm
Universal Joint
Adaptor, 3/8" Female to 1/4" Male

SCMT51141 Replacement Box Only

490 x 205 x 50mm



SCMT10351

56 Piece Metric/AF 1/4" & 3/8" Drive Tool Set

Barcode: 9311927103516

1/4" Drive Sockets & Accessories

7 4, 5, 6, 7, 8, 9, 10mm
7 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8"
3 Ratchet, Extension: 50mm & 150mm

3/8" Drive Sockets & Accessories

8 10, 11, 12, 13, 14, 15, 17, 19mm
7 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
8 Ratchet, Adaptor 3/8" female - 1/4" male, Spark plug socket: 5/8" & 13/16", Extension: 75mm & 150mm, Adjustable offset handle, universal joint

Screwdrivers

16 Ratchet Screwdriver bits
– Phillips: 1, 2, 3
– Pozidrive®: 1, 2, 3
– TORX®: 15, 20, 25
– Slotted: 4, 5.5
– Hex Head: 3, 4, 5
– 1/4" hex - 1/4" Square Drive adaptor

Comes in blow moulded case



SCMT19105

38 Piece Metric/AF 1/4" & 3/8" Drive Socket Set

Barcode: 9311927191056

1/4" Drive Sockets & Accessories

7 Metric Sockets - Standard: 4, 5, 6, 7, 8, 9, 10mm
7 AF Sockets - Standard: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8"
1 Socket Accessory
Socket Driver, 150mm

3/8" Drive Sockets & Accessories

8 Metric Sockets - Standard: 10, 11, 12, 13, 14, 15, 17, 19mm
9 AF Sockets - Standard: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
Spark Plug: 5/8 & 13/16"
6 Socket Accessories
Ratchet, Reversible Male, 195mm
Extension, Male & Female, 75mm
Extension, Male & Female, 150mm
Adjustable Offset Handle, 220mm
Universal Joint
Adaptor, 3/8" Female to 1/4" Male

SCMT51154 Replacement Box Only

330 x 140 x 52mm



SCMT19120

64 Piece Metric/AF 1/4", 3/8" & 1/2" Socket Set

Barcode: 9311927191209

1/4" Drive Sockets & Accessories

7 Metric Sockets - Standard: 4, 5, 6, 7, 8, 9, 10mm
7 AF Sockets - Standard: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8"
4 Socket Accessories: Ratchet, 2 Extensions, Universal Joint

3/8" Drive Sockets & Accessories

8 Metric Sockets - Standard: 10, 11, 12, 13, 14, 15, 17, 19mm
6 AF Sockets - Standard: 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
Spark Plug 5/8 & 13/16"
3 Socket Accessories: Ratchet, Extension, Universal Joint

1/2" Drive Sockets & Accessories

13 Metric Sockets - Standard: 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27mm
9 AF Sockets - Standard: 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"
5 Socket Accessories: Ratchet, Breaker Bar, 2 Extensions, Universal Joint

SCMT51141 Replacement Box Only

490 x 205 x 50mm



SCMT19130

37 Piece Metric/AF 1/4" & 1/2" Drive Socket Set

Barcode: 9311927191308

1/4" Drive Sockets & Accessories

7 Metric Sockets - Standard: 4, 5, 6, 7, 8, 9, 10mm
7 AF Sockets - Standard: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8"
3 Socket Accessories
Ratchet, Reversible Male, 145mm
Extension, Male & Female, 50mm
Extension, Male & Female, 150mm

1/2" Drive Sockets & Accessories

8 Metric Sockets - Standard: 10, 11, 12, 13, 14, 15, 16, 17mm
9 AF Sockets - Standard: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
Spark Plug: 5/8 & 13/16"
3 Socket Accessories
Ratchet, Reversible Male, 250mm
Extension, Male & Female, 65mm
Extension, Male & Female, 125mm

SCMT51141 Replacement Box Only

330 x 140 x 52mm



SCMT19135

51 Piece Metric/AF 1/4" & 1/2" Drive Socket Set

Barcode: 9311927191353

1/4" Drive Sockets & Accessories

7 Metric Sockets - Standard: 4, 5, 6, 7, 8, 9, 10mm
7 AF Sockets - Standard: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8"
4 Socket Accessories
Ratchet, Reversible Male, 145mm
Extension, Male & Female, 50mm
Extension, Male & Female, 150mm
Universal Joint

1/2" Drive Sockets & Accessories

15 Metric Sockets - Standard: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27mm
13 AF Sockets - Standard: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"
Spark Plug: 5/8 & 13/16"
5 Socket Accessories
Ratchet, Reversible Male, 250mm
Extension, Male & Female, 65mm
Extension, Male & Female, 125mm
Sliding T Handle, 240mm
Universal Joint, Ball Type

SCMT51141 Replacement Box Only

490 x 205 x 50mm





SCMT70891

35 Piece Master Torx® Bit & Socket Set

Barcode: 9311911708918

- 35 Piece kit to suit Torx®, Spline and In-Hex fastener applications as found on brake calipers, transmissions, engines and interiors
- Also includes dual size socket drive adaptors, hex bit driver and finger bit driver
- Bits composed of S2 Phosphate Manganese
- Supplied in a blow moulded case

CONTENTS INCLUDE:

Torx Bits T-10,T-15,T-20,T-25,T-27,T-30,T-40,T-45,T-47,T-50,T-55.
 Tamper-Proof T-10,T-15,T-20,T-25,T-27,T-30,T-40,T-45,T-50,T-55.
 Torx Sockets E5, E6, E7, E8, E10, E12, E14, E16, E18, E20
 Also Includes: - 1/4-in. bit holder,
 - 3/8-in. bit holder
 - Twin Spin Drive Converter
 - Finger Bit Driver



SCMT19107

10 Piece 1/4 & 3/8" Drive Socket Set - Tru-Torque (TORX®)

Barcode: 9311927191070

10 Tru-Torque Sockets
 1/4" Drive: S-10, S-15, S-20, S-25
 3/8" Drive: S-27, S-30, S-40, S-45, S-50, S-55

SCMT51112 Replacement Box Only

240 x 70 x 43mm



SCMT70288

9 Piece Torx® Socket Set

Barcode: 9311911702886

- 1/4" square drive sockets – E-6, E-7, E-8
- 3/8" square drive sockets – E-10, E-12, E-14, E-16, E-18, E-20
- Stored on socket rail

TORX® is a registered trademark of Camcar Division of Textron
 * These parts have no connection with the proprietors of the registered trademarks.



SCMT13456

7 Piece A/F 3/8" Drive In-Hex Socket Set

Barcode: 9311927134565

Sizes: 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"



SCMT13280

9 Piece Metric 3/8" Drive In-Hex Socket Set

Barcode: 9311927132806

Sizes: 3, 4, 5, 6, 7, 8, 9, 10, 12mm



SCMT14274

7 Piece Metric 1/2" Drive In-Hex Socket Set

Barcode: 9311927142744

Sizes: 6, 7, 8, 10, 12, 14, 17mm

SCMT51112 Replacement Box Only

240 x 70 x 43mm





SCMT14275

13 Piece Metric 1/2" Drive In-Hex & Spline Socket Set

Barcode: 9311927142751

9 Metric Inhex Sockets
Short: 6, 7, 8, 10, 12, 14, 17mm
Long: 8 & 10mm
4 Spline Sockets
Short: M6
Long: M8, M10, M12

SCMT51154 Replacement Box Only

330 x 140 x 52mm



SCMT14465

9 Piece AF 1/2" Drive In-Hex Socket Set

Barcode: 9311927144656

Sizes: 3/16, 7/32, 1/4, 9/32, 5/16, 3/8, 1/2, 9/16, 5/8"

SCMT51112 Replacement Box Only

240 x 70 x 43mm



SCMT10175

60 Piece Metric/AF 1/4" & 1/2" Drive Socket & Spanner Set

Barcode: 9311927101758

1/4" Drive Sockets & Accessories

7 Metric Sockets - Standard: 4, 5, 6, 7, 8, 9, 10mm
7 AF Sockets - Standard: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8"
3 Socket Accessories
Ratchet, Reversible Male, 145mm
Extension, Male & Female, 50mm
Universal Joint

1/2" Drive Sockets & Accessories

12 Metric Sockets - Standard: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
9 AF Sockets - Standard: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
Spark Plug: 5/8 & 13/16"
4 Socket Accessories
Ratchet, Reversible Male, 250mm
Extension, Male & Female, 65mm
Extension, Male & Female, 125mm
Sliding T Handle, 240mm

Ring & Open End Spanners

10 Metric Ring & Open End Spanners: 8, 10, 11, 12, 13, 14, 15, 16, 17, 19mm
8 AF Ring & Open End Spanners: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16"

SCMT51141 Replacement Box Only

490 x 205 x 50mm





SCMT10184

35 Piece Metric/AF 1/2" Drive Socket & Spanner Set

Barcode: 9311927101840

1/2" Drive Sockets & Accessories

10 Metric Sockets - Standard: 8, 10, 12, 13, 14, 15, 16, 17, 18, 19mm
 9 AF Sockets - Standard: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 15/16"
 4 Socket Accessories
 Ratchet, Reversible Male, 250mm
 Extension, Male & Female, 125mm
 Sliding T Handle, 240mm
 Universal Joint, Ball Type

Ring & Open End Spanners

6 Metric Spanners: 8, 10, 12, 13, 14, 17mm
 6 AF Spanners 3/8, 7/16, 1/2, 9/16, 5/8, 3/4"

SCMT51141 Replacement Box Only

490 x 205 x 50mm



SCMT10236

31 Piece Metric 1/2" Drive Socket & Spanner Set

Barcode: 9311927102366

1/2" Drive Sockets & Accessories

14 Sockets - Standard: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
 Spark Plug: 5/8 & 13/16"
 5 Socket Accessories
 Ratchet, Reversible Male, 250mm
 Extension, Male & Female, 125mm
 Extension, Male & Female, 250mm
 Adjustable Offset Handle, 375mm
 Universal Joint, Ball Type

Ring & Open End Spanners

12 Metric Spanners: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

SCMT51141 Replacement Box Only

490 x 205 x 50mm



SCMT12105

30 Piece Metric/AF 1/4" Drive Socket & Spanner Set

Barcode: 9311927121053

1/4" Drive Sockets & Accessories

10 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
 9 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"
 2 Ratchet, Flex Handle,
 2 Extension: 50mm & 150mm

Flex Head Spanners

7 8, 9, 10, 11, 12, 13, 14





SCMT10178

56 Piece Metric/AF 1/4" & 1/2" Drive Socket & Spanner Set

Barcode: 9311927101789

1/4" Drive Sockets & Accessories

- 7 4, 5, 6, 7, 8, 9, 10mm
- 7 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8"
- 3 Ratchet, Universal Joint, Extension: 50mm

1/2" Drive Sockets & Accessories

- 12 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 2 Spark Plug: 5/8" & 13/16"
- 2 Ratchet, Flex Handle,
- 2 Extension: 65mm & 125mm

Ring & Open End Spanners

- 12 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 9 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"



SCMT13115

68 Piece Metric/AF 3/8" Drive Socket & Spanner Set

Barcode: 9311927131151

3/8" Drive Sockets & Accessories

- Standard:
- 18 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm
- 11 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8"
- 2 Spark Plug: 5/8" & 13/16"

Deep:

- 10 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 7 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"

8 Socket Accessories

- 3 Ratchet, Flex Handle, Universal Joint
- 3 Extension: 75mm, 150mm & 250mm
- 2 3/8" Female to 1/4" Male, 3/8" Female to 1/2" Male

Ring & Open End Spanners

- 12 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



SCMT14115

52 Piece Metric/AF 1/2" Drive Socket & Spanner Set

Barcode: 9311927141150

1/2" Drive Sockets & Accessories

- 16 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 25mm
- 11 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"
- 2 Ratchet, Flex Handle,
- 2 Extension: 125mm & 250mm

Ring & Open End Spanners

- 12 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 9 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"





SCMT10803

36 Piece Metric/AF 1/4" Drive Socket & Spanner Set

Barcode: 9311927108030

1/4" Drive Sockets & Accessories

- 10 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
- 9 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"
- 4 Flex Handle, Ratchet, Extension: 50mm & 150mm

Ring & Open End Spanners

- 8 6, 7, 8, 9, 10, 11, 12, 13mm
- 5 1/4, 5/16, 3/8, 7/16, 1/2"

Comes in blow moulded case



SCMT10810

57 Piece Metric/AF 1/4" Drive Socket & Spanner Set

Barcode: 9311927108108

1/4" Drive Sockets & Accessories

- 10 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
- 9 3/16, 7/32, 1/4, 9/32, 11/32, 3/8, 7/16, 1/2"
- 4 Reversible Ratchet, 50 & 150mm Extension, Adjustable Offset Handle

Screwdrivers

- 3 Tee Handle Ratchet Screwdriver, 50mm & 150mm Extension
- 18 Screwdriver bits
 - 1/4" Hex to 1/4" Square Drive Adaptor
 - Slotted 4, 5, 6
 - Hex, 3, 4, 5
 - Phillips 1, 2, 3
 - Pozidrive 1, 2, 3
 - Torx, T10, T15, T20, T25, T27

Ring & Open End Spanners

- 8 6, 7, 8, 9, 10, 11, 12, 13
- 5 1/4, 5/16, 3/8, 7/16, 1/2"

Comes in blow moulded case



SCMT10811

69 Piece Metric/AF 3/8" Drive Tool Set

Barcode: 9311927108115

3/8" Drive Sockets & Accessories

- 10 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 9 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8"
- 3 Ratchet, Universal Joint, Extension: 150mm

Ring & Open End Spanners

- 10 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

Hex Key

- 9 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm
- 9 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"
- 1 Inspection Mirror
- 1 Magnetic Pick Up Tool
- 1 250mm Adjustable Wrench
- 16 Ratchet Screwdriver bits
 - Phillips: 1, 2, 3
 - Pozidrive®: 1, 2, 3
 - TORX®: 15, 20, 25
 - Slotted: 4, 5, 5
 - Hex Head: 3, 4, 5
 - 1/4" hex - 1/4" Square Drive adaptor

Comes in blow moulded case



Spanners & Wrenches



440

PRO SERIES

Designed to combine compactness with strength.

Dimensions meet the requirements of tooling standards ISO 691 / ISO 1711-1 / ASME B107.100 and aerospace standard SAE AS 954G.

Features and benefits

The 440 Pro Series was designed to ensure maximum user safety. When critical tightening torques are reached, the spanner is distorted gradually so no brutal breaking likely to injure the user. Tightening torques guaranteed significantly above specifications of strength tooling and bolting standards ISO 898-1 (quality class 12.9).



ANTISLIP
FASTENING SYSTEM

The Open End of Sidchrome 440 Pro Series Spanners feature the ANTISLIP design – a locking groove prevents slippage and knuckle injury.




TORQUEPLUS
FASTENING SYSTEM

Design features on the Ring End of the spanner - contact is concentrated on the flats of the fastener, not the corners. This provides greater torque and makes tightening easier.



I-BEAM SHANK

Increased strength and more torque – the tensioning load is spread over a larger surface area.



NEW RING DESIGN

One side of the ring is parallel to the shank - this allows you to locate on a smaller section of the fastener.

440 Pro Series Ring & Open End Spanners - Metric

Part No.	Barcode	Size
SCMT22306-440	9311927223061	6mm
SCMT22307-440	9311927223078	7mm
SCMT22308-440	9311927223085	8mm
SCMT22309-440	9311927223092	9mm
SCMT22310-440	9311927223108	10mm
SCMT22311-440	9311927223115	11mm
SCMT22312-440	9311927223122	12mm
SCMT22313-440	9311927223139	13mm
SCMT22314-440	9311927223146	14mm
SCMT22315-440	9311927223153	15mm
SCMT22316-440	9311927223160	16mm
SCMT22317-440	9311927223177	17mm
SCMT22318-440	9311927223184	18mm
SCMT22319-440	9311927223191	19mm
SCMT22320-440	9311927223207	20mm
SCMT22321-440	9311927223214	21mm
SCMT22322-440	9311927223221	22mm
SCMT22323-440	9311927223238	23mm
SCMT22324-440	9311927223245	24mm
SCMT22327-440	9311927223276	27mm
SCMT22330-440	9311927223306	30mm
SCMT22332-440	9311927223320	32mm



440 Pro Series Ring & Open End Spanners - AF

Part No.	Barcode	Size
SCMT22510-440	9311927225102	1/4"
SCMT22511-440	9311927225119	9/32"
SCMT22512-440	9311927225126	5/16"
SCMT22513-440	9311927225133	11/32"
SCMT22514-440	9311927225140	3/8"
SCMT22515-440	9311927225157	7/16"
SCMT22516-440	9311927225164	1/2"
SCMT22517-440	9311927225171	9/16"
SCMT22518-440	9311927225188	5/8"
SCMT22519-440	9311927225195	11/16"
SCMT22520-440	9311927225201	3/4"
SCMT22521-440	9311927225218	13/16"
SCMT22522-440	9311927225225	7/8"
SCMT22523-440	9311927225232	15/16"
SCMT22524-440	9311927225249	1"
SCMT22525-440	9311927225256	1-1/16"
SCMT22526-440	9311927225263	1-1/8"
SCMT22527-440	9311927225270	1-3/16"
SCMT22528-440	9311927225287	1-1/4"





SCMT22106

24 Piece 440 Pro Series Ring & Open End Spanner Set - Metric & AF

Barcode: 9311927221067

Metric Spanners

7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 19, 22mm

AF Spanners

1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16"



SCMT22297

14 Piece 440 Pro Series Ring & Open End Spanner Set - Metric

Barcode: 9311927222972

Sizes: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



SCMT22443

14 Piece 440 Pro Series Ring & Open End Spanner Set - AF

Barcode: 9311927224433

Sizes: 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16"



SCMT22296

5 Piece 440 Pro Series Spanners - Metric

Barcode: 9311927222965

Sizes: 20, 21, 22, 23 & 24mm



SCMT22442

5 Piece 440 Pro Series Spanners - AF

Barcode: 9311927224426

Sizes: 1, 1-1/16, 1-1/8, 1-3/16, 1/4"



Sidchrome AntiSlip & TorquePlus Design



The Open End of the Sidchrome Spanners feature the ANTISLIP design – a locking groove prevents slippage and knuckle injury.





Design features on the Ring End of the spanner - contact is concentrated on the flats of the fastener, not the corners. This provides greater torque and makes tightening easier.

Ring & Open End Spanners - Metric

Part No.	Barcode	Size
SCMT22215	9311927222156	6mm
SCMT22216	9311927222163	7mm
SCMT22217	9311927222170	8mm
SCMT22218	9311927222187	9mm
SCMT22219	9311927222194	10mm
SCMT22220	9311927222200	11mm
SCMT22221	9311927222217	12mm
SCMT22222	9311927222224	13mm
SCMT22223	9311927222231	14mm
SCMT22224	9311927222248	15mm
SCMT22225	9311927222255	16mm
SCMT22226	9311927222262	17mm
SCMT22227	9311927222279	18mm
SCMT22228	9311927222286	19mm
SCMT22229	9311927222293	20mm
SCMT22230	9311927222309	21mm
SCMT22231	9311927222316	22mm
SCMT22232	9311927222323	23mm
SCMT22233	9311927222330	24mm
SCMT22236	9311927222361	27mm
SCMT22239	9311927222392	30mm
SCMT22240	9311927222408	32mm
SCMT22241	9311927222415	36mm
SCMT22242	9311927222422	41mm
SCMT22243	9311927222439	46mm
SCMT22244	9311927222446	50mm

Ring & Open End Spanners - AF

Part No.	Barcode	Size
SCMT22415	93119272224150	1/4"
SCMT22416	93119272224167	5/16"
SCMT22417	93119272224174	3/8"
SCMT22418	93119272224181	7/16"
SCMT22419	93119272224198	1/2"
SCMT22420	93119272224204	9/16"
SCMT22421	93119272224211	5/8"
SCMT22422	93119272224228	11/16"
SCMT22423	93119272224235	3/4"
SCMT22424	93119272224242	13/16"
SCMT22425	93119272224259	7/8"
SCMT22426	93119272224266	15/16"
SCMT22427	93119272224273	1"
SCMT22428	93119272224280	1-1/16"
SCMT22429	93119272224297	1-1/8"
SCMT22430	93119272224303	1-1/4"
SCMT22431	93119272224310	1-5/16"
SCMT22432	93119272224327	1-3/8"
SCMT22433	93119272224334	1-7/16"
SCMT22434	93119272224341	1-1/2"
SCMT22435	93119272224358	1-5/8"
SCMT22436	93119272224365	1-11/16"
SCMT22437	93119272224372	1-3/4"
SCMT22438	93119272224389	1-13/16"
SCMT22439	93119272224396	1-7/8"
SCMT22440	93119272224402	2"





SCMT22104

24 Piece Ring & Open End Spanner Set - Metric & AF

Barcode: 9311927221043

Metric Spanners

7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 19, 22mm

AF Spanners

1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16"



SCMT22105

16 Piece Ring & Open End Spanner Set - Metric & AF

Barcode: 9311927221050

Metric Spanners

8, 10, 11, 12, 13, 14, 15, 17mm

AF Spanners

1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4"



SCMT22210

14 Piece Ring & Open End Spanner Set - Metric

Barcode: 9311927222101

Sizes: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



SCMT22208

10 Piece Ring & Open End Spanner Set - Metric

Barcode: 9311927222088

Sizes: 8, 10, 11, 12, 13, 14, 16, 17, 18, 19mm



SCMT22209

7 Piece Ring & Open End Spanner Set - Metric

Barcode: 9311927222095

Sizes: 21, 22, 24, 27, 30, 32, 36mm



SCMT22410

13 Piece Ring & Open End Spanner Set - AF

Barcode: 9311927224105

Sizes: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"





SCMT22408

10 Piece Ring & Open End Spanner Set - AF

Barcode: 9311927224082

Sizes: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 15/16"



SCMT22413

7 Piece Ring & Open End Spanner Set - AF

Barcode: 9311927224136

Sizes: 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2"



467

PRO SERIES

2 Models of ratchet combination spanners for the ultimate versatility in any application

Short (stubby) Combination Spanners


Productivity & accessibility - Ultra-compact:

- 40% more compact than the standard ratchet combination spanner

Standard Combination Spanners

Productivity & versatility - Ultra-versatile:

- Ring head: ratchet mechanism with 5° increment, with 15° angle
- RINGSTOP: system employs a patented ring within the box end to prevent the Spanner from slipping past the fastener
- Open end oriented at 15°



ANTISLIP
FASTENING SYSTEM



RINGSTOP
GOTHRU SYSTEM



The Open End of Sidchrome 467 Spanners feature the ANTISLIP design – a locking groove prevents slippage and knuckle injury.

The Ringstop Gothru System which employs a patented ring within the geared ring end of the ratchet which prevents the spanner from slipping past the fastener. Extremely useful when working on long bolts, or in positions where it is inconvenient to use the other hand to keep the tool on the fastener. Unlike traditional stop features, the Ringstop can be pushed past the fastener head when necessary, for use with double nut, or bolt and nut configurations. The Ringstop can also be used with socket and bit adaptors, increasing the versatility of the tool.

467 Pro Series Reversible Geared Spanners - Metric

Part No.	Barcode	Size
SCMT22360	9311927223603	6mm
SCMT22361	9311927223610	7mm
SCMT22362	9311927223627	8mm
SCMT22363	9311927223634	9mm
SCMT22265	9311927222651	10mm
SCMT22266	9311927222668	11mm
SCMT22267	9311927222675	12mm
SCMT22268	9311927222682	13mm
SCMT22269	9311927222699	14mm
SCMT22270	9311927222705	15mm
SCMT22271	9311927222712	16mm
SCMT22272	9311927222729	17mm
SCMT22273	9311927222736	18mm
SCMT22274	9311927222743	19mm
SCMT22351	9311927223511	21mm
SCMT22352	9311927223528	22mm
SCMT22354	9311927223542	24mm
SCMT22355	9311927223559	27mm
SCMT22356	9311927223566	30mm
SCMT22357	9311927223573	32mm



467
PRO SERIES

ANTISLIP
FASTENING SYSTEM

RINGSTOP
GOTHRU SYSTEM

467 Pro Series Reversible Geared Spanners - AF

Part No.	Barcode	Size
SCMT22484	9311927224846	1/4"
SCMT22485	9311927224853	5/16"
SCMT22462	9311927224624	3/8"
SCMT22463	9311927224631	7/16"
SCMT22464	9311927224648	1/2"
SCMT22465	9311927224655	9/16"
SCMT22466	9311927224662	5/8"
SCMT22467	9311927224679	11/16"
SCMT22468	9311927224686	3/4"
SCMT22476	9311927224761	13/16"
SCMT22477	9311927224778	7/8"
SCMT22478	9311927224785	15/16"
SCMT22479	9311927224792	1"
SCMT22480	9311927224808	1-1/16"
SCMT22481	9311927224815	1-1/8"
SCMT22483	9311927224839	1-1/4"



467
PRO SERIES

ANTISLIP
FASTENING SYSTEM

RINGSTOP
GOTHRU SYSTEM



SCMT22201

16 Piece 467 Pro Series Geared Spanners Set - Metric

Barcode: 9311927222019

Sizes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27mm



SCMT22212

6 Piece 467 Pro Series Geared Spanners Spanner Set - Metric

Barcode: 9311927222125

Sizes: 21, 22, 24, 27, 30, 32mm



SCMT22298

14 Piece Pro Series Geared Spanners Set - Metric

Barcode: 9311927222989

Sizes: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm





SCMT22211

13 Piece Pro Series Geared Spanners Set - AF

Barcode: 9311927222118

Sizes: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"



SCMT22202

10 Piece Pro Series Geared Spanners Set - Metric

Barcode: 9311927222026

Sizes: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

SCMT51154 Replacement Box Only

330 x 140 x 50mm



SCMT22402

7 Piece Pro Series Geared Spanners Set - AF

Barcode: 9311927224020

Sizes: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"

SCMT51154 Replacement Box Only

330 x 140 x 50mm



467 Pro Series Reversible Geared Spanners Stubby - Metric

Part No.	Barcode	Size
SCMT22300	9311927223009	8mm
SCMT22301	9311927223016	9mm
SCMT22275	9311927222750	10mm
SCMT22276	9311927223764	11mm
SCMT22277	9311927222774	12mm
SCMT22278	9311927222781	13mm
SCMT22279	9311927222798	14mm



467 Pro Series Reversible Geared Spanners Stubby - A

Part No.	Barcode	Size
SCMT22490	9311927224907	5/16"
SCMT22469	9311927224693	3/8"
SCMT22470	9311927224709	7/16"
SCMT22471	9311927224716	1/2"
SCMT22472	9311927224723	9/16"
SCMT22473	9311927224730	5/8"
SCMT22474	9311927224747	11/16"
SCMT22475	9311927224754	3/4"



SCMT22203

10 Piece 467 Pro Series Stubby Geared Spanners Set - Metric

Barcode: 9311927222033

Sizes: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

SCMT51154 Replacement Box Only

330 x 140 x 50mm



SCMT22403

7 Piece 467 Pro Series Stubby Geared Spanners Set - AF

Barcode: 9311927224037

Sizes: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"

SCMT51154 Replacement Box Only

330 x 140 x 50mm



Geared Spanners Flex Head

Part No.	Barcode	Size
SCMT22255	9311927222552	8mm
SCMT22285	9311927222859	10mm
SCMT22286	9311927222866	11mm
SCMT22287	9311927222873	12mm
SCMT22288	9311927222880	13mm
SCMT22289	9311927222897	14mm



SCMT22204

5 Piece Flex-Head Geared Spanners Set - Metric

Barcode: 9311927222040

Sizes: 10, 11, 12, 13, 14mm, 180° flexible head

SCMT51112 Replacement Box Only

240 x 70 x 40mm



Open End Spanners - Metric

Part No.	Barcode	Size
SCMT20700	9311927207009	6 x 7mm
SCMT20701	9311927207016	8 x 9mm
SCMT20702	9311927207023	10 x 11mm
SCMT20703	9311927207030	12 x 13mm
SCMT20704	9311927207047	14 x 15mm
SCMT20705	9311927207054	16 x 17mm
SCMT20706	9311927207061	18 x 19mm
SCMT20707	9311927207078	20 x 22mm
SCMT20708	9311927207085	21 x 23mm
SCMT20709	9311927207092	24 x 27mm
SCMT20710	9311927207108	30 x 32mm



Open End Spanners - AF

Part No.	Barcode	Size
SCMT20800	9311927208006	1/4 x 5/16"
SCMT20801	9311927208013	3/8 x 7/16"
SCMT20802	9311927208020	7/16 x 1/2"
SCMT20803	9311927208037	1/2 x 9/16"
SCMT20804	9311927208044	5/8 x 11/16"
SCMT20805	9311927208051	11/16 x 3/4"
SCMT20807	9311927208075	13/16 x 7/8"
SCMT20808	9311927208082	15/16 x 1"
SCMT20809	9311927208099	15/16 x 1-1/16"
SCMT20810	9311927208105	1-1/8 x 1-1/4"



SCMT20211

8 Piece Open End Spanner Set - Metric

Barcode: 9311927202110

Sizes: 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22mm



SCMT20213

11 Piece Open End Spanner Set - Metric

Barcode: 9311927202134

Sizes: 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 27, 30 x 32mm





SCMT20411

9 Piece Open End Spanner Set - AF

Barcode: 9311927204114

Sizes: 1/4 x 5/16, 3/8 x 7/16, 7/16 x 1/2, 1/2 x 9/16, 5/8 x 11/16, 11/16 x 3/4, 13/16 x 7/8, 15/16 x 1", 1-1/8 x 1-1/4"



SCMT20412

7 Piece Open End Spanner Set - AF

Barcode: 9311927204121

Sizes: 1/4 x 5/16, 3/8 x 7/16, 1/2 x 9/16, 5/8 x 11/16, 11/16 x 3/4, 13/16 x 7/8, 15/16 x 1"

Ring Spanners - Metric

Part No.	Barcode	Size
SCMT21300	9311927213000	6 x 7mm
SCMT21301	9311927213017	8 x 9mm
SCMT21302	9311927213024	10 x 11mm
SCMT21303	9311927213031	12 x 13mm
SCMT21304	9311927213048	14 x 15mm
SCMT21305	9311927213055	16 x 17mm
SCMT21306	9311927213062	18 x 19mm
SCMT21307	9311927213079	20 x 22mm
SCMT21308	9311927213086	21 x 23mm
SCMT21309	9311927213093	24 x 27mm
SCMT21310	9311927213109	30 x 32mm



Ring Spanners - AF

Part No.	Barcode	Size
SCMT21500	9311927215004	1/4 x 5/16"
SCMT21501	9311927215011	3/8 x 7/16"
SCMT21502	9311927215028	7/16 x 1/2"
SCMT21503	9311927215035	1/2 x 9/16"
SCMT21504	9311927215042	9/16 x 5/8"
SCMT21505	9311927215059	5/8 x 11/16"
SCMT21506	9311927215066	11/16 x 3/4"
SCMT21507	9311927215073	3/4 x 7/8"
SCMT21508	9311927215080	13/16 x 7/8"
SCMT21509	9311927215097	15/16 x 1"
SCMT21510	9311927215103	1" x 1-1/8"
SCMT21511	9311927215110	1-1/8 x 1-1/4"





SCMT21100

13 Piece Metric & AF Ring Spanner Set

Barcode: 9311927211006

Metric Spanners

6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19mm

AF Spanners

1/4 x 5/16, 3/8 x 7/16, 1/2 x 9/16, 5/8 x 11/16, 3/4 x 7/8, 15/16 x 1"



SCMT21211

11 Piece Ring Spanner Set - Metric

Barcode: 9311927212119

Sizes: 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 27, 30 x 32mm



SCMT21206

7 Piece Ring Spanner Set - Metric

Barcode: 9311927212065

Sizes: 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19mm





SCMT21413

8 Piece Ring Spanner Set - AF

Barcode: 9311927214137

Sizes: 1/4 x 5/16, 3/8 x 7/16, 1/2 x 9/16, 9/16 x 5/8, 11/16 x 3/4, 13/16 x 7/8, 15/16 x 1", 1-1/8 x 1-1/4"



SCMT21412

6 Piece Ring Spanner Set - AF

Barcode: 9311927214120

Sizes: 1/4 x 5/16, 3/8 x 7/16, 1/2 x 9/16, 9/16 x 5/8, 11/16 x 3/4, 13/16 x 7/8"



Long Flat Ring Spanners - Metric

Part No.	Barcode	Size	Length
SCMT21321	9311927213215	10 x 11mm	300mm
SCMT21322	9311927213222	12 x 14mm	330mm
SCMT21323	9311927213239	13 x 15mm	365mm
SCMT21324	9311927213246	16 x 18mm	405mm
SCMT21325	9311927213253	17 x 19mm	410mm
SCMT21326	9311927213260	22 x 24mm	430mm



SCMT21202

6 Piece Flat Ring Spanner Set - Metric

Barcode: 9311927212027

- Sizes: 10 x 11, 12 x 14, 13 x 15, 16 x 18, 17 x 19, 22 x 24mm
- Extra Long, 0° Offset



Flare Nut Spanners - Metric

Part No.	Barcode	Size
SCMT21704	9311927217046	10 x 11mm
SCMT21705	9311927217053	12 x 13mm
SCMT21706	9311927217060	13 x 14mm
SCMT21707	9311927217077	15 x 17mm
SCMT21708	9311927217084	19 x 22mm



Flare Nut Spanners - AF

Part No.	Barcode	Size
SCMT21700	9311927217008	3/8 x 7/16"
SCMT21701	9311927217015	1/2 x 9/16"
SCMT21702	9311927217022	5/8 x 11/16"
SCMT21703	9311927217039	3/4 x 7/8"



SCMT21257

5 Piece Flare Nut Spanner Set - Metric

Barcode: 9311927212577

Sizes: 10 x 11, 12 x 13, 13 x 14, 15 x 17, 19 x 22mm



SCMT21459

4 Piece Flare Nut Spanner Set - AF

Barcode: 9311927214595

Sizes: 3/8 x 7/16, 1/2 x 9/16, 5/8 x 11/16, 3/4 x 7/8"





SCMT21350


11 Piece Ratchet Ring Driver - Metric

Barcode: 9311927213505

Sizes: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17 & 19mm

SCMT51112 Replacement Box Only

240 x 70 x 40mm



SCMT25105

Adjustable Big Mouth Wrench Premium

Barcode: 9311927251057

- Effectively a 300mm wrench head on a 200mm wrench body
- 39mm rated opening – 58% more than standard 200mm wrench
- 35% lighter than standard 300mm wrench
- Allows access where space is tight, but high torque is not necessary
- Ideal for plumbing applications



Premium Chrome Plated Adjustable Wrench

Part No.	Barcode	Max. Opening	Size
SCMT25110	9311927251101	13mm	100mm
SCMT25111	9311927251118	24mm	150mm
SCMT25112	9311927251125	30mm	200mm
SCMT25113	9311927251132	34mm	250mm
SCMT25114	9311927251149	41mm	300mm
SCMT25115	9311927251156	43.12mm	375mm
SCMT25116	9311927251163	53mm	450mm



Premium Black Finish Adjustable Wrenches


Part No.	Barcode	Max. Opening	Size
SCMT25206	9311927252061	19.2mm	150mm
SCMT25207	9311927252078	24.05mm	200mm
SCMT25208	9311927252085	29mm	250mm
SCMT25209	9311927252092	34mm	300mm
SCMT25210	9311927252108	43.12mm	375mm
SCMT25211	9311927252115	53mm	450mm



Adjustable Wrenches Chrome Plated

- Performance exceeds standard specs
- Optimised contact surfaces for max. user comfort
- Contoured handle
- Ergonomic worm screw
- Improved ergonomics
- 15° angled head
- Tapered jaw tips for optimum access

Part No.	Barcode	Size
SCMT25150	9311927251507	100mm
SCMT25151	9311927251514	150mm
SCMT25152	9311927251521	200mm
SCMT25153	9311927251538	250mm
SCMT25154	9311927251545	300mm
SCMT25155	9311927251552	375mm
SCMT25156	9311927251569	450mm
SCMT25157	9311927251576	600mm





Stubby Ratchet Podger Bars

- Dual sized ratchet head with reversible lever action
- Robust construction with easy to clean ratchet assembly
- Taper end for ease of bolt hole alignment

Part No.	Barcode	Size	Length
SCMTRH1924S	9311927926016	19 x 24mm	240mm
SCMTRH2124S	9311911201808	21 x 24mm	240mm



Ratchet Podger Bars

- Dual sized ratchet head with reversible lever action
- Robust construction with easy to clean ratchet assembly
- Taper end for ease of bolt hole alignment

Part No.	Barcode	Size	Length
SCMTRH1012	9311911200108	10 x 12mm	240mm
SCMTRH1417	9311911200115	14 x 17mm	280mm
SCMTRH1824	9311911202713	18 x 24mm	315mm
SCMTRH1921	9311911200122	19 x 21mm	315mm
SCMTRH1924	9311911200139	19 x 24mm	360mm
SCMTRH2427	9311911200221	24 x 27mm	360mm
SCMTRH2430	9311911200238	24 x 30mm	450mm
SCMTRH2732	9311911200245	27 x 32mm	450mm
SCMTRH3036	9311911200252	30 x 36mm	450mm
SCMTRH3236	9311911200313	32 x 36mm	450mm
SCMTRH3641	9311911200092	36 x 41mm	450mm



PROTO®

Structural Wrenches - Offset Head

- Long offset handle provides greater leverage and clearance for knuckles and obstructions.
- Hardened tapered handle aligns bolt and rivet holes.

Part No.	Barcode	Size	Length
JC907	0662679120511	1-1/16"	430mm
JC908	0662679120535	1-1/4"	480mm
JC908A	0662679120542	1-5/16"	480mm



PROTO®

J712SC

Adjustable Spud Wrench - Klik-Stop®

- Large jaw opening fits all nuts and bolts up to 1-1/2 inches.
- Eliminates the need for carrying several fixed size wrenches.
- Overall length: 410mm
- Weight: 1.1kg






SCMT13200

10 Piece Crowfoot Wrenches - Metric

Barcode: 9311927132004

- Sizes: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- Suits 3/8" drive extensions: SCMT13915, SCMT13916, SCMT13917, SCMT13918




SCMT13400

7 Piece Crowfoot Wrenches - AF

Barcode: 9311927134008

- Sizes: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4"
- Suits 3/8" drive extensions: SCMT13915, SCMT13916, SCMT13917, SCMT13918



PROTO

Adjustable Face Spanners

- Designed for servicing seal and packing nuts on hydraulic cylinders.

PART No.	Max Capacity	Diameter of Pin B	Length of Pin C	L	Weight lbs.
JC482	2"	3/16"	1/4"	6-3/8"	.31
JC483	3"	1/4"	1/4"	8-1/4"	.52
JC484	4"	5/16"	1/2"	10-3/8"	1.02



PROTO

J801

Universal Chain Wrench

- Fits any shape pipe.
- Forged steel handle has deep milled teeth.
- Chain capacity rating: 6,200 lbs.





Slugging Spanners

- Designed for heavy use in close quarters where hammer or sledge is required to loosen frozen nuts or set large fasteners.
- High strength rectangular design withstands heavy sledging; transmits power more effectively to fastener.
- Hot forged from special PROTOLOY™ alloy steel
- Box opening designed to remain in place on fastener when wrench is struck.
- Heavy box walls provide greater transmission of torque to fastener.
- Handle design resists springing, nut turns easier.
- Made in U.S.A. to Fed'l Specs: GGG-W-636E



Super Heavy Duty 12 Point - Offset Metric

Part No.	Barcode	Size
JHD032M	0662679121112	32mm
JHD036M	0662679121129	36mm
JHD041M	0662679121136	41mm
JHD046M	0662679121143	46mm
JHD050M	0662679121150	50mm
JHD055M	0662679121167	55mm
JHD060M	0662679121174	60mm
JHD065M	0662679121181	65mm
JHD070M	0662679121198	70mm
JHD075M	0662679121204	75mm
JHD080M	0662679121211	80mm
JHD085M	0662679121228	85mm
JHD090M	0662679121235	90mm
JHD095M	0662679121242	95mm
JHD100M	0662679121259	100mm
JHD105M	0662679121266	105mm
JHD110M	0662679121273	110mm
JHD115M	0662679121280	115mm

Super Heavy Duty 12 Point - Offset AF

Part No.	Barcode	Size
JUSN321	0662679121297	1-5/16"
JUSN323	0662679121303	1-7/16"
JUSN326	0662679121327	1-5/8"
JUSN327	0662679121334	1-11/16"
JUSN329	0662679121341	1-13/16"
JUSN330	0662679121258	1-7/8"
JUSN332	0662679121365	2"
JUSN335	0662679121372	2-3/16"
JUSN338	0662679121296	2-3/8"
JUSN340	0662679121402	2-1/2"
JUSN341	0662679121419	2-9/16"
JUSN342	0662679121426	2-5/8"
JUSN344	0662679121433	2-3/4"
JUSN347	0662679121440	2-15/16"
JUSN348	0662679121457	3"
JUSN350	0662679121464	3-1/8"
JUSN354	0662679121471	3-3/8"
JUSN356	0662679121488	3-1/2"
JUSN360	0662679121495	3-3/4"
JUSN362	0662679121501	3-7/8"
JUSN366	0662679121518	4-1/8"
JUSN368	0662679121525	4-1/4"
JUSN372	0662679121532	4-1/2"



Pipe Wrenches—Heavy Duty

- Forged steel jaw provides maximum strength.
- Full floating hook jaw, provides instant grip, easy release.
- Large knurl and power threads provide fast, positive jaw adjustment.

PART No.	Max	L	Weight lbs.
J812HD	2"	12"	2.75
J814HD	2"	14"	3.61
J818HD	3-1/2"	18"	6.02
J824HD	4"	24"	9.83



Adjustable Hook Spanners

- Designed for servicing collars, lock nut rings, and bearings

PART No.	Diameter Capacity	Hook Thickness	Hook Depth	L	Weight lbs.
JC471	3/4" to 2"	11/32"	1/8"	6-3/8"	.23
JC472	1-1/4" to 3"	13/23"	5/32"	8-1/8"	.43
JC474	2" to 4-3/4"	15/32"	3/16"	11-3/8"	1.03
JC474A	4-1/2" to 6-1/4"	15/32"	1/4"	12-1/8"	1.07
JC474B	6-1/8" to 8-3/4"	15/32"	5/16"	13-3/4"	1.40



Fastening



NEW MATERIALS RESISTANT, COMFORTABLE GRIP FOR DURABLE PERFORMANCES


Upgraded polyamide

- High resistance to load and shocks
- Tang end of blade stops the blade from turning under load

Soft grip polyurethane

- Comfortable handle
- Efficient grip and no skin burning when applying torque
- Excellent resistance to abrasive and chemical products
- Technical polymers chosen for their high level characteristics
- The PU used is the same as the ones used in high quality dash boards and quarry conveyor belts

Pro twist®
SCREWDRIVER SETS



ERGONOMIC HANDLE DESIGN IDEAL COMBINATION OF TORQUE AND SCREWDRIVING SPEED

Handle naturally fits into the hand

- Fast and efficient
- Comfortable and powerful for screwdriving
- Higher torque with less effort



Different handle sizes

- Thin Body on the small Screwdrivers for precision screwdriving.
- Larger handles for a maximised torque load when tightening and undoing



PRO TWIST SHOCK THRU TANG THE SHOCKWAVE UNLOCKS RUSTED FASTENERS FOR EASIER REMOVAL

Heavy duty

- The wide, rounded metal strike head combined with a 73 Mo hexagon steel blade gives excellent durability and performance



COLOUR CODED HANDLES FAST SELECTION OF THE RIGHT SCREWDRIVER FOR THE JOB

- Immediate blade identification associated to the tip
- Makes life easy when all the screwdrivers are in one area



Pro Twist Screwdriver Standard Tip

Part No.	Barcode	Size
SCMT29740	9311927297406	2.5mm x 75mm
SCMT29743	9311927297437	4mm x 100mm
SCMT29745	9311927297451	5.5mm x 150mm
SCMT29749	9311927297499	8mm x 150mm



Pro Twist Screwdriver Phillips® Tip

Part No.	Barcode	Size
SCMT29780	9311927297802	#0 x 75mm
SCMT29781	9311927297819	#1 x 100mm
SCMT29782	9311927297826	#2 x 125mm
SCMT29783	9311927297833	#3 x 150mm



Pro Twist Shock Thru Tang Screwdriver Standard Tip

Part No.	Barcode	Size
SCMT29721	9311927297215	5.5mm x 125mm
SCMT29722	9311927297222	6.5mm x 150mm
SCMT29723	9311927297239	8mm x 175mm
SCMT29725	9311927297253	10mm x 175mm



Pro Twist Shock Thru Tang Screwdriver Phillips® Tip

Part No.	Barcode	Size
SCMT29760	9311927297604	#1 x 100mm
SCMT29761	9311927297611	#2 x 125mm
SCMT29762	9311927297628	#3 x 150mm



SCMT29700

8 Piece Pro Twist Screwdriver Set

Barcode: 9311927297000

Contents:

- Slotted: 2.5x75, 4x100, 5.5x150, 8x150
- Phillips: 0x75, 1x100, 2x125, 3x150
- Supplied in a durable EVA foam tray
- Foam Tray fits selected Sidchrome Tool Boxes



SCMT29701

7 Piece Pro Twist Shock Thru Tang Screwdriver Set

Barcode: 9311927297017

Contents:

- Slotted: 5.5x125, 6.5x150, 8x175, 10x175
- Phillips: 1x100, 2x125, 3x150
- Supplied in a durable EVA foam tray
- Foam Tray fits selected Sidchrome Tool Boxes



Thru Tang Screwdriver Standard Tip

Part No.	Barcode	Size
SCMT29070	9311927290704	5mm x 100mm
SCMT29071	9311927290711	6mm x 150mm
SCMT29072	9311927290728	8mm x 200mm
SCMT29073	9311927290735	10mm x 250mm



Thru Tang Screwdriver Phillips® Tip

Part No.	Barcode	Size
SCMT29080	9311927290803	75mm x #1
SCMT29081	9311927290810	100mm x #2
SCMT29082	9311927290827	150mm x #2
SCMT29083	9311927290834	200mm x #3



SCMT29110

Industrial Thru Tang Screwdriver Set - 8 Piece

Barcode: 9311927291107

- Slotted: 5x100, 6x150, 8x200, 10x250mm
- Phillips®: #1x75, #2x100, #2x150, #3x200mm
- Sidchrome "Thru-Tang" Screwdrivers feature a high impact cellulose acetate handle tested under heavy load and under extreme temperatures. The continuous thru-tang blade combines with striking end cap to withstand hammer blows. The square Chrome Vanadium steel blade is designed and tested for industrial applications and also features a magnetic tip.

Ergonomic Screwdrivers Standard Tip

Part No.	Barcode	Description	Size
SCMT29187	9311927291879	Round Blade, Parallel Tip	75mm x 3.2mm
SCMT29188	9311927291886	Round Blade, Parallel Tip	100mm x 4.75mm
SCMT29189	9311927291893	Round Blade, Parallel Tip	150mm x 4.75mm
SCMT29190	9311927291909	Round Blade, Parallel Tip	200mm x 4.75mm
SCMT29191	9311927291916	Square Blade, Flared Tip	40mm x 6.35mm
SCMT29192	9311927291923	Round Blade, Flared Tip	100mm x 6.35mm
SCMT29193	9311927291930	Round Blade, Parallel Tip	250mm x 6.35mm
SCMT29194	9311927291947	Round Blade, Flared Tip	150mm x 7.9mm
SCMT29195	9311927291954	Round Blade, Flared Tip	200mm x 9.5mm



Ergonomic Screwdrivers Phillips® Tip

Part No.	Barcode	Description	Size
SCMT29179	9311927291794	Round Blade	75mm x #0
SCMT29180	9311927291800	Round Blade	75mm x #1
SCMT29181	9311927291817	Round Blade	40mm x #2
SCMT29182	9311927291824	Round Blade	100mm x #2
SCMT29183	9311927291831	Round Blade	200mm x #2
SCMT29184	9311927291848	Round Blade	150mm x #3



SCMT29102

10 Piece Ergonomic Screwdriver Set

Barcode: 9311927291022

5 Phillips® Screwdrivers
75mm x #0, 75mm x #1, 40mm x #2, 100mm x #2, 150mm x #3
5 Standard Screwdrivers
75mm x 3.2mm, 100mm x 4.75mm, 40mm x 6.35mm, 100mm x 6.35mm, 150mm x 7.9mm

SCMT51116 Replacement Box Only

425 x 175 x 52mm

SCMT29300

16 Piece Ratcheting Screwdriver Set

Barcode: 9311927293002

- Power & Precision combined
- 1/4" Hex Drive - 130mm long knurled shaft
- Ergonomic comfort handle
- 45 tooth ratchet mechanism
- Easy Load interchangeable Bit Magazines
- Bits are S2 Nickel plated
- Includes:
 - Phillips®: 1, 2, 3
 - Pozidrive®: 1, 2, 3
 - TORX®: 15, 20, 25
 - Slotted: 4, 5.5
 - Hex Head: 3, 4, 5
 - 1/4" hex - 1/4" Square Drive adaptor



SCMT29570

21 Pce T-Handle Ratcheting Screwdriver

Barcode: 9311927295709

- Long knurled shafts: 1/4"x100mm, 1/4"x50mm
- S2 Nickel plated bits: Phillips®: 1-3, Pozidrive®: 1-3, TORX®: 10-27, Slotted: 4-6, Hex Head: 3-5
- 1/4" Hex - 1/4" Square Drive Adaptor
- Power & precision combined
- Ergonomic comfort handle
- 45 tooth ratcheting mechanism



SCMT70930

TS Star Bits To Suit Tamper Proof '5 Point' Torx® Fasteners

Barcode: 9311911709304

- 1/4" hex bits suit 5 point Torx® sizes: TS10, TS15, TS20, TS25, TS27, TS30, TS40
- 1/4" square drive bit holder
- To suit 5 point tamper proof fasteners used on late model vehicles eg. air bag retaining screws
- Plastic bit holder



TORX® is a registered trademark of Camcar Division of Textron

* These parts have no connection with the proprietors of the registered trademarks.



Screwdrivers To Suit Torx® Screws

- Get a handle on your Torx® screws with these convenient, comfortable screwdrivers

Part No.	Barcode	Size
SCMT70310	9311911703104	⊕ T-6H
SCMT70313	9311911703135	⊕ T-8H
SCMT70316	9311911703166	⊕ T-10H
SCMT70320	9311911703203	⊕ T-15H
SCMT70324	9311911703241	⊕ T-20H
SCMT70328	9311911703289	⊕ T-25H
SCMT70336	9311911703364	⊕ T-30H

TORX® is a registered trademark of Camcar Division of Textron.

* These parts have no connection with the proprietors of the registered trademarks.



SCMT70337

Extra Long Torx® Screwdriver Set

Barcode: 9311927703372

- Long shaft for hard to reach areas
- Made of S-2 steel for strength
- 400mm (15 3/4") length
- Set Includes: T-10, T-15, T-20, T-25, T-27, & T-30

TORX® is a registered trademark of Camcar Division of Textron

* These parts have no connection with the proprietors of the registered trademarks.



SCMT70338

Extra Long Tamperproof Torx® Screwdriver Set

Barcode: 9311927703389

- Long shaft for hard to reach areas
- Made of S-2 steel for strength
- 400mm (15 3/4") length
- Set Includes: T-10, T-15, T-20, T-25, T-27, & T-30

TORX® is a registered trademark of Camcar Division of Textron

* These parts have no connection with the proprietors of the registered trademarks.



SCMT70307

Bits Set To Suit Torx® Screws

Barcode: 9311911703074

- Will drive all Torx® sizes from T-10 to T-50
- 1/4" hex drive Torx bits: T10, T15, T20, T25, T27, T30, T40, T45 & T50
- 1/4" & 3/8" square drive bit holders
- Handy plastic bit holder

TORX® is a registered trademark of Camcar Division of Textron

* These parts have no connection with the proprietors of the registered trademarks.



SCMT70309

Bits Set To Suit Tamper-Proof Torx® Screws

Barcode: 9311911703098

- Drives all Torx® sizes from T-10 to T-40
- 1/4" hex drive Torx bits: T10, T15, T20, T25, T27, T30 & T40
- 1/4" square drive bit holder
- Handy plastic bit holder

TORX® is a registered trademark of Camcar Division of Textron

* These parts have no connection with the proprietors of the registered trademarks.



SCMT70552

Impact Driver Kit

Barcode: 9311911705528

- Use with a hammer to loosen tight screws and bolts
- Suits any 1/2" drive impact socket or 8mm hex screwdriver bit
- Supplied with: 8mm, 10mm

No. 2, No. 3



SCMT70257

Power / Impact Screwdriving Bits Set

Barcode: 9311911702572

- 8 standard length bits, Phillips and slotted
- Made from tough alloy steel
- Use with power tools and impact drivers

Phillips® is a registered trademark of the Phillips Screw Company.

* These parts have no connection with the proprietors of the registered trademarks.



SCMT70885

43 Piece Mechanics Bit Set

Barcode: 9311911708857

- 43 Piece kit to suit Torx®, Spline and In-Hex fastener applications as found on brake calipers, transmissions, engines and interiors
- High quality S2 Alloy Steel
- 10mm Hex bits in both standard (30mm) and long (75mm) bit lengths
- Supplied in a blow moulded case

CONTENTS INCLUDE:

In-Hex	4mm, 5mm, 6mm, 7mm, 8mm, 10mm, 12mm
Spline	M5, M6, M8, M10, M12
Torx®	T20, T25, T27 (30mm only), T30, T40, T45, T50, T55, T60
Bit Holders	10mm Hex x 3/8" Square Drive Adaptor
	10mm Hex x 1/2" Square Drive Adaptor

TORX® is a registered trademark of Camcar Division of Textron* These parts have no connection with the proprietors of the registered trademarks.




SCMT29510

Hex Key Set Metric Long Ball Point 9 Piece

Barcode: 9311927295105

- Contains: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- Strong storage – keys secured into case and easily accessible
- High resistant material keys
- Access to hard to reach places
- Long arm lever for more power
- Access recessed hex screws up to 30° angle




SCMT29505

Hex Key Set A/F Long Ball Point 8 Piece

Barcode: 9311927295051

- Contains: 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"
- Strong storage – keys secured into case and easily accessible
- High resistant material keys
- Access to hard to reach places
- Long arm lever for more power
- Access recessed hex screws up to 30° angle



SCMT29520

Hex Key Set Metric 9 Piece

Barcode: 9311927295204

- Contains: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- Strong storage – keys secured into case and easily accessible
- High resistant material keys
- Access to hard to reach places
- Long arm lever for more power



SCMT29525

Hex Key Set A/F 8 Piece

Barcode: 9311927295259

- Contains: 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"
- Strong storage – keys secured into case and easily accessible
- High resistant material keys
- Access to hard to reach places
- Long arm lever for more power



SCMT29515

Torx® Key Set 8 Piece

Barcode: 9311927295150

- Contains: T10, T15, T20, T25, T27, T30, T40, T45
- Strong storage – keys secured into case and easily accessible
- High resistant material keys
- Access to hard to reach places
- Long arm lever for more power



SCMT29530

9 Piece Long Arm Ball Point Hex Key Set - Metric

Barcode: 9311927295303

9 Metric Long Arm Ball Point Hex Keys
1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm



SCMT29540

9 Piece Long Arm Ball Point Hex Key Set - AF

Barcode: 9311927295402

9 AF Long Arm Ball Point Hex Keys
5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"




SCMT29550

8 Piece T Handle Hex Key Set - Metric

Barcode: 9311927295501

- Includes: 2, 2.5, 3, 4, 5, 6, 8, 10mm
- One piece hex key for additional strength and durability
- Ergonomic T handle design
- Long ball point driver - Short standard hex driver
- Ball point end allows you to drive a fastener on an angle - this is particularly useful when access to the fastener is partially blocked




SCMT29560

10 Piece T Handle Hex Key Set - AF

Barcode: 9311927295600

- Includes: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"
- One piece hex key for additional strength and durability
- Ergonomic T handle design
- Long ball point driver - Short standard hex driver
- Ball point end allows you to drive a fastener on an angle - this is particularly useful when access to the fastener is partially blocked



Pliers & Cutting




Sidchrome Premium Pliers

A reduced cutting effort

Sidchrome cutting pliers reduce the cutting effort by 20% :

- Optimised cutting-edge geometry.
- Long lever arm.
- Pivot pin offset as close as possible to the cutting edges.





For cutting: 4 mm screws

Sidchrome cutters require 10 kg less cutting effort on the part of the user.

For cutting: Piano wire 200 kg/mm²

Sidchrome cutters require 14 kg less cutting effort on the part of the user.




One tool

for cutting all materials. Sidchrome's universal cutters can cut cleanly through all types of materials: Copper wire, semi-hard wire, hard wire, piano wire, steel strip, nylon strip, binding wire, Bronze wire, Ertalon, etc.

Return spring

for comfort and precision. The spring wedges the handles snugly between fingers and palm. Spring tested to over one million cycles.



Durable cutting power means very high resistance to wear when used to cut hard wire or subject to intensive use. Sidchrome cutters are made of high strength steel for maximum durability. The cutting edges are double heat treated: 61/63 HRc.

Chrome Molybdenum Vanadium steel

Finger Guard is designed to provide a firm, comfortable grip for pushing or pulling pressure.

The Ergonomic

Spatula-shaped pressure areas. + 20% more self-restraint. Maximum comfort. Reduced pressure on the hand.

High-performance

materials chosen for their resistance to workshop chemicals (skydrol, chlorothene, acetone, petrol, etc...).





Diagonal Cutting Pliers (Side Cutters)

- Sidchrome's diagonal cutting pliers (or sidecutters) are designed to deliver the three main requirements of professional users:
 - 1) One tool for cutting all materials
 - 2) A reduced cutting effort
 - 3) Durability and reliability
- The cutting edges are designed to cleanly cut all types of wire, including piano wire, soft wire and modern materials
- Maximum cutting diameter - Piano wire 1.5mm (200kg/mm²), Copper 0.7mm-3.0mm
- The long lever arm and offset pivot point lowers cutting effort by 20%
- Handles are highly resistant to common corrosive elements, such as petrol, acetone, chlorothene and Skydrol
- An innovative, lightly sprung handle to ensure that the plier is always open and ready to work - tested to over 1,000,000 cycles!
- Newly developed Chrome-Molybdenum-Vanadium formulation results in very hard cutting edges (61/63HRC), delivering clean, consistent cuts
- Manufactured to ISO, DIN and NF 5749 standards

Part No.	Barcode	Length
SCMT28510	9311927285106	160mm
SCMT28511	9311927285113	180mm
SCMT28512	9311927285120	200mm



Combination Pliers

- Long lever arm with an offset pivot point provides minimum cutting effort
- Newly developed Chrome-Molybdenum-Vanadium formulation results in very hard cutting edges (61/63HRC), delivering clean, consistent cuts
- Cutting edge designed to cut all types of wire, including piano wire, soft wire and modern materials
- Manufactured in France to ISO, DIN and NF 5746 specifications
- Handles are highly resistant to common corrosive elements, such as petrol, acetone, chlorothene and Skydrol

Part No.	Barcode	Length
SCMT28530	9311927285304	165mm
SCMT28531	9311927285311	185mm
SCMT28532	9311927285328	200mm



SCMT28535

Linesman Plier 208mm

Barcode: 9311927285359

- Extra long handles provide maximum leverage and minimum working effort
- Wire crimper
- Longer side cutters
- Cross hatched inner jaw assists grip and reduces wire damage
- Handles are highly resistant to common corrosive elements, such as petrol, acetone, chlorothene and Skydrol
- Forged in Taiwan, finished in France



Sidchrome Long Nose Pliers

A Comprehensive Range To Suit Every Need

High-performance.

- Sidchrome's half-round nose pliers are precision made, machined on numerically controlled robotic production machinery.
- For gripping and manipulating all types of components or wires, even in difficult-to-reach places.
- Perfectly finished, with no sharp edges, offers comfortable and safe contact to the user's second hand.

Straight and 40° angled long-nose pliers.

- Narrow, finely serrated tips (0.5mm pitch), with a side wire-cutter. For electricians, electrical fitters, delicate tasks.

Guaranteed cutting accuracy and consistency.

- For cleanly cutting thin copper wire and modern materials, hard wires (max. 1.6mm diameter at 160 kg/mm²).



Industrial, automotive applications, etc...



Long Nose Pliers

- Sidchrome's long nose pliers are precision made on numerically controlled robotic production machinery
- Designed to grip and manipulate all types of components or wires, even in difficult to reach places
- Perfectly finished, with no sharp edges
- Handles are highly resistant to common corrosive elements, such as petrol, acetone, chlorothene & Skydrol
- Narrow, finely serrated tips (0.5mm pitch) with pipe grip
- Newly developed Chrome-Molybdenum-Vanadium formulation results in very hard cutting edges (61/63HRC), delivering clean, consistent cuts
- Side cutter for copper and hard steel wire (max 160 kg/mm²)
- Manufactured to ISO, DIN and NF 5745 standards

Part No.	Barcode	Length
SCMT28520	9311927285205	200mm
SCMT28523	9311927285236	160mm



SCMT28522

Long Nose Pliers Bent 200mm

Barcode: 9311927285229

- Sidchrome's long nose pliers are precision made on numerically controlled robotic production machinery
- Designed to grip and manipulate all types of components or wires, even in difficult to reach places
- Perfectly finished, with no sharp edges
- Handles are highly resistant to common corrosive elements, such as petrol, acetone, chlorothene & Skydrol
- Narrow, finely serrated tips (0.5mm pitch) with pipe grip
- Newly developed Chrome-Molybdenum-Vanadium formulation results in very hard cutting edges (61/63HRC), delivering clean, consistent cuts
- Side cutter for copper and hard steel wire (max 160 kg/mm²)
- Manufactured to ISO, DIN and NF 5745 standards
- Bend angle of 40 degrees enables access to tight spaces



Sidchrome Slip-Joint Multigrip Pliers

Power and Precision

Powerful

- The closed position of the ergonomic comfort grip handles increases the tightening power.



Sturdy

- Accurate and strong thanks to its rack and offset pin.



Slim-Line Nose

- With self-gripping teeth.



Long nose



Ideal For Confined Spaces!

- 1 Long slim nose for improved reach in confined spaces.
- 2 7 positions.
- 3 Capacity (parallel jaws): 44 mm.



1
44 mm
3

High-Performance Multigrip Pliers

Capacity: 44mm

Ideal for confined spaces: long reach thin noses

Double heat treated tips: high wear resistance, hardness 60/62 HRC



SCMT28500

Locking Twin Slip Joint Multigrip Pliers 250mm

Barcode: 9311927285007

- New pivot pin innovation delivers superior performance
- Push-button adjustment with safety lock allows twice the number of operating positions over conventional multigrip pliers
- The pivot pin allows you to adjust handle travel to suit the size of your hand, meaning more force and less fatigue
- Teeth designed to self grip on pipes
- Jaw geometry designed to grip nuts without damage
- An integrated wire cutter puts the Sidchrome multigrip ahead of the pack for innovation
- The handles have been developed with the support of specialist ergonomics laboratories, and provide maximum comfort, by taking advantage of a non-slip spatula shaped pressure area
- The reduced gap for the slip joint mechanism delivers high torsional strength and reduced play
- High frequency treated jaws (62HRC)
- Manufactured to ISO, DIN & NF ISO 8976



SCMT28502

High Performance Multigrip Pliers 250mm

Barcode: 9311927285021

- The Sidchrome slip joint multigrips are ideal for use in confined spaces
- Jaw capacity of 44mm in the fully open, parallel position
- The slip joint feature allows 7 pivot positions
- Double heat treated tips for high wear resistance (HRC 60/62)
- Handles are highly resistant to common corrosive elements, such as petrol, acetone, chlorothene and Skydrol
- Manufactured to ISO, DIN & NF ISO 8976



Curved Jaw Locking Pliers

- Curved jaws for gripping round and flat materials
- Wire cutter
- Drop forged premium quality Chrome Vanadium steel jaws
- Use the screw to adjust pressure up or down to fit work
- Screw stays adjusted for repeat use
- Quick-release lever for one handed release
- Precision manufactured teeth for positive grip to work

Part No.	Barcode	Length	Jaw Cap.
SCMT28407	9311927284079	180mm	35mm
SCMT28408	9311927284086	250mm	50mm



SCMT28416

Versa Jaw Locking Pliers

Barcode: 9311927284161

- Combination jaw shape for gripping flat, round, square and shaped materials
- Drop forged premium quality Chrome Vanadium steel jaws
- Use the screw to adjust pressure up or down to fit work
- Screw stays adjusted for repeat use
- Quick-release lever for one handed release
- Precision manufactured teeth for positive grip to work
- Length: 250mm
- Jaw Cap: 50mm



Sidchrome Circlip Pliers

Optimum Performance

Inside Circlip pliers

Straight, 45° or 90° tip profiles.
Chrome finish.

SAFETY

Eye protection is recommended.



Straight Nose Outside Circlip Pliers

Piano wire tips: high distortion resistance
Long 10° angled tips for optimum circlip holding
Identification colour code: saves time
Grips in anti-slip granite PVC



SCMT28582

Circlip Pliers External Straight 19-60mm

Barcode: 9311927285823

- Market leading, long, high precision piano wire tips enable greater circlip retention
- New colour coding for easy tool identification
- Thinner nose piece enables access to tight areas
- Integrated (hidden) spring reduces risk of loss during operation
- Ergonomic, anti-slip PVC handles
- Manufactured to DIN 5254 & DIN 5256



SCMT28583

Circlip Pliers External Bent 19-60mm

Barcode: 9311927285830

- Market leading, long, high precision piano wire tips enable greater circlip retention
- Nose angle of 45 degrees enables access to awkward areas
- New colour coding for easy tool identification
- Thinner nose piece enables access to tight areas
- Integrated (hidden) spring reduces risk of loss during operation
- Ergonomic, anti-slip PVC handles
- Manufactured to DIN 5254 & DIN 5256



SCMT28584

Circlip Pliers Internal Straight 19-60mm

Barcode: 9311927285847

- Market leading, long, high precision piano wire tips enable greater circlip retention
- New colour coding for easy tool identification
- Thinner nose piece enables access to tight areas
- Integrated (hidden) spring reduces risk of loss during operation
- Ergonomic, anti-slip PVC handles
- Manufactured to DIN 5254 & DIN 5256



SCMT28585

Circlip Pliers Internal Bent 19-60mm

Barcode: 9311927285854

- Market leading, long, high precision piano wire tips enable greater circlip retention
- Nose angle of 45 degrees enables access to awkward areas
- New colour coding for easy tool identification
- Thinner nose piece enables access to tight areas
- Integrated (hidden) spring reduces risk of loss during operation
- Ergonomic, anti-slip PVC handles
- Manufactured to DIN 5254 & DIN 5256



PROTO

J360B

12 Piece Retaining Ring Plier Set

Barcode: 662679031541

- Ring range: External (Shaft) 1/4" - 3-11/32"; Internal (Bore) 3/8" - 3"
- Convenient blow-molded carrying case includes storage for spare rings



SCMT28552

Heavy Duty End Nipper Pliers 230mm

Barcode: 9311927285526

- This highly leveraged, high performance, heavy duty end nipper takes cutting effort to a minimum and enables tying and cutting in one operation
- The offset pivot point, combined with the very long handles, delivers a clean cut, with minimum effort - every time
- Rounded, semi-rigid handles are designed to turn quickly in the hand
- High frequency hardened cutting edges (61/62 HRC) provide long life and reliability
- Manufactured to ISO, DIN & NF 9242



SCMT28460

Mini Plier Set

Barcode: 9311927284604

- Chrome Vanadium Steel Construction
- Hardened and Tempered
- Contents: Diagonal Cutting, Needle Nose, End Nipper, Bent Nose, Flat Nose



PROTO

J240G

Long Needle Nose Pliers

Barcode: 662679031978

- Length: 294mm
- Extra long handle allows greater access to confined, restricted areas
- Improved fulcrum point provides more holding power at the tip with less gripping effort
- Plastisol grips for added comfort





SCMT70806

Economy Wire Twisting Pliers

Barcode: 9311911708062

- 6" (152mm) long
- Use with safety lock wire
- Ideal for: – motor sport, aviation, industrial and electrical applications
- Auto spring return handles



SCMT70213

Safety Wire Twister Pliers

Barcode: 9311911702138

- Unique rubber inserts in jaws grasp and hold severed wires
- Special offset jaws ensure uniform professional finish



SCMT70543

Safety Wire Twister Pliers - 6" Long

Barcode: 9311911705436

- Automatic spring return
- Special offset jaws ensure uniform professional finish
- For use on fasteners where positive retainment is required ie: governors, drain plugs, electrical connectors, etc.



SCMT70451

Safety Lock Wire

Barcode: 9311911704514

- Aircraft Grade Stainless Steel
- Type 302/304 - Spec MS20995-C
- ASTM A580 non-electrical
- 1 lb (0.45kg) container
- Diameter: 0.025" (.635mm)

SCMT70452

Safety Lock Wire

Barcode: 9311911704521

- Aircraft Grade Stainless Steel
- ASTM A580 non-electrical
- Type 302/304 - Spec MS20995-C
- 1 lb (0.45kg) container
- Diameter: 0.041" (1.04mm)

SCMT70480

Safety Lock Wire

Barcode: 931191170480

- Aircraft Grade Stainless Steel
- Type 302/304 - Spec MS20995-C
- ASTM A580 non-electrical
- 1 lb (0.45kg) container
- Diameter: 0.020" (.508mm)

SCMT70481

Safety Lock Wire

Barcode: 9311911704811

- Aircraft Grade Stainless Steel
- Type 302/304 - Spec MS20995-C
- ASTM A580 non-electrical
- 1 lb (0.45kg) container
- Diameter: 0.032" (.813mm)



Carry Case with quick release push button

SCMT28568

Heavy Duty Multi-Functional Scissors

Barcode: 9311927285687

- Wire stripping, crimping and cutting functions
- Wide opening mouth
- Blade with micro-anti-slip teeth
- Built-in wire stripper (AWG 12, 14, 16)
- Stainless steel internal structure
- Bimaterial ergonomic handles
- Hole for tethering
- Shaped fingerholes

Wire stripping, crimping and cutting functions



Wire Stripping
AWG12
AWG14
AWG16
Crimping



Cable cutter on both blades
Multicore Wire <50mm²



SCMT28562

Heavy Duty Scissors

Barcode: 9311927285625

- Multiple use, highly versatile and maximum comfort
- Exclusive ergonomic grip for right-handers for better comfort
- Ideal for cutting thick cardboard, aluminium (thickness: 0.2mm), rubber (thickness: 3mm), leather (thickness: 5mm) rope, etc.
- Stainless steel blades: precision and better durability of the cutting edge
- Finish: bi-material grips, burnished blades

SCMT28560

Heavy Duty Universal Shears - Straight

Barcode: 9311927285601

- Sharp, serrated stainless steel cutting edges
- Highly versatile – cuts PVC, cardboard, rubber, cable ties, leather (5mm), thin sheet steel (0.5mm), aluminium (1mm), electric cable (2.5mm dia)
- Soft rubber grip with 2-position hand grip lever
- Safety lock



SCMT28561

Heavy Duty Universal Shears - Bent

Barcode: 9311927285618

- Sharp, serrated stainless steel cutting edges
- Highly versatile – cuts PVC, cardboard, rubber, cable ties, leather (5mm), thin sheet steel (0.5mm), aluminium (1mm), electric cable (2.5mm dia)
- Soft rubber grip with 2-position hand grip lever
- Safety lock



Aviation Snips

- Heavy duty, industrial class
- Forged chrome molybdenum blades with cutting capacity of 0.8mm
- High leverage for effortless extended use
- Serrated cutting edges
- Ergonomic grips
- Jaw lock catch
- Colour coded handles indicate direction of cut

Part No.	Barcode	Direction of Cut
SCMT28563	9311927285632	Left Cut - Red
SCMT28564	9311927285649	Right Cut - Green
SCMT28565	9311927285656	Straight Cut - Yellow



Offset Aviation Snips

- Heavy duty, industrial class
- Forged chrome molybdenum blades with cutting capacity of 0.8mm
- High leverage for effortless extended use
- Serrated cutting edges
- Ergonomic grips
- Jaw lock catch
- Colour coded handles indicate direction of cut

Part No.	Barcode	Direction of Cut
SCMT28566	9311927285663	Offset Left - Red
SCMT28567	9311927285670	Offset Right - Green



SCMT70689

Lock Ring Pliers

Barcode: 9311911706891

- For removing and installing heavy duty lock rings commonly used in transmissions
- Knurled jaws to prevent slipping
- Length: 225mm
- Maximum jaw opening: 25mm



SCMT70164

Lock Ring Pliers

Barcode: 9311911701643

- For circlips without holes – ie: snap rings found on transmissions, brakes, differentials, clutch shafts, etc
- Serrated jaws for a secure grip – spring loaded handles
- Maximum jaw opening: 26mm




SCMT70068


15 in 1 Multi-Function Tool with LED Light

Barcode: 9311927700685

- Stainless Steel
- Anti-slip grip handle
- All tools independently spring loaded




Sidchrome High Performance Hacksaw Frame



Optimum and Durable Cut

- Constant blade tension: 110 kg controlled automatically.
- Rigid aluminium bow.
- Bi-material ergonomic handle to reduce vibrations.



Exact cutting

- For a perfect tension control (110 kg), turn the button till **CLACK**.

Save Time

- Cutting capacity 100 mm over the full bow length.
- Ultra-fast blade changing.
- 8 cutting positions (every 45°).



360°

- 8 positions



SCMT47860

High Performance Heavy-Duty Hacksaw

Barcode: 9311927478607

- Optimum and durable automatic blade tension control at 110kg
- Aluminium bow for maximum stiffness
- Ergonomic handle for maximum cutting comfort
- 8 blade positions
- Ultra fast blade changing
- Takes 300mm blade
- Dimensions: (L)440mm x (W) 145mm
- Supplied with one blade
- Weight: 830g



SCMT47855

Heavy-Duty Hacksaw

Barcode: 9311927478553

- Rubber molded handle for maximum cutting comfort
- Takes 300mm 12" blade
- Ultra-fast blade changing
- Dimensions (L x W): 440 x 145mm




Striking & Prying



Sidchrome Steel Anti-Vibe® Hammers

The Sidchrome Steel Anti-Vibe® Hammers are the latest in impact technology. The Anti-vibe technology minimizes vibration and shock at impact while the torsion control feature reduces fatigue. Designed with forged one-piece steel this hammer offers both strength and durability.



Antivibe Ball Pein Hammer



Part No.	Barcode	Size	Length
SCMT27440	9311927274407	225g	280mm
SCMT27441	9311927274414	450g	335mm
SCMT27442	9311927274421	680g	360mm
SCMT27443	9311927274438	900g	380mm

PROTO®

Ball Pein Hammer

Part No.	Barcode	Size	Length
J1316PGD	662679020095	450g	330mm
J1324PGD	662679020125	680g	356mm
J1332PGD	662679020156	900g	381mm



SCMT27436

Club Hammer

Barcode: 9311927274360

- 1.5kg
- Graphite shaft
- Rubber handle
- Length 260mm





SCMT27205

8 Piece Long Pin Punch Set

Barcode: 9311927272052

- Long Pin Punches: 2.5, 3, 4, 5, 6, 6.5, 8, 10mm



SCMT27209

9 Piece Combination Pin Punch Set

Barcode: 9311927272090

- Driving out pins and rivets.
- Short Pin Punches: 2, 2.5, 3mm
- Long Pin Punches: 4, 5, 6, 6.5, 8, 10mm



SCMT27241

10 Piece Combination Punch Set

Barcode: 9311927272410

- Centre Punches: 3, 4, 5, 6.5mm
- Long Pin Punches: 3, 4, 5, 6mm
- Starter Drift Punches: 3, 5mm





SCMT27190

7 Piece Short Pin Punch Set

Barcode: 9311927271901

- Short Pin Punches: 2, 2.5, 3, 4, 5, 6, 6.5mm



SCMT27105

5 Piece Centre Punch Set

Barcode: 9311927271055

- Used in metal working, for marking lines, hole locations and pilot drill starting points.
- Centre Punches: 2, 2.5, 3, 4, 5mm



SCMT27130

5 Piece Nail Punch Set

Barcode: 9311927271307

- Setting nails below surface in woodworking, inserting putty and other fillers.
- Nail Punches: 2, 2.5, 3, 4, 5mm





SCMT27155

6 Piece Starter Drift Punch Set

Barcode: 9311927271550

- For installing and removing pins and shafts.
- For aligning holes.
- Starter Drift Punches: 2, 3, 5, 6.5, 8, 10mm



Centre Punches

Part No.	Barcode	Size
SCMT27110	9311927271109	100mm x 2mm
SCMT27111	9311927271116	100mm x 2.5mm
SCMT27112	9311927271123	100mm x 3mm
SCMT27113	9311927271130	100mm x 4mm
SCMT27114	9311927271147	100mm x 5mm
SCMT27115	9311927271154	125mm x 6.5mm
SCMT27116	9311927271161	125mm x 8mm
SCMT27117	9311927271178	150mm x 10mm
SCMT27118	9311927271185	150mm x 12mm



SCMT70540

Automatic Centre Punch

Barcode: 9311911705405

- No hammer required - simply press down and accurately mark steel, plastic, wood etc.
- Hardened tip for long life



Long Pin Punches

Part No.	Barcode	Size
SCMT27210	9311927272106	155mm x 2.5mm
SCMT27211	9311927272113	155mm x 3mm
SCMT27212	9311927272120	160mm x 4mm
SCMT27213	9311927272137	165mm x 5mm
SCMT27214	9311927272144	170mm x 6mm



Cold Chisels

Part No.	Barcode	Size
SCMT27330	9311927273301	150mm x 12mm
SCMT27331	9311927273318	175mm x 16mm
SCMT27332	9311927273325	200mm x 19mm
SCMT27333	9311927273332	230mm x 22mm
SCMT27334	9311927273349	250mm x 25mm





SCMT27303

3 Piece Cold Chisel Set

Barcode: 9311927273035

- Cold Chisels: 12, 19, 25mm



SCMT27305

5 Piece Cold Chisel Set

Barcode: 9311927273059

- Cold Chisels: 12, 16, 19, 22, 25mm



PROTO

J48007

7 Piece Super-Duty Drive Pin Punch Set

Barcode: 662679011093

- One piece design with parabolic struck end for resistance to mushrooming and chipping
- Pin Punches: 1/16, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4"



PROTO

J47A

7 Piece Drive Pin Punch Set

Barcode: 662679010218

Two piece design with parabolic struck end for resistance to mushrooming and chipping

Pin Punches: 1/16, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4"



PROTO

J46

26 Piece Punch & Chisel Set

Barcode: 662679010133

- Made from S2 steel and specially heat-treated for greater strength and durability.
- Modified parabolic striking end to help reduce mushrooming and chipping.
- Black oxide finish to help prevent rust corrosion; extending tool life and performance.
- A polished identification panel on one of the flats is marked with the tool number and size in a black inlay.
- Set offers a wide range of sizes to handle a variety of jobs.
- Includes a pouch for convenient storage solution.



PROTO

J86B

7 Piece Cold Chisel Set

Barcode: 662679010669

Made of hardened shock-resistant steel

Cold Chisels: 5/16, 3/8, 7/16, 1/2, 5/8, 3/4, 7/8"





PROTO®

J86C

5 Piece Cold Chisel Set

Barcode: 662679010676


Made of hardened shock-resistant steel
Cold Chisels: 5/16, 3/8, 7/16, 1/2, 5/8"

SCMT70610

4 Piece Pry Bar Set

Barcode: 9311911706105

- High Quality heat treated CRV steel blades
- Oversized Tang Thru, dual compound Comfort Grip handles
- Ideal for prying cylinder heads, manifolds, gearbox components etc
- Supplied in a moulded tray



PROTO®

J2100

4 Piece Pry Bar Set

Barcode: 662679010683

- 18 & 24" Aligning Pry Bars
- 12 & 16" Rolling Head Bars



PROTO®

Aligning Pry Bars

- Used for prying, positioning and aligning applications.

PART No.	B	L	Weight lbs.
J2116	1/2"	16"	.77
J2120	19/32"	18"	1.23
J2124	23/32"	24"	2.36
J2125	7/8"	30"	4.72



PROTO®

Rolling Head Bars

- Pry and aligning bar with a long pointed taper and 90° rolling head.

PART No.	B	L	Weight lbs.
J2126	1/2"	12"	1.30
J2130	5/8"	16"	2.40




Measuring





Digital Calipers


- Graduation: 0.01mm / 0.0005"
- Three Keys: OFF/ON (turn on/off display), ZERO (zero setting), INCH/MM (inch/metric conversion)
- 4-way measurement: inside, outside, step, and depth
- Hardened stainless steel construction
- Spare battery
- Satin chrome scale
- Plastic case
- Meets DIN862 specification



Part No.	Barcode	Size
SCMT26115	9311927261155	0-150mm/6"
SCMT26116	9311927261162	0-200mm/8"
SCMT26117	9311927261179	0-300mm/12"

Vernier Calipers

- 4-way measurements: inside, outside, step and depth
- Hardened stainless steel construction
- Satin chrome scale
- Slide clamp




Part No.	Barcode	Size
SCMT26113	9311927261131	0-150mm/6"
SCMT26114	9311927261148	0-200mm/8"

SCMT26118

Dual Graduation Dial Caliper 0-150mm/6"

Barcode: 9311927261186

- Range: 0-150mm / 0-6"
- Graduation: 0.02mm / 0.001"
- Reads in both inch and metric
- 4-way measurements: inside, outside, step and depth
- Shock-proof design
- Adjustable zero set with lock
- Hardened stainless steel construction
- Satin chrome scale
- Thumb wheel and lock, in fitted case
- Meets DIN862 specification



SCMT70921

Dual Graduation Dial Caliper 0-150mm/6"

Barcode: 9311911709212

- Internal jaws used to measure brake pad wear
- 4 keys: mm/inch conversion, OFF/ON power, ZERO setting, HOLD function
- Large display, thumb wheel, lock screw and RS232 output
- Supplied with one spare battery



Outside Micrometers

- Graduation: 0.0001
- Gray wrinkle finish frame
- Satin chrome finish on sleeve and thimble
- Lapped carbide measuring faces
- Spindle lock
- Ratchet stop
- Zero adjustment with supplied wrench
- In durable case
- Meets DIN863 specification

Part No.	Barcode	Size
SCMT26103	9311927261032	0-25mm
SCMT26104	9311927261049	25-50mm
SCMT26105	9311927261056	50-75mm
SCMT26106	9311927261063	75-100mm



SCMT26107

3 Piece Outside Micrometer Set

Barcode: 9311927261070

- Contains 0-25mm, 25-50mm and 50-75mm micrometers
- Graduation: 0.0001"
- Gray wrinkle finish frame
- Satin chrome finish on sleeve and thimble
- Lapped carbide measuring faces
- Spindle lock
- Ratchet stop
- Zero adjustment with supplied wrench
- Supplied with 25mm and 50mm standards
- In durable case
- Meets DIN863 specification





SCMT26108

Digital Outside Micrometer

Barcode: 9311927261087

- Resolution: 0.001mm/0.00005"
- Large LCD display
- RS232C data output
- Size: 0mm-25mm
- 5 keys to set zero
- Shift between absolute and relative measurement
- Turn power on/off
- Shift reading between mm and inch
- Data output
- Automatic power off
- Painted frame
- Lapped carbide measuring faces
- Spindle lock
- Ratchet friction thimble
- Comes with spare battery



SCMT26109

Magnetic Base

Barcode: 9311927261094

- Accepts all dial indicators having 3/8" diameter shank and/or lug back with 1/4" diameter mounting hole
- Attaches to flat surfaces horizontally or vertically
- V-groove base mounting on cylindrical surface
- On and off switch
- Fine adjust arm and solid knobs
- In durable case



SCMT26112

Digital Dial Indicator

Barcode: 9311927261124

- Resolution: 0.001mm/0.0001"
- RS232C data output
- 3 keys: in/mm (metric/inch conversion)
- OFF (power off)
- ZERO/ON (zero setting and power on)
- Shank diameter: 8mm
- Back lug
- Comes with spare battery



SCMT26110

0-10mm Dial Indicator

Barcode: 9311927261100

- Range: 0-10mm.
- Graduation: 0.01mm.
- Diameter of bezel: 60mm.
- Shank diameter: 8mm.
- With back lug and tolerance index.
- Supplied in protective blow moulded case.



SCMT26119

6 Piece Telescoping Gauge Set

Barcode: 9311927261193

- Range: 8 - 150mm / 5/16" - 6"
- Checks slot, grooves, recesses and cylinders
- Hardened stainless steel self-centering plungers
- Locks on any setting by turning knob at end of handles
- Size obtained by measuring over contacts with a micrometer
- In durable case



SCMT26134

8M Measuring Tape

Barcode: 9311927261346

- 25mm Blade Width
- Chrome-Plated Hi-Impact ABS case
- Mylar® coated blade for superior abrasion resistance
- Tru-Zero™ hook for accurate inside and outside measurements
- 2.1 meter stand out



Torque Control



Torque Control Guide

Tightening torque and tensile load

Application of the correct force (tensile load) is essential for a reliable assembly:

- under-tightened fasteners: can work loose
- over-tight fasteners: may distort components to be connected, or shear the fastener.


Tensile load depends on tightening torque applied to the fastener and the friction coefficient.

Tensile load (Fo)

The force in Newtons (N) which maintains pressure contact between assembled components.

Tightening torque (Cs)

The product of a force and the leverage length at which it is applied:
Torque (N.m) = Force (in Newtons) x length (in metres).



CONVERSION TABLE

The internationally accepted unit is the Newton-metre (Nm).

1. To convert Nm

Newton-metres to Kilogramme-force metres:	1 N.m = 0.102 kgf.m
Newton-metres to Pound-force feet:	1 Nm = 0.738 lbf.ft
Newton-metres to Pound-force inches:	1 Nm = 8.851 lbf.in
Newton-metres to Ounce-force inches:	1 Nm = 141.61 ozf.in

2. To convert kgf.m

Kilogramme-force metres to Newton-metres:	1 kgf.m = 9.81 N.m
Kilogramme-force metres to Pound-force feet:	1 kgf.m = 7.23 lbf.ft
Kilogramme-force metres to Pound-force inches:	1 kgf.m = 86.8 lbf.in

3. To convert lbf.ft

Pound-force feet en Newton-metres:	lbf.ft = 1.35 N.m
Pound-force feet to Kilogramme-force metres:	1 lbf.ft = 0.138 kgf.m
Pound-force feet to Pound-force inches:	1 lbf.ft = 12 lbf.in

4. To convert lbf.in

Pound-force inches to Newton-metres:	1 lbf.in = 0.1129 N.m
Pound-force inches to Kilogramme-force metres:	1 lbf.in = 0.0115 kgf.m
Pound-force inches to Pound-force feet:	1 lbf.in = 0.083 lbf.ft
Pound-force inches to Ounce-force inches:	1 lbf.in = 16 ozf.in

Tightening torque table:

Torque values are given for 85% fastener yield strength (documentation E 25-030).

1. Friction coefficient

Choose the appropriate table according to type of fasteners used (0.10, 0.15, or 0.20). Example: $\mu = 0.10$

2. Fastener -grade

The grade of a fastener denotes its quality (best is 12.9). Check the appropriate column for the fasteners used.
Example: fastener dia. 10, fastener grade

3. Tightening torque (Cs).

Torque values are listed in Newton-meters (Nm) for each type of fastener. In the example given, the fastener would be tightened to a torque of 36 Nm.

ISO 272			Steel fastener grades to ISO 898-1													
			5,6		5,8		6,8		8,8*		9,8**		10,9		12,9	
d mm	ISO mm	mm	Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo
1,6**	0,35	3,2	0,06	260	0,084	364	0,096	416	0,128	555	0,144	624	0,189	815	0,221	954
2**	0,4	4	0,126	432	0,177	604	0,202	690	0,27	921	0,303	1 036	0,396	1 352	0,463	1 582
2,5**	0,45	5	0,261	718	0,365	1 006	0,417	1 150	0,556	1 533	0,626	1 724	0,82	2 251	0,96	2 634
3	0,5	5,5	0,44	1 077	0,62	1 508	0,71	1 724	0,95	2 298	1,09	2 586	1,4	3 376	1,64	3 951
4	0,7	7	1,03	1 868	1,44	2 615	1,65	2 988	2,2	3 985	2,49	4 484	3,23	5 853	3,78	6 849
5	0,8	8	2,03	3 053	2,85	4 275	3,25	4 885	4,34	6 514	4,92	7 335	6,3	9 568	7,4	11 196
6	1	10	3,53	4 310	4,95	6 034	5,6	6 896	7,5	9 195	8,53	10 336	11	13 506	12,9	15 805
8	1,25	13	8,5	7 904	11,9	11 066	13,6	12 647	18,2	16 863	20,63	18 968	26	24 768	31	28 984
10	1,5	16	16,8	12 580	23	17 612	27	20 128	36	26 838	41	30 197	52	39 418	61	46 128
12	1,75	18	29	18 337	40	25 672	46	29 339	62	39 119	70	44 022	91	57 457	106	67 236
14	2	21	46	25 175	65	35 245	74	40 280	99	53 707	111	60 251	145	78 882	170	92 309
16	2	24	71	34 597	100	48 436	115	55 356	153	73 808	173	83 165	225	108 406	263	126 858
18	2,5	27	99	42 094	139	58 932	159	67 351	220	92 440			313	131 897	366	154 348
20	2,5	30	140	54 059	196	75 682	225	86 494	311	119 003			440	169 385	515	198 216
22	2,5	34	192	67 511	269	94 515	307	108 017	424	148 374			602	211 534	704	247 540
24	3	36	241	77 845	338	108 983	387	124 552	534	171 437			758	243 914	887	285 432
27	3	41	355	102 393	498	143 350	569	163 829	784	225 110			1 114	320 832	1 304	375 442
30	3,5	46	483	124 491	677	174 287	773	199 185	1 067	274 030			1 515	390 072	1 773	456 467
33	3,5	50	653	155 083	915	217 116	1 046	248 132	1 442	341 347			2 048	485 926	2 397	568 637
36	4	55	841	182 032	1 177	254 845	1 346	291 252	1 855	400 571			2 636	570 369	3 085	667 453
39	4	60	1 088	218 667	1 523	306 135	1 741	349 868	2 399	481 158			3 410	685 159	3 990	801 782
42**	4,5	65	1 348	250 311	1 887	350 435	2 156	400 497	2 965	550 683			4 223	784 306	4 941	917 805
45**	4,5	70	1 681	292 970	2 353	410 158	2 690	468 752	3 698	644 534			5 267	917 973	6 164	1 074 223
48**	5	75	2 032	329 254	2 845	460 956	3 251	526 807	4 470	724 359			6 367	1 031 663	7 450	1 207 265
52**	5	80	2 608	395 006	3 651	553 008	4 172	632 009	5 737	869 013			8 171	1 237 685	9 562	1 448 354
56**	5,5	85	3 255	456 159	4 557	638 622	5 208	729 854	7 161	1 003 549			10 199	1 429 298	11 935	1 672 582
60**	5,5	90	4 032	532 893	5 645	746 050	6 451	852 629	8 871	1 172 365			12 634	1 669 732	14 785	1 953 941
64**	6	95	4 856	602 793	6 798	843 911	7 769	964 470	10 683	1 326 146			15 215	1 888 753	17 805	2 210 243

$\mu = 0.10$ tightening torques for phosphated or galvanised fasteners with full lubrication (μ = average friction coefficient)

Torque Control Guide

$\mu = 0.15$ tightening torques for coated or bright fasteners fitted dry (μ = average friction coefficient)



ISO 272			Steel fastener grades to ISO 898-1													
			5,6		5,8		6,8		8,8		9,8		10,9		12,9	
d mm	ISO mm	mm	Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo
1,6**	0,35	3,2	0,075	234	0,105	327	0,12	374	0,16	499	0,18	561	0,235	732	0,275	857
2**	0,4	4	0,159	388	0,222	544	0,254	621	0,339	829	0,381	932	0,498	1 217	0,582	1 424
2,5**	0,45	5	0,33	648	0,463	907	0,529	1 036	0,705	1 382	0,793	1 555	1,04	2 030	1,21	2 375
3	0,5	5,5	0,57	972	0,8	1 362	0,91	1 556	1,21	2 075	1,38	2 335	1,79	3 048	2,09	3 567
4	0,7	7	1,3	1 685	1,83	2 359	2,09	2 696	2,78	3 594	3,16	4 044	4,09	5 279	4,79	6 178
5	0,8	8	2,59	2 759	3,62	3 862	4,14	4 414	5,5	5 886	6,27	6 626	8,1	8 645	9,5	10 116
6	1	10	4,49	3 891	6,2	5 448	7,1	6 226	9,5	8 302	10,84	9 334	14	12 194	16,4	14 269
8	1,25	13	10,9	7 145	15,2	10 003	17,4	11 432	23	15 242	26,34	17 146	34	22 388	40	26 198
10	1,5	16	21	11 379	30	15 930	34	18 206	46	24 275	52	27 313	67	35 655	79	41 724
12	1,75	18	37	16 594	52	23 231	59	26 550	79	35 401	90	39 835	116	51 995	136	60 845
14	2	21	59	22 789	83	31 905	95	36 463	127	48 618	143	54 570	187	71 408	219	83 563
16	2	24	93	31 385	130	43 939	148	50 216	198	66 955	224	75 422	291	98 340	341	115 079
18	2,5	27	128	38 123	179	53 373	205	60 998	283	83 746			402	119 454	471	139 787
20	2,5	30	182	49 039	254	68 655	291	78 463	402	107 941			570	153 657	667	179 811
22	2,5	34	250	61 326	350	85 857	400	98 123	552	134 806			783	192 157	917	224 865
24	3	36	313	70 616	438	98 863	500	112 986	691	155 489			981	221 266	1 148	258 928
27	3	41	463	93 042	649	130 259	741	148 868	1 022	204 577			1 452	291 534	1 700	341 157
30	3,5	46	628	113 045	880	158 263	1 005	180 872	1 387	248 811			1 969	354 209	2 305	414 500
33	3,5	50	854	141 009	1 195	197 412	1 366	225 614	1 884	310 343			2 676	441 828	3 132	517 033
36	4	55	1 096	165 409	1 534	231 573	1 754	264 655	2 418	363 974			3 435	518 282	4 020	606 501
39	4	60	1 424	198 910	1 994	278 474	2 279	318 257	3 139	437 669			4 463	623 253	5 223	729 339
42**	4,5	65	1 760	227 588	2 464	318 624	2 816	364 141	3 872	500 694			5 515	713 110	6 453	834 491
45**	4,5	70	2 203	266 613	3 085	373 258	3 525	426 580	4 847	586 548			6 903	835 386	8 079	977 579
48**	5	75	2 659	299 530	3 722	419 342	4 254	479 248	5 849	658 966			8 330	938 528	9 748	1 098 277
52**	5	80	3 425	359 684	4 795	503 558	5 480	575 495	7 335	791 306			10 731	1 127 011	12 558	1 318 843
56**	5,5	85	4 270	415 172	5 978	581 240	6 832	664 275	9 394	913 378			13 379	1 300 871	15 656	1 522 296
60**	5,5	90	5 306	485 416	7 428	679 583	8 490	776 666	11 673	1 067 916			16 625	1 520 971	19 455	1 779 860
64**	6	95	6 382	548 969	8 935	768 556	10 212	878 350	14 041	1 207 731			19 998	1 720 102	23 402	2 012 885

$\mu = 0.20$ tightening torques for coated or bright fasteners. (μ = average friction coefficient)

ISO 272			Steel fastener grades to ISO 898-1													
			5,6		5,8		6,8		8,8		9,8		10,9		12,9	
d mm	ISO mm	mm	Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo	Cs	Fo
1,6**	0,35	3,2	0,086	210	0,12	294	0,137	335	0,183	447	0,206	503	0,269	657	0,315	769
2**	0,4	4	0,183	349	0,256	488	0,293	558	0,39	744	0,439	837	0,573	1 093	0,671	1 279
2,5**	0,45	5	0,383	582	0,536	815	0,612	931	0,816	1 242	0,918	1 397	1,2	1 824	1,4	2 134
3	0,5	5,5	0,66	874	0,92	1 224	1,06	1 399	1,41	1 866	1,6	2 099	2,07	2 740	2,43	3 207
4	0,7	7	1,51	1 514	2,11	2 120	2,42	2 422	3,22	3 230	3,66	3 635	4,74	4 744	5,5	5 552
5	0,8	8	3	2 481	4,2	3 473	4,81	3 970	6,4	5 293	7,27	5 958	9,4	7 774	11	9 098
6	1	10	5,2	3 498	7,2	4 893	8,3	5 598	11,1	7 464	12,57	8 392	16,3	10 962	19,1	12 828
8	1,25	13	12,6	6 426	17,7	8 997	20	10 283	27	13 710	30,62	15 423	39	20 137	46	23 565
10	1,5	16	25	10 238	35	14 334	40	16 382	53	21 843	61	24 575	78	32 082	92	37 542
12	1,75	18	43	14 934	60	20 908	69	23 895	92	31 860	105	35 849	136	46 795	159	54 760
14	2	21	69	20 514	97	28 719	111	32 822	148	43 763	167	49 142	218	64 277	255	75 218
16	2	24	108	28 280	152	39 592	174	45 248	232	60 331	262	67 944	341	88 611	399	103 694
18	2,5	27	149	34 324	209	48 054	239	54 919	330	75 421			469	107 549	549	125 856
20	2,5	30	213	44 188	298	61 863	341	70 700	471	97 253			667	138 456	781	162 023
22	2,5	34	293	55 298	411	77 418	470	88 478	648	121 574			920	173 269	1 077	202 762
24	3	36	366	63 630	513	89 083	586	101 809	809	140 084			1 148	199 376	1 343	233 313
27	3	41	544	83 910	762	117 474	871	134 257	1 201	184 517			1 706	262 920	1 997	307 672
30	3,5	46	737	101 914	1 032	142 679	1 180	163 062	1 628	224 292			2 311	319 331	2 704	373 685
33	3,5	50	1 004	127 210	1 406	178 094	1 607	203 536	2 216	279 953			3 148	398 593	3 684	466 438
36	4	55	1 288	149 174	1 803	208 844	2 060	238 679	2 840	328 236			4 036	467 413	4 723	546 973
39	4	60	1 677	179 487	2 348	251 282	2 683	287 179	3 697	394 919			5 255	562 393	6 150	658 119
42**	4,5	65	2 070	205 323	2 898	287 452	3 312	328 516	4 554	451 710			6 486	643 344	7 590	752 849
45**	4,5	70	2 596	240 641	3 635	336 897	4 154	385 025	5 712	529 410			8 136	754 008	9 520	882 350
48**	5	75	3 130	270 321	4 383	378 449	5 009	432 514	6 887	594 706			9 809	847 006	11 478	991 177
52**	5	80	4 041	324 763	5 657	454 668	6 465	519 620	8 889	714 478			12 661	1 017 590	14 816	1 190 797
56**	5,5	85	5 034	374 739	7 048	524 635	8 054	599 582	11 075	824 426			15 773	1 174 182	18 458	1 374 043
60**	5,5	90	6 266	438 337	8 772	613 672	10 026	701 340	13 785	964 342			19 634	1 373 457	22 976	1 607 237
64**	6	95	7 533	495 676	10 546	693 947	12 052	793 082	16 572	1 090 488			23 603	1 553 119	27 620	1 817 480



Sidchrome Digital Torque Wrenches and Adapters

**Sidchrome offer an electronic range, for high productivity and accuracy.
Torque range from 1.5 to 200 Nm.**

For electronic precision in torque tightening.



For occasional torque & angle tightening.




A single tool for torque & angle tightening for high productivity.



For basic angular tightening.



In confined spaces, our wrenches and adapters provide torque or angle increments.



The electronic display prevents reading errors. Tightening is indicated by the LEDs and buzzer. Easy to use through the same user interface on all models.



WHY USE TORQUE/ANGLE TIGHTENING?

Angle tightening eliminates friction issues related with torque tightening. The movement, and hence fastener tension, is defined by the screw pitch and tightening angle.

Torque/angle tightening is performed in 2 steps:

- Pre-torquing to approach the parts and eliminate interface faults.
- Then tightening at a specific angle. Proper assembly tension prevents the fastener from loosening or breaking.



Sidchrome Digital Torque Wrenches and Adapters

- 9 torque and/or angle values can be preset.
- 250 results can be saved, downloaded via USB.



- 9 torque and/or angle values can be preset.
- 50-result memory.



- 9 preset angle values.
- 50-result memory.





SCMT26924

1/4"Dr 1.5-30Nm Digital Torque Wrench

Barcode: 9311927269243

- LEDS viewed even in difficult access
- Delivered with a calibration report
- 9 preset values
- Sound and light indication
- Accuracy at +- 2%



SCMT26950

Digital Torque Wrench inc. Angle Adjustment - 1/4"Dr 1.5-30Nm

Barcode: 9311927269502

- Angle and torque in one wrench
- LEDS viewed even in difficult access
- Delivered with a calibration report
- 9 preset values
- Sound and light indication
- Accuracy at +- 2%



SCMT26952

Digital Torque Wrench inc. Angle Adjustment - 1/2"Dr 10-200Nm

Barcode: 9311927269526

- Angle and torque in one wrench
- LEDS viewed even in difficult access
- Delivered with a calibration report
- 9 preset values
- Sound and light indication
- Accuracy at +- 2%



SCMT26940

Angle Digital Adaptor 0° to 360°

Barcode: 9311927269403

- Angle only
- 1/2" Drive
- Tightening and angle adjustment with one tool
- 9 preset values
- LEDS viewed even in difficult access
- Delivered with a calibration report



SCMT26943

Torque & Angle Digital Adaptor 17-340Nm

Barcode: 9311927269434

- 1/2" Drive
- Tightening and angle adjustment with one tool
- 9 preset values
- LEDS viewed even in difficult access
- Fits all standard 1/2 Dr Ratchets and Sockets
- Delivered with a calibration report





SCMT26912

Torque Wrench 3/8" Drive, 1-20Nm (10-180 in/lb)

Barcode: 9311927269120

- Length: 215mm
- High Quality 72 tooth ratchet allows use in confined spaces



SCMT26913

Torque Wrench 3/8" Drive, 8-60Nm (5-45 ft/lb)

Barcode: 9311927269137

- Length: 307mm
- High quality, reversible ratchets allow work in confined areas
- Handle materials and lens resist all chemicals in common automotive, industrial and aviation use



SCMT26915

Torque Wrench 1/2" Drive, 40-200Nm (30-150 ft/lb)

Barcode: 9311927269151

- Length - 442mm
- High quality, reversible ratchets allow work in confined areas.
- Handle materials and lens resist all chemicals in common automotive, industrial and aviation use.



SCMT26914

Torque Wrench 3/4" Drive, 80-400Nm (60-300 ft/lb)

Barcode: 9311927269144

- Length: 682mm
- New 3/4" drive, 60 position ratchet.
- Handle materials and lens resist all chemicals in common automotive, industrial and aviation use.
- Wrench body tube has been extensively strengthened and proven through cycle testing to withstand prolonged use at maximum Torque value.



SCMT26920

Torque Wrench 3/8" Drive, 1-22Nm (10-200 in/lb)

Barcode: 9311927269205

- Graduation (English): 10in/lb
- Graduation (Metric): 1Nm
- Torque Range (Metric): 10-220kg-cm
- Graduation (Metric): 10kg-cm





SCMT26921

Torque Wrench 3/8" Drive, 5-110Nm (4-80 ft/lb)

Barcode: 9311927269212

- Graduation (English): 2ft/lb
- Graduation (Metric): 5Nm
- Torque Range (Metric): 0.5-11kg-m
- Graduation (Metric): .5kg-m



SCMT26922

Torque Wrench 1/2" Drive, 10-160Nm (10-120 ft/lb)

Barcode: 9311927269229

- Graduation (English): 5ft/lb
- Graduation (Metric): 5Nm
- Torque Range (Metric): 1-16kg-m
- Graduation (Metric): .5kg-m



SCMT26923

Torque Wrench 1/2" Drive, 30-270Nm (20-200 ft/lb)

Barcode: 9311927269236

- Graduation (English): 5ft/lb
- Graduation (Metric): 5Nm
- Torque Range (Metric): 3-27kg-m
- Graduation (Metric): .5kg-m



SCMT26933

1/2" Micrometer Torque Wrench 40-200Nm (35- 150 ft/lb)

Barcode: 9311927269335

- 72 tooth ratchet
- In accordance to ISO 6789:2003
- Accuracy $\pm 4\%$
- Calibration certificate
- Made in Italy

Air & Cordless Tools



Sidchrome Titanium Air Impact Tools – Grab Some Air




HANDY HINT

Always use an air line lubricator with this tool. After every eight hours of operation, if a lubricator is not used on the compressed air network, inject 1/2 to 1 cc of approved air tool oil through the tool's inlet connection. Recommended air tool oil available from Sidchrome SCMTSATO-250.

After every forty-eight hours of operation, or as experience indicates, inject about 4 cc of approved pneumatic grease into the grease fitting. Recommend to use Sidchrome grease SCMTSA-LUB2.

Important it is recommended that you have an in line filter between the compressor and the impact tool this will remove any dirt / rust, rubbish also water. This will increase your tool life.





SCMTTA-038

3/8" Drive Impact Tool

Barcode: 9311927001874

- TITANIUM Clutch Housing
- Powerful Side-fed Air Motor
- Industry Standard Square Drive
- Comfort Grip Handle
- 360° Swiveling Air Inlet
- Convenient One-handed Operator Controls
 1. Variable Trigger
 2. Regulator Knob
 3. Reverse Lever

Model #	Square Drive	Breakaway Torque	Blow Rate	Free Speed	Noise Level						Vibration Level	
					Pressure dB(A)		Power dB(A)		Pressure dB(C)		m/s ²	
SCMTTA-038	3/8"	710 / 525	1750	10500	93.8	1.5*	104.8	1.5*	<130	1.5*	3.06	0.79**

Average Air Consumption	Working Pressure	Weight	Dimensions		
cfm / l / min	psi / bar	kg. / lbs.	Length	Width	Height
4.4 / 125	90 / 6.2	1.3 / 2.9	181mm	67mm	181mm

* = measurement uncertainty in dB(A) ** = measurement uncertainty in m/s²



SCMTTA-050C

1/2" Drive Compact Impact Tool

Barcode: 9311927001881

- TITANIUM Clutch Housing
- Powerful Side-fed Air Motor
- Industry Standard Square Drive
- Comfort Grip Handle
- 360° Swiveling Air Inlet
- Convenient One-handed Operator Controls
 1. Variable Trigger
 2. Regulator Knob
 3. Reverse Lever

Model #	Square Drive	Breakaway Torque	Blow Rate	Free Speed	Noise Level						Vibration Level	
					Pressure dB(A)		Power dB(A)		Pressure dB(C)		m/s ²	
SCMTTA-050C	1/2"	800 / 590	1750	10500	93.8	1.5*	104.8	1.5*	<130	1.5*	3.06	0.79**

Average Air Consumption	Working Pressure	Weight	Dimensions		
cfm / l / min	psi / bar	kg. / lbs.	Length	Width	Height
4.4 / 125	90 / 6.2	1.4 / 3.0	181mm	67mm	181mm

* = measurement uncertainty in dB(A) ** = measurement uncertainty in m/s²





SCMTTA-050

1/2" Drive Impact Tool

Barcode: 9311927001898

- TITANIUM Clutch Housing
- Powerful Side-fed Air Motor
- Industry Standard Square Drive
- Comfort Grip Handle
- 360° Swiveling Air Inlet
- Convenient One-handed Operator Controls
 1. Variable Trigger
 2. Regulator Knob
 3. Reverse Lever



Model #	Square Drive	Breakaway Torque	Blow Rate	Free Speed	Noise Level						Vibration Level	
					Pressure dB(A)		Power dB(A)		Pressure dB(C)		m/s ²	
SCMTTA-050	1/2"	Nm / ft-lbs.	bpm	rpm	97.6	1.5*	108.6	1.5*	<130	1.5*	4.91	0.97**

Average Air Consumption	Working Pressure	Weight	Dimensions		
cfm / l / min	psi / bar	kg. / lbs.	Length	Width	Height
5.1 / 144	90 / 6.2	2.1 / 4.6	182mm	78mm	191mm

* = measurement uncertainty in dB(A) ** = measurement uncertainty in m/s²



SCMTTA-075

3/4" Drive Impact Tool

Barcode: 9311927001911

- TITANIUM Clutch Housing
- Powerful Side-fed Air Motor
- Industry Standard Square Drive
- Comfort Grip Handle
- TITANIUM Exhaust Deflector
- 360° Swiveling Air Inlet
- Convenient One-handed Operator Controls
 1. Variable Trigger
 2. Regulator Knob
 3. Reverse Lever



Model #	Square Drive	Breakaway Torque	Blow Rate	Free Speed	Noise Level						Vibration Level	
					Pressure dB(A)		Power dB(A)		Pressure dB(C)		m/s ²	
SCMTTA-075	3/4"	Nm / ft-lbs.	bpm	rpm	97.8	3.0*	108.8	3.0*	<130	3.0*	4.91	0.79**

Average Air Consumption	Working Pressure	Weight	Dimensions		
cfm / l / min	psi / bar	kg. / lbs.	Length	Width	Height
7.1 / 200	90 / 6.2	3.8 / 8.4	227mm	97mm	227mm

* = measurement uncertainty in dB(A) ** = measurement uncertainty in m/s²



SCMTSA-375RTW

3/8" Sq Dr Air Impact Ratchet

Barcode: 9311927002604

- Protective Head Cover
- Lightweight Design
- Ergonomic Comfort Grip Handle
- Low Profile Right Angle Head
- Control Ring for Easy Forward / Reverse and High / Low Power

Model #	Square Drive	Breakaway Torque	Blow Rate (bpm)		Free Speed	Noise Level					
	in	Nm / ft-lbs.	Forward	Reverse	rpm	Pressure dB(A)	Power dB(A)	Pressure dB(C)			
SCMTSA-375RTW	3/8"	230 / 170	1600	1700	7200	96	3.0*	107	3.0*	120	3.0*

Vibration Level		Average Air Consumption	Working Pressure	Weight	Dimensions		
m/s ²		cfm / l / min	psi / bar	kg. / lbs.	Length	Width	Height
46.52	14.61**	5 / 143	90 / 6.2	1.8 / 4.0	353mm	63mm	80mm

* = measurement uncertainty in dB(A) ** = measurement uncertainty in m/s²



SCMTSA-500RTW

1/2" Sq Dr Air Impact Ratchet

Barcode: 9311927002611

- Protective Head Cover
- Lightweight Design
- Ergonomic Comfort Grip Handle
- Low Profile Right Angle Head
- Control Ring for Easy Forward / Reverse and High / Low Power

Model #	Square Drive	Breakaway Torque	Blow Rate (bpm)		Free Speed	Noise Level					
	in	Nm / ft-lbs.	Forward	Reverse	rpm	Pressure dB(A)	Power dB(A)	Pressure dB(C)			
SCMTSA-500RTW	1.2"	271 / 200	1600	1700	7200	98	3.0*	109	3.0*	123	3.0*

Vibration Level		Average Air Consumption	Working Pressure	Weight	Dimensions		
m/s ²		cfm / l / min	psi / bar	kg. / lbs.	Length	Width	Height
29.96	14.35**	5 / 143	90 / 6.2	1.8 / 4.0	353mm	63mm	80mm

* = measurement uncertainty in dB(A) ** = measurement uncertainty in m/s²





SCMTSA-375P

3/8" Palm Ratchet

Barcode: 9311927002253

- Closed head for reduced maintenance and longer life
- Triple planetary gear design
- Lightweight impact resistant composite body
- Cushion grip to reduce vibration
- Lever handle for throttle control
- Rotating air inlet

Model #	Square Drive	Max Torque	Free Speed	Noise Level						Vibration Level	
				Pressure dB(A)		Power dB(A)		Pressure dB(C)		m/s ²	
SCMTSA-375P	3/8"	54 / 40	300	92	3.0*	103	3.0*	108	3.0*	3.90	0.89**

Average Air Consumption	Working Pressure	Weight	Dimensions		
cfm / l / min	psi / bar	kg. / lbs.	Length	Width	Height
3.7 / 103	90 / 6.2	0.5 / 1.1	136mm	56mm	36mm

* = measurement uncertainty in dB(A)

** = measurement uncertainty in m/s²



SCMTSA-375M

3/8" Mini Ratchet

Barcode: 9311927002277

- Closed head for reduced maintenance and longer life
- Triple planetary gear design
- Lightweight impact resistant composite body
- Cushion grip to reduce vibration
- Lever handle for throttle control
- Rotating air inlet

Model #	Square Drive	Max Torque	Free Speed	Noise Level						Vibration Level	
				Pressure dB(A)		Power dB(A)		Pressure dB(C)		m/s ²	
SCMTSA-375M	3/8"	54 / 40	270	92	3.0*	103	3.0*	94	3.0*	3.47	0.92**

Average Air Consumption	Working Pressure	Weight	Dimensions		
cfm / l / min	psi / bar	kg. / lbs.	Length	Width	Height
2.8 / 79	90 / 6.2	0.7 / 1.5	208mm	52mm	36mm

* = measurement uncertainty in dB(A)

** = measurement uncertainty in m/s²



SCMTSA-500S

1/2" Standard Ratchet

Barcode: 9311927002291

- Closed head for reduced maintenance and longer life
- Triple planetary gear design
- Lightweight impact resistant composite body
- Cushion grip to reduce vibration
- Lever handle for throttle control
- Rotating air inlet

Model #	Square Drive	Max Torque	Free Speed	Noise Level						Vibration Level	
				Pressure dB(A)	Power dB(A)	Pressure dB(C)				m/s ²	
SCMTSA-500S	1/2"	108 / 80	280	99	3.0*	110	3.0*	113	3.0*	9.10	1.40**

Average Air Consumption	Working Pressure	Weight	Dimensions		
cfm / l / min	psi / bar	kg. / lbs.	Length	Width	Height
4.0 / 113	90 / 6.2	1.2 / 2.7	261mm	58mm	43mm

* = measurement uncertainty in dB(A) ** = measurement uncertainty in m/s²



SCMTSA-OS2

Orbital Sander

Barcode: 9311927002475

- Pad Size: 6"
- Type of pad: Velcro
- Plate Orbit: 5mm
- Noise Level: Pressure 78.9 dB(A), Power 89.8 dB(A), Pressure 79.9 dB(C)
- Vibration Level: 11.8m/s²
- Length: 314mm
- Working Pressure: 90psi / 6.2 bar

Model #	Pad Size	Free Speed	Plate Orbit	Type of Pad	Noise Level						Vibration Level	
					Pressure dB(A)	Power dB(A)	Pressure dB(C)				m/s ²	
SCMTSA-OS2	6"	1,100	5	Velcro	78.9	3.0*	89.8	3.0*	79.9	3.0*	11.8	1.40**

Average Air Consumption	Working Pressure	Weight	Dimensions	Air Inlet
cfm / l / min	psi / bar	kg. / lbs.	Length	in
3.7 / 105	90 / 6.2	0.84 / 1.85	314mm	1/4"

* = measurement uncertainty in dB(A) ** = measurement uncertainty in m/s²



SCMTSA-AH

Air Hammer

Barcode: 9311927002482

- Super duty tool
- Aluminum construction
- Professional touch trigger

Model #	Chisel Shank Opening	Blow Rate (bpm)	Noise Level		Vibration Level	Average Air Consumption	Working Pressure
	in	bpm	Pressure dB(A)	Power dB(A)	m/s ²	cfm / l / min	psi / bar
SCMTSA-AH	1.2"	3000	101.4	3.0*	113	3.0*	10.2

Bore Diameter	Stroke	Power	Air Inlet	Weight	Dimensions
mm	in	kW	in	kg. / lbs.	Length
19	2.6	0.8	1/4	1.5 / 3.3	170mm

* = measurement uncertainty in dB(A)

SCMTSA-500D

1/2" Super Duty Air Drill

Barcode: 9311927002710

- Aluminum body
- Self-locking chuck
- Non-reversible



Model #	Free Speed	Average Air Consumption	Air Inlet	Air Hose (ID)	Weight	Dimensions
	rpm	cfm	in	in	kg. / lbs.	Length
SCMTSA-500D	1300	4.5	1/4	3/8	1.65 / 3.6	238mm



SCMTSATO-250

Fresh Air Tool Oil

Barcode: 9311927996002

- Cleaner breathing air
- Increased torque output
- Non heavy metal based

Benefits of using Sidchrome Air Tool Oil include:

- Reduced amount of lubricant required to lubricate the air tool providing:
 - Less oil in exhaust - cleaner breathing air
 - Less chance of soiling production
- Improved anti-wear and low friction characteristics offer:
 - Less downtime - longer service life of vanes, cylinders and valves
 - Reduced warranty claims
 - Increased torque output
- Non heavy metal based oil (USDA H2 Quality)
 - Approved for use in close quarters application where air tool oil can be harmful to the operator



SCMTSA-LUB2

Grease Gun

Barcode: 931192700228

- Injection Head
- Grease included



Sidchrome Cordless Impacts – Break Free





1/2" Drive 18V Impact Tool Kit

Barcode: 9311927900009

- Breakaway Torque: 725 ft.lb. (983 Nm)
- Blow Rate: 2400bpm
- Free Speed: 1800rpm
- Die-cast aluminium for reduced weight and maximum durability
- Square drive anvil with hog-ring for quick and easy socket change
- LED work light
- Anti-Marring bumper protects tool and work surface from damage
- Glass filled nylon body to withstand automotive fluids
- One hand forward and reverse lever
- Variable speed switch with electronic brake provides maximum control
- Best in class ergonomic forward handle for optimal center of gravity and improved balance reducing operator fatigue
- Powered by advanced battery and switch technology
- Weight: 2.4kg



Contents

- 1/2" Drive Impact Tool
- 2 Batteries 18V
- 1 Charger
- 1 Blow mould case

Model #	Square Drive	Breakaway Torque	Blow Rate	Free Speed	Weight	Dimensions		
	in	Nm / ft-lbs.	bpm	rpm	kg. / lbs.	Length	Width	Height
SCMT90000	1/2"	983 / 725	2400	1800	2.4 / 5.2	241mm	79mm	211mm
SCMT90001*	1/2"	983 / 725	2400	1800	?	241mm	79mm	211mm

* Tool Only



3/8" Drive 10.8V Impact Tool Kit

Barcode: 9311927900108

- Breakaway Torque: 150 ft.lb. (200 Nm)
- Blow Rate: 1900bpm
- Free Speed: 1700rpm
- Die-cast aluminium for reduced weight and maximum durability
- Square drive anvil with hog-ring for quick and easy socket change
- LED work light
- Anti-Marring bumper protects tool and work surface from damage
- Glass filled nylon body to withstand automotive fluids
- One hand forward and reverse lever
- Variable speed switch with electronic brake provides maximum control
- Best in class ergonomic forward handle for optimal center of gravity and improved balance reducing operator fatigue
- Powered by advanced battery and switch technology
- Weight: 1.2kg



Contents

- 3/8" Drive Impact Tool
- 2 Batteries 10.8V
- 1 Charger
- 1 Blow mould case

Model #	Square Drive	Breakaway Torque	Blow Rate	Free Speed	Weight	Dimensions		
	in	Nm / ft-lbs.	bpm	rpm	kg. / lbs.	Length	Width	Height
SCMT90010	3/8"	200 / 150	1900	1700	1.2 / 2.6	170mm	64mm	181mm
SCMT90011*	3/8"	200 / 150	1900	1700	?	170mm	64mm	181mm

* Tool Only

Sidchrome Cordless Impacts – Break Free



Contents

- Ratchet
- 2 Batteries 10.8V
- 1 Charger
- 1 Blow mould case

3/8" 10.8V Ratchet Kit

Barcode: 9311927900405

- Die-cast aluminium for reduced weight and maximum durability.
- Closed head design for improved durability and reduced maintenance.
- LED work light.
- Anti-Marring bumper protects tool and work surface from damage.
- Glass filled nylon body to withstand automotive fluids.
- Forward and reverse lever.
- Variable speed switch with electronic brake provides maximum control.
- Best in class textured ergonomic anti-slip comfort grip.
- Powered by advanced battery and switch technology.
- Weight: 1kg

Model #	Square Drive	Torque	Free Speed	Weight	Dimensions		
	in	Nm / ft-lbs.	rpm	kg. / lbs.	Length	Width	Height
SCMT90040	3/8"	54 / 40	0-200	1 / 2.1	326mm	61mm	64mm
SCMT90041*	3/8"	54 / 40	0-200	?	326mm	61mm	64mm

* Tool Only



SCMT90050

10.8V 1.5Ah Compact Li-Ion Battery

Barcode: 9311927900504

- Long life Li-Ion battery pack
- Lightweight design - 0.2kg
- No memory effect and virtually no self-discharge

Specifications

- Voltage: 10.8V
- Amps: 1.5Ah
- Charges in: SCMT90061
- Weight: 0.2kg



SCMT90053

10.8V 2Ah Compact Li-Ion Battery

Barcode: 9311927900535

- Long life Li-Ion battery pack
- Lightweight design - 0.2kg
- No memory effect and virtually no self-discharge

Specifications

- Voltage: 10.8V
- Amps: 2Ah
- Charges in: SCMT90061
- Weight: 0.3kg

*Available from 2017



SCMT90059

18V 4.0Ah Li-Ion Slide Pack Battery

Barcode: 9311927900597

- Li-Ion Battery Technology offers extended runtime and optimised power to complete applications quickly
- Lightweight design - 0.6kg
- No memory effect and virtually no self-discharge

Specifications

- Voltage: 18V
- Amps: 4.0Ah
- Charges in: SCMT90061
- Weight: 0.6kg





SCMT90056

18V 5.0Ah Li-Ion Slide Pack Battery

Barcode: 9311927900566

- Li-Ion Battery Technology offers extended runtime and optimised power to complete applications quickly
- Lightweight design - 0.6kg
- No memory effect and virtually no self-discharge

Specifications

- Voltage: 18V
- Amps: 5.0Ah
- Charges in: SCMT90061
- Weight: 0.7kg

*Available from 2017



SCMT90061

10.8V & 18V Li-Ion Battery Charger

Barcode: 9311927900610

- Charges Li-Ion 10.8V and 18V Slide Pack batteries
- Charges 1.5Ah battery pack in 30 mins
- 2 stage charging system
- Intelligent Charger varies charge rate according to battery type

Specifications


- Voltage: 10.8:18V
- Battery chemistry: Li-Ion
- Charging current: 4.0A
- Charging Time: 30 (1.5Ah) min
- Weight: 0.5kg



Impact Sockets




Metric Standard



Part No.	Barcode	Size
X307M	9311911300082	7mm
X308M	9311911300105	8mm
X309M	9311911300129	9mm
X310M	9311911300167	10mm
X311M	9311911300181	11mm
X312M	9311911300228	12mm
X313M	9311911300242	13mm
X314M	9311911300280	14mm
X315M	9311911300303	15mm
X316M	9311911300341	16mm
X317M	9311911300365	17mm
X318M	9311911300402	18mm
X319M	9311911300426	19mm
X320M	9311911300464	20mm
X321M	9311911300488	21mm
X322M	9311911300525	22mm




A/F Standard



Part No.	Barcode	Size
X310-S	9311911300143	5/16
X312	9311911300204	3/8
X314	9311911300266	7/16
X316	9311911300327	1/2
X318	9311911300389	9/16
X320-S	9311911300440	5/8
X322-S	9311911300501	11/16
X324	9311911300549	3/4
X326	9311911300563	13/16
X328	9311911300570	7/8




Metric Long



Part No.	Barcode	Size
X307ML	9311911300099	7mm
X308ML	9311911300112	8mm
X309ML	9311911300136	9mm
X310ML	9311911300174	10mm
X311ML	9311911300198	11mm
X312ML	9311911300235	12mm
X313ML	9311911300259	13mm
X314ML	9311911300297	14mm
X315ML	9311911300310	15mm
X316ML	9311911300358	16mm
X317ML	9311911300372	17mm
X318ML	9311911300419	18mm
X319ML	9311911300433	19mm
X320ML	9311911300471	20mm
X321ML	9311911300495	21mm
X322ML	9311911300532	22mm



A/F Long



Part No.	Barcode	Size
X310L	9311911300150	5/16
X312L	9311911300211	3/8
X314L	9311911300273	7/16
X316L	9311911300334	1/2
X318L	9311911300396	9/16
X320L	9311911300457	5/8
X322L	9311911300518	11/16
X324L	9311911300556	3/4




Extension Bars



Part No.	Barcode	Size
X3X-75	9311911300655	75mm
X3X-125	9311911300648	125mm



In-Hex Drivers



Part No.	Barcode	Size
X3H04M	9311911300587	4mm
X3H05M	9311911300594	5mm
X3H06M	9311911300600	6mm
X3H08M	9311911300617	8mm
X3H10M	9311911300624	10mm



X3UJB

Universal Joint




Barcode: 9311911300631
• A/F 3/8"



XAD3-4


Adaptor



Barcode: 9311911304295
• Square drives
• 3/8Fx1/2M




Metric Standard



Part No.	Barcode	Size
X408M	9311911300709	8mm
X410M	9311911300723	10mm
X411M	9311911300747	11mm
X412M	9311911300785	12mm
X413M	9311911300815	13mm
X414M	9311911300860	14mm
X415M	9311911300891	15mm
X416M	9311911300945	16mm
X417M	9311911300976	17mm
X418M	9311911301027	18mm
X419M	9311911301058	19mm
X420M	9311911301102	20mm
X421M	9311911301119	21mm
X422M	9311911301164	22mm
X423M	9311911301188	23mm
X424M	9311911301225	24mm
X425M	9311911329694	25mm
X426M	9311911301287	26mm
X427M	9311911301300	27mm
X428M	9311911329700	28mm
X429M	9311911329724	29mm
X430M	9311911301362	30mm
X432M	9311911301409	32mm
X433M	9311911301423	33mm
X436M	9311911304820	36mm




A/F Standard



Part No.	Barcode	Size
X410-S	9311911300716	5/16
X412	9311911300761	3/8
X414	9311911300846	7/16
X416	9311911300921	1/2
X418	9311911301003	9/16
X420-S	9311911301089	5/8
X422	9311911301140	11/16
X424	9311911301201	3/4
X426	9311911301263	13/16
X428	9311911301324	7/8
X430	9311911301348	15/16
X432	9311911301386	1
X434	9311911301430	1-1/16
X436	9311911301454	1-1/8
X438	9311911301478	1-3/16
X440-S	9311911301485	1-1/4
X442	9311911301492	1-5/16
X444	9311911304790	1-3/8
X446	9311911304806	1-7/16
X448	9311911304813	1-1/2



Metric Long




Part No.	Barcode	Size
X410ML	9311911300730	10mm
X411ML	9311911300754	11mm
X412ML	9311911300808	12mm
X413ML	9311911300839	13mm
X414ML	9311911300884	14mm
X415ML	9311911300914	15mm
X416ML	9311911300969	16mm
X417ML	9311911300990	17mm
X418ML	9311911301041	18mm
X419ML	9311911301072	19mm
X420ML	9311911329687	20mm
X421ML	9311911301133	21mm
X422ML	9311911301171	22mm
X423ML	9311911301195	23mm
X424ML	9311911301249	24mm
X425ML	9311911301256	25mm
X426ML	9311911301294	26mm
X427ML	9311911301317	27mm
X428ML	9311911329717	28mm
X429ML	9311911329731	29mm
X430ML	9311911301379	30mm
X432ML	9311911301416	32mm
X436ML	9311911304899	36mm






A/F Long



Part No.	Barcode	Size
X412L	9311911300778	3/8
X414L	9311911300853	7/16
X416L	9311911300938	1/2
X418L	9311911301010	9/16
X420L	9311911301096	5/8
X422L	9311911301157	11/16
X424L	9311911301218	3/4
X426L	9311911301270	13/16
X428L	9311911301331	7/8
X430L	9311911301355	15/16
X432L	9311911301393	1
X434L	9311911301447	1-1/16
X436L	9311911301461	1-1/8
X438L	9311911304837	1-3/16
X440L	9311911304844	1-1/4
X442L	9311911304851	1-5/16
X444L	9311911304868	1-3/8
X446L	9311911304875	1-7/16
X448L	9311911304882	1-1/2




In-Hex Drivers Metric



Part No.	Barcode	Size
X4H04M	9311911301508	4mm
X4H05M	9311911301515	5mm
X4H06M	9311911301539	6mm
X4H07M	9311911301553	7mm
X4H08M	9311911301577	8mm
X4H09M	9311911301591	9mm
X4H10M	9311911301614	10mm
X4H12M	9311911301638	12mm
X4H14M	9311911301652	14mm
X4H17M	9311911301676	17mm
X4H19M	9311911301690	19mm




In-Hex Drivers AF



Part No.	Barcode	Size
X4H06	9311911301522	3/16
X4H07	9311911301546	7/32
X4H08	9311911301560	1/4
X4H09	9311911301584	9/32
X4H10	9311911301607	5/16
X4H12	9311911301621	3/8
X4H14	9311911301645	7/16
X4H16	9311911301669	1/2
X4H18	9311911301683	9/16
X4H20	9311911301706	5/8
X4H22	9311911301713	11/16
X4H24	9311911301720	3/4



Extension Bars



Part No.	Barcode	Size
X4X-75	9311911301768	75mm
X4X-125	9311911301744	125mm
X4X-250	9311911301751	250mm
X4X-460	9311911322961	460mm
X4X-610	9311911322978	610mm



X4UJB


Universal Joint



Barcode: 9311911301737
• A/F 1/2"




Double Ended Sockets



Part No.	Barcode	Size
X4-2426L	9311911300693	3/4"x13/16"
X4-1921ML	9311911300679	19x21mm



Adaptors



Part No.	Barcode	Size
XAD4-3	9311911304301	1/2Fx3/8M
XAD4-6	9311911304318	1/2Fx3/4M



SCMT70484

Front Wheel Drive Axle Nut Sockets 1-3/16" (30mm)

Barcode: 9311911704842



SCMT70485

Front Wheel Drive Axle Nut Sockets 1-17/64" (32mm)

Barcode: 9311911704859



SCMT70486

Front Wheel Drive Axle Nut Sockets 1-27/64" (36mm)

Barcode: 9311911704866



SCMT14370

8 Piece Torsion Bar Kit

Barcode: 9311927143703

- No more busted wheel studs or nuts
- 4 "colour coded torque control" torsion bars & 4 colour coded Protecta deep wheel nut sockets
- Designed to suit most Australian & Imported passenger and light commercial vehicles
- 1/2" Drive Torsion Bars
 - Green = 90Nm (65 ft/lb)
 - Yellow = 110Nm (65 ft/lb)
 - Red = 120Nm (65 ft/lb)
 - Blue = 135Nm (65 ft/lb)
- 1/2" Drive Wheel Nut Sockets
 - Blue = 17mm
 - Yellow = 19mm
 - Red = 21mm
 - Green = 22mm





XS4H09MT

9 Piece 1/2" Drive In-Hex Impact Socket Set - Metric

Barcode: 9311911305612

Sizes: 5, 6, 7, 8, 9, 10, 12, 14, 17mm



XS4H09T

9 Piece 1/2" Drive In-Hex Impact Socket Set - AF

Barcode: 9311911305605

Sizes: 3/16, 7/32, 1/4, 9/32, 5/16, 3/8, 1/2, 9/16, 5/8"



XS418M

18 Piece 1/2" Drive Impact Socket Set - Metric

Barcode: 9311911330140

Sizes: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm



XS410MT

10 Piece 1/2" Drive Impact Socket Set - Metric

Barcode: 9311911305582

Sizes: 10, 11, 12, 13, 14, 17, 19, 21, 22, 24mm



XS410T

10 Piece 1/2" Drive Impact Socket Set - AF

Barcode: 9311911305568

Sizes: 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"



XS410MLT

10 Piece 1/2" Drive Long Impact Socket Set - Metric

Barcode: 9311911305599

Sizes: 10, 11, 12, 13, 14, 17, 19, 21, 22, 24mm




XS410LT

10 Piece 1/2" Drive Long Impact Socket Set - AF

Barcode: 9311911305575


Sizes: 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"

Metric Standard




Part No.	Barcode	Size
X617M	9311911322411	17mm
X618M	9311911322428	18mm
X619M	9311911301775	19mm
X620M	9311911301805	20mm
X621M	9311911301812	21mm
X622M	9311911301843	22mm
X623M	9311911301867	23mm
X624M	9311911301898	24mm
X625M	9311911301928	25mm
X626M	9311911301942	26mm
X627M	9311911301966	27mm
X628M	9311911302017	28mm
X629M	9311911302031	29mm
X630M	9311911302062	30mm
X631M	9311911329809	31mm
X632M	9311911302116	32mm
X633M	9311911302147	33mm
X634M	9311911302185	34mm
X635M	9311911302192	35mm
X636M	9311911302239	36mm
X637M	9311911329830	37mm
X638M	9311911302284	38mm
X640M	9311911329854	40mm
X641M	9311911302338	41mm
X642M	9311911329861	42mm
X646M	9311911302420	46mm
X648M	9311911329885	48mm
X650M	9311911302475	50mm
X652M	9311911304943	52mm
X654M	9311911304950	54mm
X655M	9311911304967	55mm
X656M	9311911304974	56mm
X660M	9311911304981	60mm
X663M	9311911304998	63mm
X665M	9311911305001	65mm
X667M	9311911305018	67mm

AF Standard



Part No.	Barcode	Size
X616	9311911329748	1/2
X618	9311911329755	9/16
X620	9311911322480	5/8
X622	9311911301836	11/16
X624	9311911301874	3/4
X626	9311911301935	13/16
X628	9311911301997	7/8
X630	9311911302048	15/16
X632	9311911302093	1
X634	9311911302161	1-1/16
X636	9311911302215	1-1/8
X638	9311911302260	1-3/16
X640	9311911302314	1-1/4
X642	9311911302369	1-5/16
X644	9311911302383	1-3/8
X646	9311911302406	1-7/16
X648	9311911302444	1-1/2
X650	9311911302468	1-9/16
X652	9311911302482	1-5/8
X654	9311911302505	1-11/16
X656	9311911302512	1-3/4
X658	9311911302529	1-13/16
X660-S	9311911302536	1-7/8
X662	9311911302543	1-15/16
X664	9311911302550	2
X666	9311911322497	2-1/16
X668	9311911322503	2-1/8
X670	9311911302567	2-3/16
X672	9311911302574	2-1/4
X674	9311911304905	2-5/16
X676	9311911304912	2-3/8
X678	9311911304929	2-7/16
X680	9311911304936	2-1/2


Metric Long



Part No.	Barcode	Size
X617ML	9311911322435	17mm
X618ML	9311911322442	18mm
X619ML	9311911301799	19mm
X621ML	9311911301829	21mm
X622ML	9311911301850	22mm
X623ML	9311911329762	23mm
X624ML	9311911301911	24mm
X625ML	9311911329779	25mm
X626ML	9311911301959	26mm
X627ML	9311911301980	27mm
X628ML	9311911302024	28mm
X629ML	9311911329793	29mm
X630ML	9311911302086	30mm
X631ML	9311911329816	31mm
X632ML	9311911302130	32mm
X633ML	9311911302154	33mm
X634ML	9311911329823	34mm
X635ML	9311911302208	35mm
X636ML	9311911302253	36mm
X637ML	9311911329847	37mm
X638ML	9311911302307	38mm
X641ML	9311911302352	41mm
X642ML	9311911329878	42mm
X646ML	9311911302437	46mm
X650ML	9311911305087	50mm
X652ML	9311911305094	52mm
X655ML	9311911322459	55mm
X660ML	9311911322466	60mm
X665ML	9311911322473	65mm




AF Long



Part No.	Barcode	Size
X620L	9311911322510	5/8
X624L	9311911301881	3/4
X626L	9311911329786	13/16
X628L	9311911302000	7/8
X630L	9311911302055	15/16
X632L	9311911302109	1
X634L	9311911302178	1-1/16
X636L	9311911302222	1-1/8
X638L	9311911302277	1-3/16
X640L	9311911302321	1-1/4
X642L	9311911302376	1-5/16
X644L	9311911302390	1-3/8
X646L	9311911302413	1-7/16
X648L	9311911302451	1-1/2
X650L	9311911329892	1-9/16
X652L	9311911302499	1-5/8
X654L	9311911305025	1-11/16
X656L	9311911305032	1-3/4
X658L	9311911305049	1-13/16
X660L	9311911305056	1-7/8
X662L	9311911305063	1-15/16
X664L	9311911305070	2
X666L	9311911322527	2-1/16
X668L	9311911322534	2-1/8




Combination Bud Wheel



Part No.	Barcode	Size
X6B2141M	9311911302628	21Sqx41Hex
X6B1735M	9311911302581	17x35mm



4pt Metric Bud Wheel




Part No.	Barcode	Size
X6B17M	9311911302598	17mm
X6B19M	9311911302604	19mm
X6B20M	9311911302611	20mm
X6B21M	9311911302635	21mm






In-Hex Drivers Metric



Part No.	Barcode	Size
X6H10M	9311911302642	10mm
X6H12M	9311911302659	12mm
X6H14M	9311911302666	14mm
X6H17M	9311911302680	17mm
X6H19M	9311911302703	19mm
X6H22M	9311911302727	22mm
X6H24M	9311911302741	24mm
X6H27M	9311911321858	27mm




In-Hex Drivers AF



Part No.	Barcode	Size
X6H16	9311911302673	1/2
X6H18	9311911302697	9/16
X6H20	9311911302710	5/8
X6H24	9311911302734	3/4
X6H28	9311911302758	7/8
X6H32	9311911302765	1



Extension Bars




Part No.	Barcode	Size
X6X-100	9311911302789	100mm
X6X-175	9311911302796	175mm
X6X-250	9311911302802	250mm
X6X-330	9311911302819	330mm



X6UJB


Universal Joint



Barcode: 9311911302772
• 3/4"



Adaptors



Part No.	Barcode	Size
XAD6-4	9311911304325	3/4x1/2M
XAD6-8	9311911304332	3/4x1M





XS608M

8 Piece 3/4" Drive Impact Socket Set - Metric

Barcode: 9311911200023

Sizes: 21, 22, 24, 27, 30, 32, 36, 41mm



XS608

8 Piece 3/4" Drive Impact Socket Set - AF

Barcode: 9311911200009

Sizes: 1, 1-1/16, 1-1/8, 1-1/4 1-5/16, 1-3/8, 1-7/16, 1-1/2"





XS608ML

8 Piece 3/4" Drive Long Impact Socket Set - Metric

Barcode: 9311911200030

Sizes: 21, 22, 24, 27, 30, 32, 36, 41mm



XS608L


8 Piece 3/4" Drive Long Impact Socket Set - AF

Barcode: 9311911200016

Sizes: 1, 1-1/16, 1-1/8, 1-1/4 1-5/16, 1-3/8, 1-7/16, 1-1/2"




Metric Standard



Part No.	Barcode	Size
X819M	9311911322541	19 mm
X820M	9311911322558	20mm
X821M	9311911302833	21mm
X822M	9311911302857	22mm
X823M	9311911329908	23mm
X824M	9311911302888	24mm
X825M	9311911302901	25mm
X826M	9311911302925	26mm
X827M	9311911302949	27mm
X828M	9311911302970	28mm
X829M	9311911302994	29mm
X830M	9311911303038	30mm
X831M	9311911303052	31mm
X832M	9311911303083	32mm
X833M	9311911303106	33mm
X834M	9311911303144	34mm
X835M	9311911303168	35mm
X836M	9311911303205	36mm
X837M	9311911303229	37mm
X838M	9311911303267	38mm
X839M	9311911329915	39mm
X840M	9311911303304	40mm
X841M	9311911303311	41mm
X842M	9311911303359	42mm
X843M	9311911303373	43mm
X844M	9311911303403	44mm
X845M	9311911303410	45mm
X846M	9311911303458	46mm
X847M	9311911303472	47mm
X848M	9311911303502	48mm
X850M	9311911303540	50mm
X852M	9311911303588	52mm
X853M	9311911303601	53mm
X854M	9311911303632	54mm
X855M	9311911303656	55mm
X856M	9311911303694	56mm
X857M	9311911303700	57mm
X858M	9311911303731	58mm
X860M	9311911303779	60mm
X863M	9311911303816	63mm
X865M	9311911303854	65mm
X870M	9311911303939	70mm
X875M	9311911303991	75mm
X880M	9311911304059	80mm
X885M	9311911305131	85mm
X890M	9311911305148	90mm
X895M	9311911305155	95mm
X8100M	9311911322565	100mm
X8105M	9311911322572	105mm
X8110M	9311911322589	110mm
X8115M	9311911322596	115mm




AF Standard



Part No.	Barcode	Size
X822	9311911322664	11/16
X824	9311911322671	3/4
X826	9311911302918	13/16
X828	9311911302963	7/8
X830	9311911303014	15/16
X832	9311911303069	1
X834	9311911303120	1-1/16
X836	9311911303182	1-1/8
X838	9311911303243	1-3/16
X840	9311911303281	1-1/4
X842	9311911303335	1-5/16
X844	9311911303380	1-3/8
X846	9311911303434	1-7/16
X848	9311911303489	1-1/2
X850-S	9311911303526	1-9/16
X852	9311911303564	1-5/8
X854	9311911303618	1-11/16
X856	9311911303670	1-3/4
X858	9311911303717	1-13/16
X860	9311911303755	1-7/8
X862	9311911303793	1-15/16
X864	9311911303830	2
X866	9311911303878	2-1/16
X868	9311911303892	2-1/8
X870	9311911303915	2-3/16
X872	9311911303953	2-1/4
X874	9311911303977	2-5/16
X876	9311911304004	2-3/8
X878	9311911304028	2-7/16
X880	9311911304035	2-1/2
X882	9311911304066	2-9/16
X884	9311911304080	2-5/8
X886	9311911304097	2-11/16
X888	9311911304103	2-3/4
X890	9311911304110	2-13/16
X892	9311911304127	2-7/8
X894	9311911304134	2-15/16
X896	9311911304141	3
X8100	9311911302826	3-1/8
X8104	9311911305100	3-1/4
X8108	9311911305117	3-3/8
X8112	9311911305124	3-1/2
X8116	9311911322688	3-5/8
X8120	9311911322695	3-3/4
X8124	9311911322701	3-7/8
X8128	9311911322718	4
X8132	9311911322725	4-1/8
X8136	9311911322732	4-1/4




Metric Long



Part No.	Barcode	Size
X819ML	9311911322602	19mm
X820ML	9311911322619	20mm
X821ML	9311911302840	21mm
X822ML	9311911302864	22mm
X824ML	9311911302895	24mm
X827ML	9311911302956	27mm
X830ML	9311911303045	30mm
X832ML	9311911303090	32mm
X833ML	9311911303113	33mm
X834ML	9311911303151	34mm
X835ML	9311911303175	35mm
X836ML	9311911303212	36mm
X837ML	9311911303236	37mm
X838ML	9311911303274	38mm
X841ML	9311911303328	41mm
X842ML	9311911303366	42mm
X845ML	9311911303427	45mm
X846ML	9311911303465	46mm
X848ML	9311911303519	48mm
X850ML	9311911303557	50mm
X852ML	9311911303595	52mm
X854ML	9311911303649	54mm
X855ML	9311911303663	55mm
X858ML	9311911303748	58mm
X860ML	9311911303786	60mm
X863ML	9311911303823	63mm
X865ML	9311911303861	65mm
X870ML	9311911303946	70mm
X875ML	9311911305278	75mm
X880ML	9311911305285	80mm
X885ML	9311911305292	85mm
X890ML	9311911305308	90mm
X895ML	9311911305315	95mm
X8100ML	9311911322626	100mm
X8105ML	9311911322633	105mm
X8110ML	9311911322640	110mm
X8115ML	9311911322657	115mm




AF Long



Part No.	Barcode	Size
X822L	9311911322756	11/16
X824L	9311911322763	3/4
X830L	9311911303021	15/16
X832L	9311911303076	1
X834L	9311911303137	1-1/16
X836L	9311911303199	1-1/8
X838L	9311911303250	1-3/16
X840L	9311911303298	1-1/4
X842L	9311911303342	1-5/16
X844L	9311911303397	1-3/8
X846L	9311911303441	1-7/16
X848L	9311911303496	1-1/2
X850L	9311911303533	1-9/16
X852L	9311911303571	1-5/8
X854L	9311911303625	1-11/16
X856L	9311911303687	1-3/4
X858L	9311911303724	1-13/16
X860L	9311911303762	1-7/8
X862L	9311911303809	1-15/16
X864L	9311911303847	2
X866L	9311911303885	2-1/16
X868L	9311911303908	2-1/8
X870L	9311911303922	2-3/16
X872L	9311911303960	2-1/4
X874L	9311911303984	2-5/16
X876L	9311911304011	2-3/8
X880L	9311911304042	2-1/2
X882L	9311911304073	2-9/16
X884L	9311911305162	2-5/8
X886L	9311911305179	2-11/16
X888L	9311911305186	2-3/4
X894L	9311911305216	2-15/16
X896L	9311911305223	3
X8100L	9311911305230	3-1/8
X8108L	9311911305254	3-3/8
X8112L	9311911305261	3-1/2
X8116L	9311911322794	3-5/8
X8120L	9311911322800	3-3/4
X8124L	9311911322817	3-7/8
X8128L	9311911322824	4
X8132L	9311911322831	4-1/8
X8136L	9311911322848	4-1/4


In-Hex Drivers Metric



Part No.	Barcode	Size
X8H14M	9311911304158	14mm
X8H17M	9311911304165	17mm
X8H19M	9311911304172	19 mm
X8H22M	9311911304196	22mm
X8H24M	9311911304219	24mm
X8H27M	9311911323616	27mm
X8H30M	9311911323623	30mm
X8H32M	9311911323630	32mm




In-Hex Drivers AF



Part No.	Barcode	Size
X8H20	9311911304189	5/8
X8H24	9311911304202	3/4
X8H28	9311911304226	7/8
X8H32	9311911304233	1



Extension Bars




Part No.	Barcode	Size
X8X-175	9311911304257	175mm
X8X-250	9311911304264	250mm
X8X-330	9311911304271	330mm
X8X-400	9311911322985	400mm



X8UJB


Universal Joint



Barcode: 9311911304240
• 1"




Adaptors



Part No.	Barcode	Size
XAD8-6	9311911304356	1Fx3/4M
XAD8-12	9311911304349	1Fx1-1/2M
XAD12-8	9311911304288	1-1/2Fx1M




Metric Standard



Part No.	Barcode	Size
X1236M	9311911313372	36mm
X1238M	9311911313389	38mm
X1241M	9311911313396	41mm
X1242M	9311911313419	42mm
X1246M	9311911313440	46mm
X1250M	9311911313488	50mm
X1255M	9311911313563	55mm
X1260M	9311911313648	60mm
X1263M	9311911313686	63mm
X1265M	9311911313723	65mm
X1270M	9311911313808	70mm
X1275M	9311911313860	75mm
X1277M	9311911313907	77mm
X1280M	9311911313969	80mm
X1285M	9311911314027	85mm
X1290M	9311911314102	90mm
X1295M	9311911314157	95mm
X12100M	9311911313211	100mm
X12105M	9311911313242	105mm
X12120M	9311911313358	120mm




AF Standard



Part No.	Barcode	Size
X1246	9311911313433	1-7/16
X1248	9311911313464	1-1/2
X1252	9311911313501	1-5/8
X1254	9311911313525	1-11/16
X1256	9311911313587	1-3/4
X1258	9311911313600	1-13/16
X1260	9311911313624	1-7/8
X1262	9311911313662	1-15/16
X1264	9311911313709	2
X1266	9311911313747	2-1/16
X1268	9311911313761	2-1/8
X1270	9311911313785	2-3/16
X1272	9311911313822	2-1/4
X1276	9311911313884	2-3/8
X1278	9311911313921	2-7/16
X1280	9311911313945	2-1/2
X1282	9311911313983	2-9/16
X1284	9311911314003	2-5/8
X1288	9311911314065	2-3/4
X1290	9311911314089	2-13/16
X1292	9311911314119	2-7/8
X1294	9311911314133	2-15/16
X1296	9311911314164	3
X12100	9311911313204	3-1/8
X12102	9311911313228	3-3/16
X12104	9311911313235	3-1/4
X12106	9311911313259	3-5/16
X12108	9311911313266	3-3/8
X12110	9311911313273	3-7/16
X12112	9311911313297	3-1/2
X12116	9311911313327	3-5/8
X12120	9311911313341	3-3/4
X12128	9311911313365	4
X12130	9311911322862	4-1/16
X12132	9311911322879	4-1/8
X12134	9311911322886	4-3/16
X12136	9311911322893	4-1/4
X12138	9311911322909	4-5/16
X12140	9311911322916	4-3/8
X12142	9311911322923	4-7/16
X12144	9311911322930	4-1/2
X12148	9311911322947	4-5/8
X12152	9311911322954	4-3/4



Metric Long




Part No.	Barcode	Size
X1241ML	9311911313402	41mm
X1242ML	9311911313426	42mm
X1246ML	9311911313457	46mm
X1250ML	9311911313495	50mm
X1254ML	9311911313556	54mm
X1255ML	9311911313570	55mm
X1260ML	9311911313655	60mm
X1263ML	9311911313693	63mm
X1265ML	9311911313730	65mm
X1270ML	9311911313815	70mm
X1275ML	9311911313877	75mm
X1277ML	9311911313914	77mm
X1280ML	9311911313976	80mm
X1285ML	9311911314034	85mm






AF Long



Part No.	Barcode	Size
X1252L	9311911313518	1-5/8
X1254L	9311911313532	1-11/16
X1256L	9311911313594	1-3/4
X1258L	9311911313617	1-13/16
X1260L	9311911313631	1-7/8
X1262L	9311911313679	1-15/16
X1264L	9311911313716	2
X1266L	9311911313754	2-1/16
X1268L	9311911313778	2-1/8
X1270L	9311911313792	2-3/16
X1272L	9311911313839	2-1/4
X1274L	9311911313853	2-5/16
X1276L	9311911313891	2-3/8
X1278L	9311911313938	2-7/16
X1280L	9311911313952	2-1/2
X1282L	9311911313990	2-9/16
X1284L	9311911314010	2-5/8
X1286L	9311911314058	2-11/16
X1288L	9311911314072	2-3/4
X1290L	9311911314096	2-13/16
X1292L	9311911314126	2-7/8
X1294L	9311911314140	2-15/16



Extension Bars




Part No.	Barcode	Size
X12X-125	9311911314195	125mm
X12X-250	9311911314201	250mm
X12X-500	9311911314218	500mm



X12UJB

Universal Joint




Barcode: 9311911314188
• 1-1/2"



Ret-Ring

RET-RING® one piece retaining rings were introduced to prevent serious injury & down-time caused by the dangers involved with the common two-piece socket retention systems.

- Suitable for use at rotational speeds of up to 5000 rpm
- Solid pin section provides 75% more shear protection than previous hollow pin design
- One-piece polyurethane retaining ring has a tensile strength of well over 5000psi.
- Designed to allow easy installation and removal.



RET-RING*	Socket Groove Diameter		*Use with Sidchrome Impact Sockets:	
Part No.	"	mm	Metric	Imperial
			3/4" Drive:	3/4" Drive:
FLT10005S	1-1/4"	31.75mm	Std: X617M - X629M Deep: X617ML - X628ML	Std: X620 - X636 Deep: X620L - X636L
FTL10032S	1-7/16"	36.51mm	Std: X630M - X646M Deep: X630ML - X646ML	Std: X638 - X662 Deep: X638L - X662L
FTL10034S	1-5/8"	41.27mm	N/A*	N/A*
FTL18708S	1-3/4"	44.45mm	Std: X650M - X667M Deep: X650ML - X665ML	Std: X664 - X680 Deep: X664L - X668L
FTL18710S	2"	50.80mm	N/A*	N/A*
			1" Drive:	1" Drive:
FTL10008S	1-3/4"	44.45mm	Std: X819M - X844M Deep: X819ML - X842ML	Std: X822 - X854 Deep: X822L - X854L
FTL10010S	2"	50.80mm	Std: X845M - X854M Deep: X845ML - X854ML	Std: X856 - X868 Deep: X856L - X868L
FTL10015S	2-1/8"	53.97mm	Std: X855M - X870M Deep: X855ML - X870ML	Std: X870 - X892 Deep: X870L - X892L
			1-1/2" Drive:	1-1/2" Drive:
FTL10020S	2-7/8"	73.02mm	Std: X1236M - X1290M Deep: X1241ML - X12120ML	Std: X1246 - X12118 Deep: X1252L - X1294L

PROTO®

Ret-Ring

One piece construction with resin pin.

- Retaining rings are used to help secure sockets onto drive tools. They are not intended to bear any load as the rotational forces are between the drive tool and the socket.
- The resin crush gauge on the pin indicates when a socket or square drive is excessively worn and should be replaced.



RET-RING*	Socket Groove Diameter		*Use with Proto Impact Sockets:
Part No.	"	mm	Description
			3/4" Drive:
JRR07523	1-5/8"	41mm	PIN/RING RETAIN FOR 3/4" SKT
JRR07526	1-13/16"	46mm	PIN/RING RETAIN FOR 3/4" SKT
			1" Drive:
JRR10028	1-15/16"	49mm	PIN/RING RETAIN FOR 1" SKT
JRR10032	2-3/16"	56mm	PIN/RING RETAIN FOR 1" SKT
JRR10034	2-5/16"	59mm	PIN/RING RETAIN FOR 1" SKT
JRR10036	2-7/16"	62mm	PIN/RING RETAIN FOR 1" SKT
			1-1/2" Drive:
JRR15046	3-1/8"	80mm	PIN/RING RETAIN FOR 1-1/2" SKT
JRR15054	3-5/8"	95mm	PIN/RING RETAIN FOR 1-1/2" SKT



Socket Sizing Cross Reference Chart

AF To Metric			
Socket Hex Size Across Flats (AF) (Inches)	Socket Size (Inches)	Nearest Alternate Socket Size (Metric)	
0.187"	3/16"		
0.219"	7/32"	5.5mm	-0.003"
0.250"	1/4"		
0.281"	9/32"		
0.312"	5/16"	8mm	+0.003"
0.344"	11/32"	9mm	+0.010"
0.375"	3/8"		
0.437"	7/16"	11mm	-0.004"
0.469"	15/32"	12mm	+0.003"
0.500"	1/2"	13mm	+0.012"
0.531"	17/32"		
0.562"	9/16"		
0.594"	19/32"	15mm	-0.003"
0.625"	5/8"	16mm	+0.005"
0.687"	11/16"		
0.750"	3/4"	19mm	-0.002"
0.781"	25/32"	20mm	+0.006"
0.812"	13/16"	21mm	+0.015"
0.875"	7/8"	22mm	-0.009"
0.937"	15/16"	24mm	+0.008"
1.000"	1"		
1.062"	1-1/16"	27mm	+0.001"
1.125"	1-1/8"	29mm	+0.017"
1.187"	1-3/16"	30mm	-0.006"
1.250"	1-1/4"	32mm	+0.010"
1.312"	1-5/16"	33mm	-0.013"
1.375"	1-3/8"	35mm	+0.003"
1.437"	1-7/16"	37mm	+0.020"
1.500"	1-1/2"	38mm	-0.004"
1.562"	1-9/16"	40mm	+0.013"
1.625"	1-5/8"	41mm	-0.011"
1.687"	1-11/16"	43mm	+0.006"
1.750"	1-3/4"	45mm	+0.022"
1.812"	1-13/16"	46mm	-0.001"
1.875"	1-7/8"	48mm	+0.015"
1.937"	1-15/16"	49mm	-0.008"
2.000"	2"		
2.062"	2-1/16"	52mm	-0.015"
2.125"	2-1/8"	54mm	+0.001"
2.187"	2-3/16"	56mm	+0.018"
2.250"	2-1/4"	57mm	-0.006"
2.312"	2-5/16"		
2.375"	2-3/8"	60mm	-0.013"
2.437"	2-7/16"	62mm	+0.004"
2.500"	2-1/2"	63mm	-0.020"
2.562"	2-9/16"	65mm	-0.003"
2.625"	2-5/8"	67mm	+0.013"
2.687"	2-11/16"		
2.750"	2-3/4"	70mm	+0.006"
2.812"	2-13/16"		
2.875"	2-7/8"		
2.937"	2-15/16"	75mm	+0.016"
3.000"	3"		
3.062"	3-1/16"		
3.125"	3-1/8"	80mm	+0.025"
3.187"	3-3/16"		
3.250"	3-1/4"		
3.312"	3-5/16"		
3.375"	3-3/8"		
3.437"	3-7/16"		
3.500"	3/12"		
3.562"	3-9/16"	90mm	-0.019"
3.625"	3-5/8"		
3.750"	3-3/4"	95mm	-0.010"
3.812"	3-13/16"		
3.875"	3-7/8"		
3.937"	3-15/16"	100mm	+/-0.000"
4.000"	4"		
4.062"	4-1/16"		
4.125"	4-1/8"	105mm	+0.009"
4.187"	4-3/16"		
4.250"	4-1/4"		
4.312"	4-5/16"	110mm	+0.019"
4.375"	4-3/8"		
4.437"	4-7/16"		
4.500"	4-1/2"	115mm	+0.027"
4.625"	4-5/8"		
4.750"	4-3/4"	120mm	-0.026"
4.875"	4-7/8"		
5.000"	5"		
5.125"	5-1/8"	130mm	-0.007"
5.250"	5-1/4"		
5.375"	5-3/8"		
5.437"	5-7/16"		
5.500"	5-1/2"	140mm	+0.012"
5.625"	5-5/8"		
5.750"	5-3/4"		
5.875"	5-7/8"		
6.000"	6"		
6.125"	6-1/8"	150mm	+0.030"
6.250"	6-1/4"	155mm	-0.023"
6.375"	6-3/8"		
6.500"	6-1/2"	165mm	-0.004"
6.625"	6-5/8"		
6.750"	6-3/4"		
6.875"	6-7/8"		
7.000"	7"		

Metric To AF		
Socket Hex Size Across Flats (AF) (Inches)	Socket Size (Metric)	Nearest Alternate Socket Size (Inches)
0.138"	3.5mm	
0.157"	4mm	
0.177"	4.5mm	
0.197"	5mm	
0.216"	5.5mm	7/32"
0.236"	6mm	
0.276"	7mm	
0.315"	8mm	5/16"
0.354"	9mm	
0.394"	10mm	
0.433"	11mm	7/16"
0.472"	12mm	15/32"
0.512"	13mm	
0.551"	14mm	9/16"
0.591"	15mm	19/32"
0.630"	16mm	5/8"
0.669"	17mm	
0.709"	18mm	
0.748"	19mm	3/4"
0.787"	20mm	25/32"
0.827"	21mm	
0.866"	22mm	7/8"
0.905"	23mm	
0.945"	24mm	15/16"
0.984"	25mm	1"
1.024"	26mm	
1.063"	27mm	1-1/16"
1.102"	28mm	
1.142"	29mm	
1.181"	30mm	1-3/16"
1.220"	31mm	
1.260"	32mm	1-1/4"
1.299"	33mm	1-5/16"
1.339"	34mm	
1.378"	35mm	1-3/8"
1.417"	36mm	1-7/16"
1.457"	37mm	
1.496"	38mm	1-1/2"
1.535"	39mm	
1.575"	40mm	1-9/16"
1.614"	41mm	1-5/8"
1.653"	42mm	
1.693"	43mm	1-11/16"
1.732"	44mm	
1.772"	45mm	
1.811"	46mm	1-13/16"
1.850"	47mm	
1.890"	48mm	
1.929"	49mm	
1.968"	50mm	
2.047"	52mm	2-1/16"
2.126"	54mm	2-1/8"
2.165"	55mm	2-3/16"
2.205"	56mm	2-3/16"
2.224"	57mm	2-1/4"
2.283"	58mm	
2.362"	60mm	2-3/8"
2.441"	62mm	2-7/16"
2.480"	63mm	2-1/2"
2.559"	65mm	2-9/16"
2.638"	67mm	2-5/8"
2.756"	70mm	2-3/4"
2.953"	75mm	2-15/16"
3.150"	80mm	
3.346"	85mm	3-3/8"
3.543"	90mm	3-9/16"
3.740"	95mm	3-3/4"
3.937"	100mm	3-15/16"
4.134"	105mm	4-1/8"
4.331"	110mm	
4.527"	115mm	4-1/2"
4.724"	120mm	4-3/4"
4.921"	125mm	
5.116"	130mm	5-1/8"
5.315"	135mm	
5.512"	140mm	5-1/2"
5.709"	145mm	
5.905"	150mm	
6.102"	155mm	6-1/8"
6.300"	160mm	
6.496"	165mm	6-1/2"
6.693"	170mm	

B.S.W. To Metric or AF			
Socket Hex Size Across Flats (AF) (Inches)	Socket Size (Inches)	Nearest Alternate Socket Size	
0.340"	3/16"	11/32"	+0.004"
0.445"	1/4"	7/16"	-0.008"
0.525"	5/16"	17/32"	+0.006"
0.600"	3/8"	19/32"	-0.006"
0.710"	7/16"	18mm	-0.001"
0.820"	1/2"	13/16"	-0.008"
0.920"	9/16"	15/16"	+0.017"
1.010"	5/8"	1"	-0.010"
1.100"	11/16"	28mm	+0.002"
1.200"	3/4"	31mm	+0.020"
1.300"	7/8"	33mm	-0.001"
1.390"	15/16"	35mm	-0.012"
1.480"	1"	38mm	+0.016"
1.670"	1 1/8"	1-11/16"	+0.017"
1.860"	1 1/4"	1-7/8"	+0.015"
2.050"	1 3/8"	52mm	-0.003"
2.205"	1 1/2"	56mm	+/-0.000"
2.410"	1 5/8"	2-7/16"	+0.027"
2.580"	1 3/4"	2-9/16"	-0.018"
2.760"	2"	70mm	-0.004"
3.150"	2 1/4"	80mm	+/-0.000"
3.550"	2 1/2"	90mm	-0.007"
3.890"	2 3/4"	3-7/8"	-0.015"
4.180"	3"	4-3/8"	+0.007"
4.530"	3 1/4"	115mm	-0.003"
4.850"	3 1/2"	4-7/8"	+0.025"
5.180"	3 3/4"		
5.550"	4"		
6.380"	4 1/2"	6-3/8"	-0.005"

Lighting & Inspection



Sidchrome Slimline Cordless Light - Maximum Illumination

The Light For a Tight Spot!

Exceptional durability

Resistant to shock, oil, workshop lubricants, solvents and common chemicals

2 Power level LEDs

Standard for close working, reducing glare, 120 Lumens at 0.5m, run time up to 8hrs
Boost for inspection and maximum visibility, 240 Lumens at 0.5m, run time up to 4hrs

Fast charge: ~ 3h (~6h via USB cable)

Integrated charging status indicator

High capacity Lithium-Ion battery

Supplied with 240V charger, 12V car adaptor and USB cable

Flexible hook to prevent damage when hanging / removing

Integrated 1/4" thread to enable hands free use with supplied magnet or tripod (not supplied)

Maximum illumination for areas with restricted access and confined spaces.





SCMT65100

Slimline Cordless Light

Barcode: 9311927651000

- Maximum illumination for areas with restricted access and confined spaces.
- The light for a tight spot!
- Exceptional durability:
 - Resistant to shock, oil, workshop lubricants, solvents and common chemicals
- 2 Power level LEDs:
 - Standard for close working, reducing glare, 120 Lumens at 0.5m, run time up to 8hrs
 - Boost for inspection and maximum visibility, 240 Lumens at 0.5m, run time up to 4hrs
- Fast charge: ~ 3h (~6h via USB cable)
- Integrated charging status indicator
- High capacity Lithium-Ion battery
- Supplied with 240V charger, 12V car adaptor and USB cable
- Flexible hook to prevent damage when hanging / removing
- Integrated 1/4" thread to enable hands free use with supplied magnet or tripod (not supplied)



SCMT65000

Inspection Lamp

Barcode: 9311927650003

- 80 LED's
- 2 Removable Magnets
- 360° Swivel Hook
- Fast charge 3 hours
- Autonomy 4 hours - (3h 200 lumens/1h 80-100 lumens)
- Battery Re-Chargeable Ni-Mh




SCMT65010

Rechargeable Penlight

Barcode: 9311927650102

- 3x AAA Rechargeable Batteries Included
- USB Rechargeable



0.5m
25 Lux
12h
1 LED
3 Lumen



0.5m
125 Lux
3h
6 SMD LED's
45 Lumen

SCMT70178

Telescopic Inspection Mirror

Barcode: 9311911701780

- Extends from 6-7/64" (155mm) to 18-9/16" (471mm) to reach difficult jobs
- Ball joint head swivels 360° for the best viewing angle
- Mirror Diameter: 7/8" (22mm)
- Handy Pocket clip



SCMT70180

Small Round Telescopic Inspection Mirror

Barcode: 9311911701803

- Extends from 165mm (6-1/2") to 479mm (18-7/8")
- Ball joint head swivels 360° for the best viewing angle
- Mirror diameter: 32mm (1-1/4")
- Handy pocket clip



SCMT70188

Large Telescopic Inspection Mirror

Barcode: 9311911701889

- Large mirror diameter 57mm (2-1/4")
- Telescopic handle extends from 254mm (10") to 356mm (14")
- Ball joint head swivels to any position

SCMT70188-10 Inspection Mirror (Head Only)

Barcode: 9311911323890



SCMT70184

Telescopic Magnifying Inspection Mirror

Barcode: 9311911701841

- Extends from 6-1/2" (165mm) to 18-7/8" (479mm) to reach difficult jobs
- Ball joint head swivels 360° for the best viewing angle
- Magnifies image for detailed inspection
- Mirror Diameter: 1-1/4" (30mm)
- Handy Pocket clip



SCMT70186

Oval Telescopic Inspection Mirror

Barcode: 9311911701865

- Extends from 184mm (7-1/4") to 500mm (19-11/16")
- Mirror size: 25mm (1") x 51mm (2")
- Ball joint head swivels 360° for the best viewing angle
- Handy pocket clip




SCMT70190

Telescopic Inspection Mirror

Barcode: 9311911701902

- Extends from 286mm (11-1/4") to 387mm (15-1/4") to reach difficult jobs
- Ball joint head swivels 360° for the best viewing angle
- Large mirror size: 54mm (2-1/8") x 89mm (3-1/2")



SCMT70166

Telescopic Magnetic Pick Up Tool

Barcode: 9311911701667

- 133 - 622mm
- Pocket Clip
- Powerful Magnet
- Telescopic from 5-1/4" (133mm) to 24-1/2" (622mm)



SCMT70168

Flexible Magnetic Pick Up Tool

Barcode: 9311911701681

- Aluminium shaft bends and holds set position
- Powerful Neodymium-Iron-Boron magnet
- Overall length 21-3/4" (552mm)



SCMT70170

Telescopic Magnetic Pick Up Tool

Barcode: 9311911701704

- Extends from 170mm (6-11/16") to 620mm (24-13/32")
- Ball joint head swivels 360° for easy access in hard to reach places
- Extremely powerful alnico magnet
- Handy pocket clip



SCMT70174

Telescopic Magnetic Pick-Up Tool

Barcode: 9311911701742

- Powerful "Alnico" magnet
- Telescopic from 16-3/4" (425mm) to 26-3/4" (679mm)
- Ball joint head swivels to any position



SCMT70237

Spring Claw Pick-Up Tool

Barcode: 9311911702374

- 4 Spring steel claws
- Extra long flexible shaft 23-1/2" (597mm)
- Saves hours of frustration
- Plunger operation, flexible shaft



SCMT70172

Flexible Shaft Magnetic Pick Up Tool

Barcode: 9311911701728

- Retrieves metal objects, spanners, screws and bolts from hard to reach areas - saves hours of frustration
- Bends and holds to any shape
- Extra long 21" (533mm) shaft
- Extremely powerful "Alnico" magnet




SCMT70808

Power Tip 5Lb Telescopic Magnet

Barcode: 9311911708086

- Powerful magnet can lift up to 5lb (2.2kg)
- Telescopic from 5-3/8" (135mm) to 25-1/2" (647mm)
- Handy pocket clip



Electrical & Diagnostics



SCMT70819

Minimeter - Digital Multimeter

Barcode: 9311911708192

- Pocket size digital multimeter ideal for home workshop or automotive usage
- Automatic over range indication

FUNCTIONS

- AC/DC Voltage (v)
- DC Current (A)
- Resistance (Ω)
- Diode Test (▶)
- Battery Test

SPECIFICATIONS

Voltage: 500 Volts AC/DC
 Current: 20mA
 Polarity: Automatic (-) negative polarity indication
 Diode Test: 1.6mA
 Display: 3½ Digit (1999 count) LCD
 Dimensions: 100 x 48 x 26mm
 Weight: 104g (including battery)

INCLUDES

- Digital Mini Multimeter
- Test leads
- 12V Battery
- Instruction Manual



SCMT70617

Digital Automotive Multimeter

Barcode: 9311911706174

- Professional quality for the automotive workshop
- 10 Megohm impedance automotive multimeter (computer safe)
- Low battery indication – Auto power off
- Data hold and peak hold functions
- MS Pulse width to test injectors, IAC motors and controls
- Auto/manual ranging and bargraph display
- DIS (Distributorless Dual Ignition System) RPM function
- Meets CATIII1000V/CATIV600V specifications
- IP67 Dustproof and waterproof to 1 metre

FUNCTIONS

- AC/DC Voltage (v)
- Resistance (Ω)
- RPM / x10 RPM
- OHMS
- Dwell
- Audible continuity
- Fused circuit
- AC/DC Current
- Diode Test (▶)
- Capacitance
- Duty Cycle
- Frequency
- Temperature

SPECIFICATIONS

Voltage: 600 Volts AC/DC
 Current: 20 Amps DC
 Polarity: Automatic (-) negative polarity indication
 Diode Test: 1mA typical
 Display: Oversize LCD (4000 counts) with function indication and backlight
 Temperature Range: -50° - 250° Celsius
 Dimensions: 182 x 82 x 55mm
 Weight: Approx. 375g

INCLUDES

- Automotive multimeter with built in stand
- Test leads
- Temperature probe
- Inductive RPM clamp
- 9V Battery
- Case with lead holders
- Instruction manual



SCMT70617-4 Inductive Pick Up

Barcode: 9311911324057

SCMT70617-5 Temperature Probe

Barcode: 9311911324064

SCMT70617-6 Test Leads - 2 Pack

Barcode: 9311911324071

SCMT70617-7 Crocclip Leads - 2 Pack

Barcode: 9311911324088

SCMT70617-8 Ceramic Fuse 10A/250V

Barcode: 9311911324095

SCMT70617-9 Fuse 20A/250V

Barcode: 9311911330218



SCMT70618

Non-Contact Infrared Thermometer

Barcode: 9311911706181



- Quickly and easily obtains surface temperatures of any object
- Simply point, Pull trigger & Read the Display
- Temperature Range -50°C to 500°C (-58°F to 932°F)
- In-built laser sighting for aim
- One handed, non-contact operation
- °C/°F switch function
- Back-lit LCD display
- Automatic Data Hold & Auto Power Off
- Simple and Safe to use

Hundreds of uses in many industries including:

AUTOMOTIVE	INDUSTRIAL	AIR-CONDITIONING
MAINTENANCE	ELECTRICAL	REFRIGERATION
HEALTH & SAFETY	PRINTING	FOOD STORAGE

GENERAL SPECIFICATIONS:

Temperature Range	-50°C to 500°C (-58°F to 932°F)
Accuracy	± 2% of reading or ±2°C/±2°F
Distance (D) to Spot size (S)	D:S = 8:1
Emissivity Setting	0.95 Σ (fixed)
Resolution	1°C/°F
Display	3-1/2 digit (1999count) Back-lit LCD
Sample Rate	Approx. 1 second
Spectral Response	6-14 μ m
Power Off	7 seconds (automatic)
Power Supply	9 Volt Battery
Weight	180 grams
Size	159 x 79 x 57.2mm



SCMT70918

Pocket Infrared Thermometer with Laser Pointer

Barcode: 9311911709182

- 6:1 Distance to Spot size ratio
- Large LCD screen shows readings in Fahrenheit or Celsius
- Easy to use
- Range: -30 to 270°C -22 to 518°F
- User selectable °C or °F
- Laser targeting
- Automatic Data Hold
- Auto Power Off
- Backlit LCD Display
- Low Battery indication
- Takes 2 x AAA 1.5V batteries
- HUNDREDS of uses: Home, workshop, food industry, refrigeration, air conditioning, health & safety, electrical, engineering, automotive etc.

SPECIFICATIONS

Range:	-30°C~270°C/-22°F~518°F
Response Time:	Less than 1 second
Resolution:	1°C/°F
Basic Accuracy:	±2% or ±2°C/±4°F
Distance to Spot size ratio:	6:1
Emissivity:	Fixed at 0.95



SCMT70934

Digital Photo Tachometer

Barcode: 9311911709342

- LED Beam allows safe and accurate non-contact RPM measurement of any revolving component
- Unlimited uses in many industries including: Automotive, Heavy Vehicles, Plant & Equipment, Industrial, Maintenance & Electrical
- 50mm to 500mm Detection range using reflective tape
- 5 digit LCD display (2.5 - 99999RPM) with high resolution (0.1RPM<1000RPM +1RPM>1000RPM)
- Automatic Data Hold Function displays both minimum, maximum and last displayed test values along with memory store capability
- Low battery indication warning (Battery Included)
- 3 Pack reflective tape included



70934-5 Reflective Tape 3 Pack

Barcode: 9311911324439



SCMT70267

Mechanics Stethoscope

Barcode: 9311911702671

- Locates troublesome noises easily
- Ideal for fuel injector testing



SCMT74118

Combination Electronic Stethoscope Kit

Barcode: 9311911321940

Electronic Engine Stethoscope:

- Use to locate & identify engine noise
- Super sensitive microphone pick-up
- Flexible non-conductive shaft
- Cushioned headphones

Component Stethoscope

- Detect & isolate noisy components
- Enables road test diagnosis
- 4 channel sensor selector unit
- 4 pick up sensors - 4.8m long cords

INSTRUCTIONS:

Electronic Engine Stethoscope

- Connect headphone jack into stethoscope unit
- Turn unit on with volume control dial & set to mid level
- Put headset on & place probe onto part to be tested.
- Use to detect & diagnose worn pistons, faulty lifter, bearing & gear noise, manifold leaks - also use to locate wind & water leaks in doors & windscreens.

Component Stethoscope

- Attach 4 sensor clamps to suspected source of noise
- Use either Velcro straps or cable ties to secure the clamp wires.
- Plug headphone jack into selector box & turn on with volume control & set to mid level
- Operate component or test drive vehicle to duplicate the problem noise.
- Adjust volume to desired level & rotate the selector box knob between the 4 channels, until the source of the noise is isolated.
- Use to trace drive-train, under-bonnet & under-dash source of noises.

Stethoscope & 4 channel selector box require a 9 volt battery - supplied



Supplied in Blow Mould Case





SCMT70887

Advance Timing Light

Barcode: 9311911708871

- For use on conventional, electronic and high energy ignition systems on 12V petrol engines
- Testing range 0 - 10,000 rpm
- Dial type timing advance (0 - 60° scale)

70887-5 Xenon Bulb

Barcode: 9311911324309

70887-6 Inductive Pick-Up & Battery Lead Set

Barcode: 9311911324316



Flexible head & slimline design for aiming in confined areas




Protective Hand Guard

Detachable Lead

One Hand Operation



Inductive Pickup



SCMT70886

Self Powered Timing/Work Light

Barcode: 9311911708864

- Combines both Timing Light and Work Light into one useful tune-up tool
- For use on conventional, electronic or magneto type ignitions on 12V petrol engines
- LED Indicator used to check connection and detects faulty flash tube
- Self powered by 2 x D cell batteries (not included)



70886-5 Xenon Flash Tube

Barcode: 9311911324293



SCMT70083

Continuity Tester

Barcode: 9311911700837

- Use with a single "AA" size battery to check all circuits and wiring with power disconnected (Not Included)
- 36-3/4" (933mm) lead



SCMT70079

Circuit Tester 6 - 12v

Barcode: 9311911700790

- Indicates power present in 6 – 12v DC electrical systems
- 36-3/4" (933mm) lead



SCMT70813

Heavy Duty Circuit Tester 6-12V

Barcode: 9311911708130

- Suitable for 6-12 Volt Systems to indicate power present
- 1500mm (5 foot) Rubber Cable with Spring Relief
- Uses Automotive Parklamp Globe
- Impact resistant transparent handle
- Insulated painted probe to prevent accidental short circuiting



SCMT70086

Heavy Duty Circuit Tester 18 - 36v

Barcode: 9311911700868

- For trucks and equipment with 18, 24 or 36v DC systems to indicate power present
- 36-3/4" (933mm) lead



SCMT70085

Deluxe Circuit Tester 6 - 12v

Barcode: 9311911700851

- Polarity indicating tester
- LED glows red (+) and green (-)
- Safe for use on all computerised vehicle systems
- Insulated probe
- Indicates power present in 6 – 12v electrical systems



SCMT70975

LED Test Light - Extra Long 6 - 24v

Barcode: 9311911709755

- LED test light with extra long shaft - 180m for areas of restricted access
- Computer safe circuitry with 10 Meg Ohm impedance
- Green and red LED's for determining system polarity
- 1.8m long cord with + & - attaching clips



Automotive & Specialty Tools



SCMT70818

Engine Oil Pressure Tester

Barcode: 9311911708185

- Includes 1/8" NPT, 1/8" BSP and 1/4" BSP Adaptors
- 900mm long hose
- Includes rubber dial protector
- Range 0-100psi
0-6.8Kg/cm2



SCMT70981

Master Engine Oil Pressure Tester

Barcode: 9311911709816

- 900mm long hose
- Includes rubber dial protector
- Range: 0-100psi, 0-6.8Kg/cm2
- Suits: GM, Ford, Toyota, Honda and most imported vehicles

Adaptors Included:

- 1/8" NPT
- 1/8" BSP
- 1/4" BSP
- 8 x 1.00mm
- 8 x 1.25mm
- 8 x 1.50mm
- 10 x 1.00mm
- 12 x 1.50mm
- 14 x 1.50mm
- 16 x 1.50mm
- 18 x 1.50mm



SCMT70890

E-Vac Fluid Evacuation Kit

Barcode: 9311911708901

- Fast - No mess - Fluid removal
 - Environmentally friendly
 - Air operated "no moving parts" fluid extraction unit
 - Suitable for automotive, industrial, motorcycle, marine & heavy plant equipment applications
 - Oil extraction: Engine, Power Steering, Gear Box, Automatic transmission, Differential, Marine, Industrial machinery
 - Fluid Extraction: Brake, Coolant, Hydraulic, Cutting, Lubricating
 - "Vacuum Hold" feature allows use even when disconnected from air supply
 - Extraction is achieved using deep vacuum technology
 - Automatic fluid shut off valve to prevent over filling
 - On-off flow tap
 - Quick connect fittings
 - Quick release air supply locking trigger
 - Carry handle & easy pour spout for fluid disposal.
 - Container & fittings constructed from chemical resistant materials
- Note: NOT for use with Highly Flammable fluids.

Specifications

- Suction Flow Rate:** Max 6 litres (12.7 pints) per minute.
- Air Pressure:** Min 550Kpa (80psi) Max 900Kpa (130psi)
- Air Consumption:** Max 180 Ltr/min (10 CFM) at 100psi
- Vacuum:** 25in.Hg at 100psi
- Thread Connection:** 1/4" BSP
- Container Capacity:** 7 litres (15 US pints)
- Hose Internal Size:** 7mm
- Hose External Size:** 12mm
- Hose Length:** 1.7m



SCMT70814

Vacuum / Fuel Pump Test Kit

Barcode: 9311911708147

- Checks manifold vacuum and standard fuel pump pressure
- Range: 0-30 in Hg / 0-15 psi
- Long reach flexible hose (920mm)
- Includes brass and rubber cone adaptors
- Includes rubber dial protector
- Supplied in blow moulded case



SCMT70715

Valve Hold Up Hose

Barcode: 9311911707157

- Allows for replacement of valve seals and valve springs without removal of head
- Flexible hose with 14mm and 18mm adaptors on one end to thread into spark plug holes on gasoline engines. Other end has 1/4NPT to allow hook up to standard air lines
- Length: 300mm





SCMT70538

Leak-Down Tester

Barcode: 9311911705382

- Pinpoints low compression causes i.e., burnt valves, worn rings etc
- 0-200 PSI gauge allows monitoring of air pressure
- Colour coded gauge show % cylinder leakage
- Uses shop air
- 18mm, 14mm & 14mm deep adaptors supplied



SCMT70220

Four-In-One Compression Tester

Barcode: 9311911702206

- Push-in style adaptors
- Assembles in four different styles to suit any application
- Range: 0-300p.s.i., 0-2000kPa

70220-4
Repair Kit



SCMT70218

Cylinder Compression Tester

Barcode: 9311911702183

- Flexible long-reach hose
- Includes both 14mm and 18mm 'screw-in' type adaptors
- Range: 0-300p.s.i., 0-2000kPa

SCMT70218-10 Hose / Valve Assembly

Barcode: 9311911327362

SCMT70218-11 Adaptor 14mm (Suits SCMT70816 & SCMT70218)

Barcode: 9311911327379

SCMT70218-20 Gauge 0-300Psi

Barcode: 9311911327423

SCMT70402 Adaptor 10mm

Barcode: 9311911704026

SCMT70403 Adaptor 12mm

Barcode: 9311911704033

70218-4

Repair Kit

Barcode: 9311911327430

- Repair for the Cylinder Compression Tester (SCMT70218)



SCMT70716

Deluxe Compression Tester Kit

Barcode: 9311911707164

- Assembles into every popular variation of screw-in or push-in style testers
- Includes 10mm, 12mm, 14mm and 18mm screw in adaptors
- Includes gauge protector
- Range 0-300psi (0-2000 Kpa)
- Sturdy blow moulded case for safe storage
- Spare screw-in adaptors

SCMT70402	10mm
SCMT70403	12mm
SCMT70218-11	14mm



SCMT70222

Diesel Engine Compression Tester

Barcode: 9311911702220

- Flexible long reach hose
- Range: 0-1000 p.s.i., 0-6890 kPa
- Adaptors supplied:

GM / Isuzu	10 x 1.25mm
Toyota	10 x 1.25mm
GM	10 x 1.00mm

SCMT70222-10 Valve

Barcode: 9311911327522

SCMT70222-4

Repair Kit

Barcode: 9311911327553

- Spare part for the Diesel Engine Compression Tester

SCMT70576

Master Diesel Engine Compression Tester

Barcode: 9311911705764

- 0-1000p.s.i. (0-6890 kPa) gauge with long reach hose complete with quick-connect coupler and rubber gauge protector
- Complete with the below adaptors:



TOYOTA
Glow plug style
Size: 10mm x 1.25mm
PART No. SCMT70224



AUDI, VW, VOLVO, MERCEDES, CUMMINS
Size: 24mm x 2mm
PART No. SCMT70498



GM / ISUZU
Glow plug style
Size: 10mm x 1.25mm
PART No. SCMT70223



MACK, FORD, BEDFORD, FIAT, ALLIS, SCANIA, JOHN DEERE
Clnjector style
Size: 21mm Dia.
PART No. SCMT70501



GM
Glow plug style
Size: 10mm x 1.00mm
PART No. SCMT70225



Diesel Compression Testing Adaptors

TOYOTA
Glow plug style
Size: 10mm x 1.25mm
PART No. SCMT70224



AUDI, VW, VOLVO, MERCEDES, CUMMINS
Size: 24mm x 2mm
PART No. SCMT70498



MACK, FORD, BEDFORD, FIAT, ALLIS, SCANIA, JOHN DEER ETC
Injector style
Size: 21mm Dia.
PART No. SCMT70501



GM / ISUZU
Glow plug style
Size: 10mm x 1.25mm
PART No. SCMT70223



GM
Glow plug style
Size: 10mm x 1.00mm
PART No. SCMT70225



EXTENSION
4" - Fits between our compression tester and adaptors
PART No. SCMT70221



MERCEDES
Glow plug style
Size: 12mm x 1.25mm
PART No. SCMT70226



NISSAN
Glow plug style
Size: 24mm x 2mm
PART No. SCMT70227



GM 6.2 & 6.5L
Long glow plug
Size: 10mm x 1.00mm long
PART No. SCMT70497



DETROIT DIESEL 53, 71, 92 ETC
Injector style
Size: 25mm Dia.
PART No. SCMT70502



FORD, MAZDA, TOYOTA
Glow plug style
Size: 10mm x 1.25mm
Medium
PART No. SCMT70504



CASE / CUMMINS "B" SERIES
Injector style
Size: 24mm x 1.5mm
PART No. SCMT70505



CASE / CUMMINS "C" SERIES
Injector style
Size: 17mm Dia.
PART No. SCMT70506



CATERPILLAR, CASE, JOHN DEERE
Injector style
Size: 3/8" Dia.
PART No. SCMT70508



Note: Images are not to scale.

Part No.	Barcode	Thread or Diameter	Distance from end of Hex or Bracket (Apprx)
SCMT70224	9311911702244	10mm x 1.25"	1.31"
SCMT70498	9311911704989	24mm x 2.0"	1.78"
SCMT70501	9311911705016	.800" & .820" (Dual)	ADJ
SCMT70223	9311911702237	10mm x 1.25"	1.65"
SCMT70225	9311911702251	10mm x 1.0"	.990"
SCMT70221	9311911702213		
SCMT70226	9311911702268	12mm x 1.25"	1.06"
SCMT70227	9311911702275	24mm x 2.0"	1.47"

Part No.	Barcode	Thread or Diameter	Distance from end of Hex or Bracket (Apprx)
SCMT70497	9311911704972	10mm x 1.0"	3.08"
SCMT70502	9311911705023	Detriot Diesel	4.88"*
SCMT70504	9311911705047	10mm x 1.25"	1.64"
SCMT70505	9311911705054	24mm x 1.5"	2.77"
SCMT70506	9311911705061	0.67"	6.01"*
SCMT70508	9311911705085	0.625"	6.15"*

SCMT70209

Piston Ring Compressor

Barcode: 9311911702091

- Range: 2-1/8" (53mm) to 5" (127mm)
- Height: 3-1/2" (89mm)
- Ratchet action
- Double band adjustable tension
- Standard size for most cars
- Highest quality blue spring steel
- Enlarged, crimped edge prevents compressor from entering cylinder



SCMT70211

Piston Ring Compressor

Barcode: 9311911702114

- Automotive and truck capacity: 3-1/2" (89mm) to 7" (178mm)
- Height: 3-1/2" (89mm)
- Ratchet action
- Double band adjustable tension
- Highest quality blue spring steel
- Enlarged, crimped edge prevents compressor from entering cylinder



SCMT70136

Engine Cylinder Hone

Barcode: 9311911701360

- Flexible shaft, adjustable tension
- Range: 2" (51mm) to 7" (178mm)
- Stones fitted: 4" (102mm) medium 220 grit
- Replacements available in fine or coarse grit



Replacement Stone Sets

- Suitable for Hone No. SCMT70136
- 4" (102mm) long

Part No.	Barcode	Size
SCMT70135	9311911701353	Fine 400 grit
SCMT70134	9311911701346	Medium 220 grit
SCMT70133	9311911701339	Coarse 100 grit




SCMT70152

Small Engine Cylinder Hone

Barcode: 9311911701520

- Flexible shaft, adjustable tension
- Range: 1-1/4" (32mm) to 3-1/2" (89mm)
- Stones fitted: 2" (51mm) medium 220 grit
- Replacements available in fine or medium grit



Replacement Stone Sets

- Suitable for Hone No. SCMT70152

Part No.	Barcode	Size
SCMT70151	9311911701513	Fine 400 grit, 2" (51mm) long
SCMT70150	9311911701506	Medium 220 grit, 2" (51mm) long



SCMT70829

Oil Pressure Switch Socket

Barcode: 9311911708291

- For removal & replacement of oil pressure switches
- Dual size socket fits 1" (25mm) & 1-1/16 (34mm) switches
- 3/8" Square Drive



SCMT70062

Long Blade Gasket Scraper

Barcode: 9311927700623

- Forged alloy steel blade
- Comfortable handle grip
- Blade width: 1" (25mm)



SCMT70063

3 Piece Gasket Scraper Set

Barcode: 9311927700630

- Soft rubber handle with non slip grip
- Forged alloy steel for long lasting durability
- Contents:
 - 1/2" Carbon scraper
 - Long blade scraper
 - Short blade scraper



SCMT70412

Spark Plug Thread Insert Kit

Barcode: 9311911704125

- Repairs damaged 14mm spark plug threads in aluminium cylinder heads



SCMT70511

Deluxe Overhead Valve Spring Compressor

Barcode: 9311911705115

- No need to remove cylinder head
- Large comfortable grip handle



SCMT70270

Seal Puller

Barcode: 9311911702701

- Two hook sizes to handle most seal sizes
- Comfortable moulded handle
- Spare blade supplied




SCMT70421

Rear Main Bearing Seal Remover / Installer

Barcode: 9311911704217

- Change seals without removing engine or crankshaft
- Works on wick type seals
- Removes neoprene type seals



SCMT70896

Camclamp™ - Timing Gear Clamp

Barcode: 9311911708963

USED ON TWIN CAM AND QUAD CAM ENGINES TO HOLD VALVE TIMING DURING BELT REPLACEMENT

Features:

- Patented 'Uni-fit' tooth design suits a large range of varying cam gear sizes
- Patented friction locking system allows infinite locking positions to suit most cam gear configurations
- Compact size to allow operation in confined spaces of east/west engine compartments
- Less moving parts for easy operation
- Large scalloped locking knobs provides positive grip for firm clamping
- Constructed from industrial grade fibre reinforced synthetic polymer
- Light weight and corrosive resistant



Benefits:

- Allows belt replacement to be carried out by one person
- Reduces repair time
- Prevents engine damage caused by mis-timing


Specifications:

- Suits timing gear diameters from approx 4" (101mm) to 6" (152mm)
- Suits gear spacings from approx 1/16" (1.6mm) to 3" (76mm).

Note: Will vary dependant on gear diameter




TWIN CAM



QUAD CAM



INSTALLS IN SECONDS



BOLT EXTENSION



SINGLE OVERHEAD CAM



DUAL OVERHEAD CAM

SCMT70899


CamClamp™ Timing Gear Single Clamps 4 Pieces

Barcode: 9311911708994

- Holds valve timing during belt replacement
- Use on single, dual or quad overhead cam engines to hold valve timing during belt replacement
- Ideal for diesel injection pump belt replacement

Features


- Single CamClamps lock gears individually
- Easy to use / Installs in seconds
- Miniature design works on engines with gear to cylinder head clearances from 5mm (1/4") to 25mm (1")
- Bolt extensions (included in kit) expand coverage to 35mm (1 3/8")
- Patented 'Uni-Fit' positive lock tooth design securely engages all cam gear sizes
- Constructed from high strength industrial grade non-corrosive materials



QUAD CAM



INSTALLS IN SECONDS



BOLT EXTENSION



SINGLE OVERHEAD CAM



DUAL OVERHEAD CAM

SCMT70900

CamClamp™ Kit Timing Gear Clamps


Barcode: 9311911709007

MASTER SET CONTAINS THE DUAL CAMCLAMP AND CAMCLAMP SINGLES


- Use on single, dual or quad overhead cam engines to hold valve timing during belt replacement
- Ideal for diesel injection pump belt replacement

Features

- Single CamClamps lock gears individually
- Easy to use / Installs in seconds
- Patented 'Uni-Fit' positive lock tooth design securely engages all cam gear sizes
- Constructed from high strength industrial grade non-corrosive materials




TWIN CAM



QUAD CAM



INSTALLS IN SECONDS



BOLT EXTENSION



SINGLE OVERHEAD CAM



DUAL OVERHEAD CAM

SCMT70907

Timing Gear Service Kit

Barcode: 9311927709077

Timing Gear Holder

- Securely holds the timing gear during removal or installation
- Prevents timing gear movement while the retaining bolt is removed
- Allows rotation of cam gear to align valve timing marks
- Single lever locking design is easy to use
- Slimline design allows maximum access

Single CamClamps

- Single CamClamps lock each gear individually during timing belt replacement
- Holds valve timing during belt replacement
- Compact size allows use in confined engine compartments
- Easy to use – installs in seconds





SCMT70960

Camshaft & Crankshaft Seal Tool Kit

Barcode: 9311927709602

- Easily remove and install camshaft and crankshaft seals
- Compact puller with unique extracting hooks engage seal for quick removal
- Interchangeable sleeves and mandrels allow easy installation of new seal
- Suits seals from 21.5mm - 64mm



SCMT70865

Powerbar Hand Impact Wrench

Barcode: 9311911708659

REDUCES SERVICE TIME ON VEHICLES WITH LIMITED CRANKSHAFT BOLT ACCESS


- Remove and replace Harmonic Balancer Pulleys without removing the radiator, trying to lock the engine or burning out starter motors
- Ideal for Honda crankshaft bolt removal
- Generates up to 600 ft. lbs. of force which exceeds most 1/2" drive impact guns
- Bi-directional force loosens or tightens bolts
- Saves repair time – no need to remove parts to access the crankshaft bolt or harmonic balancer pulley
- Use where impact guns won't fit
- Impact force 'shocks' bolts loose
- No compressed air required for operation
- Recommended for use with impact sockets

Specifications

Length 560mm
1/2" Square Drive

SCMT70865-5 Pivot Bolt

Barcode: 9311911865017



SCMT00145

Fender Cover

Barcode: 9311911329526

- Professional quality
- Foam backed to protect paintwork
- Magnetic strip to hold in place
- Non skid backing
- Sewn in tool ridge
- Made of acid and grease resistant heavy gauge vinyl that easily wipes clean
- Prevents auto body from nicks, dents, dirt and grime while vehicle is being worked on



SCMT70799

Heavy Duty Universal & GM Harmonic Balancer Puller

Barcode: 9311911707997

- GM forcing screw & bolts suit GM 3.8 L V6 balancer pulleys
- Heavy duty forcing screw & bolt kit suits most harmonic balancers, timing gears & pulleys with 2/3 tapped holes

Specifications

Bolt Sizes: 1/4" UNF x 3" (3 Pieces)
10mm x 50mm (3 Pieces)
5/16" x 2" (3 Pieces)
8mm x 80mm (3 Pieces)
3/8" x 2" (3 Pieces)
3/8" x 4" (2 Pieces)




SCMT70832

Alternator & Power Steering Pump Pulley Remover/Installer

Barcode: 9311911708321

- Reversible 2 in 1 tool removes and installs pressed fit power steering pulleys
- 2 flange sizes suits most pressed fit alternator pulleys
- Suits pulleys with hub diameters in 1-1/8" (28mm), 1-1/4" (32mm), 1-5/16" (34mm) & 1-3/8" (35mm). Ford, GM and others




SCMT70474

Wooden Handled Parts Brush

Barcode: 9311911704743

- Long lasting nylon bristles, impervious to general cleaning solvents
- Extra fine bristles access the smallest of areas e.g. bearings, O-ring grooves etc.
- Hole for tethering



SCMT70672

Through Parts Washer Brush

Barcode: 9311911706723

- Replacement flow through brush for most popular parts washers
- Solid nylon construction with external jets to assist in removal of grease build ups and keep brush tip clean
- Durable cone shaped nylon bristles help penetrate grease and won't deform



SCMT70721

Flow Through Parts Brush Tube

Barcode: 9311911707218

- Replacement tube to suit most flow through part washing systems



SCMT70109

Mechanics Feeler Gauge 3"

Barcode: 9311911701094

- 15 Precision blades from 0.002" (.051mm) to 0.025" (.635mm) & steel rule
- Double-etched with inch & mm sizes
- 3" x 1/2" Blades
- Equipped with knurled lock-nut which releases the blades instantly for rapid selection of size desired. When tightened, locks the individual blade into the working position, retaining the blades not in use firmly in the handle



SCMT70681

Deluxe Feeler Gauge Set 3"

Barcode: 9311911706815

- 32 Precision blades from 0.0015" (.038mm) to 0.035" (.889mm)
- Includes .010" (0.254mm) brass blade for transitional engines
- Double-etched with inches & mm sizes
- 3" x 1/2" Blades
- Equipped with knurled lock-nut which releases the blades instantly for rapid selection of size desired. When tightened, locks the individual blade into the working position, retaining the blades not in use firmly in the handle



SCMT70119

Master Mechanics Feeler Gauge 3"

Barcode: 9311911701193

- 37 Precision blades from 0.0015" (.038mm) to 0.035" (.889mm)
- Includes 6 brass blades from 0.006" (0.1524mm) to 0.016" (0.4064mm)
- Double-etched with inches & mm sizes
- 3" x 1/2" Blades
- Equipped with knurled lock-nut which releases the blades instantly for rapid selection of size desired. When tightened, locks the individual blade into the working position, retaining the blades not in use firmly in the handle



SCMT70115

Metric Feeler Gauge 3"

Barcode: 9311911701155

- 25 Precision blades from 0.04 to 1.00mm
- Etched sizes on blades
- 3" x 1/2" Blades
- Equipped with knurled lock-nut which releases the blades instantly for rapid selection of size desired. When tightened, locks the individual blade into the working position, retaining the blades not in use firmly in the handle



SCMT70107

Offset Feeler Gauge 4"

Barcode: 9311911701070

- 12 Offset blades (1", 45°) from 0.008" (.203mm) to 0.026" (.660mm)
- Double-etched with inch & mm sizes
- 4" x 1/2" Blades
- Offset for checking valve clearances
- Equipped with knurled lock-nut which releases the blades instantly for rapid selection of size desired. When tightened, locks the individual blade into the working position, retaining the blades not in use firmly in the handle



SCMT70117

Double Sided Offset Feeler Gauge 4"

Barcode: 9311911701179

- 26 Offset blades from 0.005" (.127mm) to 0.030" (.762mm)
- Double-etched with inch & mm size
- 4" x 1/2" Blades
- Offset for checking valve clearances
- Equipped with knurled lock-nut which releases the blades instantly for rapid selection of size desired. When tightened, locks the individual blade into the working position, retaining the blades not in use firmly in the handle




SCMT70517-S

Extra Long Feeler Gauge 12"

Barcode: 9311911705177

- 25 Precision blades
- Double-etched with inch & mm sizes
- 12" x 1/2" Blades
- Equipped with knurled lock-nut which releases the blades instantly for rapid selection of size desired. When tightened, locks the individual blade into the working position, retaining the blades not in use firmly in the handle



Inch/mm	Inch/mm	Inch/mm	Inch/mm	Inch/mm
.0015/.038	.006/.152	.011/.279	.016/.406	.021/.533
.002/.051	.007/.178	.012/.305	.017/.423	.025/.635
.003/.076	.008/.203	.013/.330	.018/.457	.027/.686
.004/.102	.009/.229	.014/.356	.019/.483	.030/.762
.005/.127	.010/.254	.015/.381	.020/.508	.040/1.016

SCMT70453

Ramp-Style Spark Plug Gauge

Barcode: 9311911704538

- Adjust spark plug gap in graduated ramp sequence
- Use on electronic or conventional points ignitions
- Suits any size from 0.020" (0.51mm) to 0.100" (2.54mm)
- Dual-stamped with inch & mm
- Made in Canada



SCMT70414

High Energy Ignition Tester

Barcode: 9311911704149

- Accurately checks ignition system output – no need to remove spark plug. Just attach lead and ground clip to check for spark.



SCMT70536

Adjustable Ignition Spark Tester

Barcode: 9311911705368

- Checks if spark is present and indicates strength
- Works on any ignition, including HEI systems



SCMT71110

Toyota Oil Filter Cup - 4 Cylinder

Barcode: 9311927711100

- Oil filter wrench provides multiple contact points that engage the housing cap securely allowing easy removal
- OE design and quality wrench fits Toyota and Lexus applications



SCMT71113

Toyota Oil Filter Cup - 6 & 8 Cylinder

Barcode: 9311927711131

- Oil filter wrench provides multiple contact points that engage the housing cap securely allowing easy removal
- OE design and quality wrench fits Toyota and Lexus applications



SCMT70128

Large Swivel Grip Oil Filter Wrench

Barcode: 9311911701285

- Diameter: 3-7/4" (95mm) to 4-3/8" (111mm)
- Swivel handle to easily clear obstructions
- Reaches inaccessible filters
- Wide studded band for firm and non-crushing grip



SCMT70127

Medium Swivel Grip Oil Filter Wrench

Barcode: 9311911701278

- Diameter: 3-7/16" (87mm) to 3-3/4" (95mm)
- Swivel handle to easily clear obstructions
- Reaches inaccessible filters
- Wide studded band for firm and non-crushing grip




SCMT70125

Small Swivel Grip Oil Filter Wrench

Barcode: 9311911701254

- Diameter: 2-7/8" (73mm) to 3-1/4" (83mm)
- Swivel handle to easily clear obstructions
- Reaches inaccessible filters
- Wide studded band for firm and non-crushing grip



SCMT70733

Mini Swivel Grip Filter Wrench

Barcode: 9311911707331

- Diameter: 2-3/8" (60mm) to 2-7/8" (73mm)
- Swivel handle to easily clear obstructions
- Reaches inaccessible filters
- Wide studded band for firm and non-crushing grip



SCMT70123

Strap Filter Wrench

Barcode: 9311911701230

- Sturdy non-slip nylon strap
- Suits all filters up to 6" (152mm) dia.



SCMT70469-S

Deluxe Strap Wrench

Barcode: 9311911704699

- Heavy duty nylon strap, suits filters and other objects up to 9" (229mm) diameter
- Use with any 3/8" or 1/2" square drive hand tool



SCMT70584

Large 2 Way Oil Filter Wrench

Barcode: 9311911705849

- Reversible style enables removal or fitting of filters in hard to reach places
- Suits filters 2-7/16" (62mm) to 4-3/4" (121mm) diameter
- Operated by 3/8" drive handle or 3/4" wrench



SCMT70805

Universal 3 Jaw Oil Filter Wrench

Barcode: 9311911708055

- Use with any 3/8" drive ratchet or extension
- Suits oil filter sizes 2-1/2" (63.5mm) to 3-3/4" (95mm)
- Compact design for hard to get at oil filters



SCMT70838

Battery Hydrometer

Barcode: 9311911708383

- Tests specific gravity of battery fluid
- Glass body
- Small, compact design for use in hard to reach places
- Easy to read float scale
- Acid resistant rubber bulb
- Test range: 1100 to 1300



SCMT70426

Battery Brush

Barcode: 9311911704262

- Removes corrosion and dirt from both terminal posts and cable clamps
- Ideal companion for every glovebox
- Internal & external brush



SCMT70090

Dashboard Memory Back Up

Barcode: 9311911700905

- Retains settings of trip computers, digital clocks, radios and telephones etc. while the battery is disconnected
- Plugs into the cigarette lighter socket
- Runs on a 9V battery



SCMT70800

Cooling System Pressure Tester

Barcode: 9311911708000

Inflatable bladder attaches to radiator or header tank for system testing

The universal cooling system pressure tester that eliminates the need for system adaptors

Features:

- Universal attachment to radiator or header tanks
- Suits automotive, commercial, industrial, marine, motorcycle
- Fits bayonet and threaded filler necks on radiators or header tanks
- Fluid drain tube allows coolant to be returned to the coolant reservoir or safely collected in a container for recycling.
- Identifies cooling system pressure leaks

Locate leaks from:

- Head gasket
- Radiator and heater cores
- Welch plugs and housings
- Water pumps and hoses

Specifications:

- Pressure pump: 0-30 psi (0-207kPa) gauge
- Bladder is cycle tested to over 1500 inflations
- Suits neck diameters up to 45mm (threaded or bayonet)
- Max pressure: 30 psi

Contents include:

Analyser, Pressure Pump, Air Supply Hose, Spare Bladder, Instruction Manual, 3x Neck Extensions & Blow Mould Case

SCMT70800-96 Replacement Bladder

Barcode: 9311911328406



Bladder Inflated

SCMT70888-11

Radiator Neck Extensions

- Allows SCMT70800 and SCMT70889 retaining clips to be engaged
- Made from industrial strength nylon



VW Before
1998





VW/Audi
1998 & Up



Japanese Vehicles with
Undersize Neck

System Testing



SCMT70889

Deluxe Cooling System Pressure Tester

Barcode: 9311911708895

THE UNIVERSAL COOLING SYSTEM PRESSURE TESTER THAT ELIMINATES THE NEED FOR ALMOST ALL SYSTEM ADAPTORS COMPLETE WITH 8 UNIQUE DOUBLE ENDED CAP ADAPTORS ALLOWING 12 DIFFERENT CONFIGURATIONS TO BE TESTED

The inflatable bladder sealing system enables the analyser to attach to almost all passenger and light commercial vehicles. Fits bayonet and threaded filler necks on radiators and header tanks.

Locate leaks from:

- Head gaskets
- Radiator and heater cores
- Welch plugs and housings
- Water pumps and hoses

Features:

- Universal fitment
- Fast, efficient system testing
- Test cap relief pressure & seal condition
- Suitable for marine applications.
- Fluid drain tube allows coolant to be returned to the coolant reservoir or safely collected in a container for recycling.

Contents include:

Analyser, Pressure pump with 0-30 psi (0-207 kPa) gauge, Air supply hose, Drain hose, Spare bladder, Instruction manual, 3 Neck Extensions, 6 Cap Adaptors & Blow-moulded storage case

Technical Specifications

- Bladder is cycle tested to over 1500 inflations
- Suits neck diameter of up to 45mm (Thread or Bayonet)
- Tester constructed from high strength fibre reinforced synthetic polymer.
- Max pump pressure: 30psi



SCMT70888-10

Cap Adaptors

• Standard Bayonet

• External Thread

• Internal Thread

• Internal Thread

• External Thread

• External Thread

A



- Ford Header Tank
- GM N Body

B



- Jeep, Saab
- VW/Audi

C



- Small Japanese Deep fittings
- VW/Audi

D



- Small Japanese Shallow Fittings
- Late Model VW/Audi

E




- BMW up to 1987
- Land Rover
- Range Rover
- Late Model BMW

F




- Late Model Mercedes Benz

System Testing




Radiators




Header Tanks

Cap Testing



Threader Type Header Tank Cap



Bayonet Type Radiator Cap

SCMT70888-11

Radiator Neck Extensions

- Allows SCMT70800 and SCMT70889 retaining clips to be engaged
- Made from industrial strength nylon



– VW Header tanks



– Japanese micro vehicles



– Audi-VW Header Tanks

SCMT70938

Truck Radiator Pressure Test Kit

Barcode: 9311911709380

DESIGNED TO SUIT MOST TRUCKS, HEAVY MACHINERY AND PLANT EQUIPMENT

- Supplied with 4 expanding tapered adaptors to suit most large radiators
- Pump is constructed from high impact, corrosion resistant material
- Colour coded gauge & blow moulded storage case

Adaptor A suits 17-35mm openings
Adaptor B suits 27-41mm openings
Adaptor C suits 37-50mm openings
Adaptor D suits 47-60mm opening



SCMT70880

Quickfill - Cooling System Refilling Gun

Barcode: 9311911708802

DRAMATICALLY REDUCES FILLING TIME AND ELIMINATES AIRLOCKS IN COOLING SYSTEM

Features

- Utilizes deep vacuum technology to eliminate airlocks during cooling system refilling
- Eliminates the need for system bleeding
- Universal attachment to most radiator and header tanks
- Small & large rubber cones to suit both passenger & commercial vehicles; no additional adaptors needed
- Eliminates coolant spills and waste
- Integrated vacuum gauge automatically tests cooling system for leaks
- Integrated filling tap and vacuum check valve removes the need for interchanging hoses
- Quick release air supply locking trigger for easy use

NOTE: Does not drain coolant from system

3-Step Operation

1. Drain old coolant from cooling system.
2. Couple to system and connect shop air. Operate trigger to create deep vacuum and release trigger to test for leaks.
3. Insert hose into new coolant container. Turn system tap to 'FILL' position to refill with new coolant.

Specifications

Air Pressure: Min: 550kpa (80psi). Max: 900kpa (130psi)
Air Consumption: Max 180 ltr/min (10CFM) at 100psi.
Vacuum: 25" in Hg (-0.85bar) at 100psi.
Gauge: 0-30" in Hg (0 to -1.0bar)
Thread connection: 1/4" BSP. (airline fitting not included)
Filling Hose Length: 1500mm



SCMT70679

Radiator Hose Clamp Tool

Barcode: 9311911706792

- Strong flexible shaft allows access to hard-to-get-at positions
- Supplied with 3 interchangeable size sockets 1/4" (6mm), 9/32" (7mm), 5/16" (8mm)



SCMT70586

Combustion Leak Test Kit

Barcode: 9311911705863

- Checks radiator to see if combustion gas is present – test fluid changes colour if leak is detected
- Quickly identifies cracked or warped blocks and heads, or leaky gaskets
- Can be used on any internal combustion engine, petrol, diesel, LPG or alcohol powered



SCMT70587

Test Fluid

Barcode: 9311911705870

- Replacement Test Fluid for the Combustion Leak Test Kit (SCMT70586)



SCMT70824

Rubber Hose Cutter

Barcode: 9311911708246

- Ideal for cutting Radiator and Heater hoses
- Blade can be resharpened
- Capacity: 3" (75mm)
- Length: 10" (260mm)



SCMT70980

Refractometer - Engine Coolant & Battery Fluid Tester

Barcode: 9311911709809

- The fastest, easiest most accurate testing method available
- Test coolant freezing point & glycol concentration
- Suitable for ethylene & propylene glycol coolants
- Test specific gravity of battery fluid
- Automatic temperature compensation
- Easy to read scale
- Protective carry case

SPECIFICATIONS

- Ethylene & propylene glycol: -50 - 0°C antifreeze protection
- Coolant concentration level: 0 - 60%
- Battery fluid: 1.15 - 1.30 specific gravity
- Automatic temperature compensation range: 10 - 30°C

Over 25% of all vehicle repair costs are directly attributed to cooling system maintenance issues.

- Correct coolant/water concentration levels ensure the following requirements are met:

- coolant viscosity levels
- heat transfer capability
- anti freeze protection
- boil over protection

- Incorrect coolant levels may result in:

- engine damage due to cavitation corrosion
- overheating
- hose, gasket & water pump seal seepage
- water pump failure
- gelation & scale formation
- solder bloom
- freezing & cracking of hoses, radiators & engine blocks



SCMT70597

Large Hose Cutters

Barcode: 9311911705979

- For cutting plastic, rubber and nylon hose
- Razor sharp hardened steel blade
- One handed operation for a clean straight cut
- Large Cutter 1/8" (3mm) to 1" (25mm)



SCMT70594

Replacement Blade

Barcode: 9311911705948

- Replacement Blade for the Large Hose Cutters (SCMT70597)





SCMT70549

Combination Fuel Injection Test Kit

Barcode: 9311911705498

- Suits Multipoint systems with either "push-on" or "banjo" style hoses found on most Ford, GM, Mazda, Nissan, Suzuki, Toyota, Honda, Mitsubishi, Daihatsu vehicles
- All connections are "quick-coupler" fittings
- Includes SCMT70726 Fuel Rail Adaptor and disconnect tool with 5/16" hairpin couplings



SCMT70445

Master Fuel Injection Test Kit

Barcode: 9311911704453

- Measures fuel pressure and flow
- Contains gauges, adaptors and hoses for testing fuel injection systems on domestic and imported vehicles
- Handles throttle-body, multi-point or C.I.S systems
- High and low pressure gauges for accuracy on all systems, both with rubber gauges protectors
- 3 1/2" Gauge head, dual readings – 0-145psi and 0-1000KPA
- 2 1/2" Gauge head, dual readings – 0-15psi and 0-100KPA
- Includes a "blow-down" hose assembly for quickly and safely relieving pressure or re-testing
- Includes fuel rail adaptor fittings
- All adaptors, gauges and hoses seal with "quick-coupler" connections – no need for thread tape, sealant or wrenches
- Supplied in a strong blow moulded case with lift out tray

SCMT70726

Fuel Rail Adaptor

Barcode: 9311911707263

- Hose assembly for use in tapping fuel lines on systems with 5/16" hairpin or spring lock couplings
- Suits most GM and Ford vehicles



SCMT70862

Fuel Rail Adaptor

Barcode: 9311911708628

- Hose assembly for use in tapping fuel lines on systems with 3/8" hairpin or spring lock couplings
- Suits most GM and Ford vehicles



SCMT70795

Large Schrader Hose Fitting

Barcode: 9311911707959

- Suits large EFI Schrader Valve fittings found on GMH, Opel and Isuzu vehicles




SCMT70843

Fuel Hose Removal Pliers

Barcode: 9311911708437

- For removal of vacuum and fuel lines from 5/32" to 1/2" (4-13mm)
- Specially designed pliers allow the sharp edged (black) jaw to grasp the steel tube allowing the chrome jaw to simply push the hose off for easy removal



SCMT70993

Fuel & Transmission Line Disconnect Tool

Barcode: 9311911709939

- 8 piece kit, suits a variety of fittings
- Separates spring lock hose couplings
- Suitable for separating fittings on: EFI fuel hoses, transmission oil cooler lines, power steering & A/C fittings
- Sizes: 6, 8, 10, 12mm (1/4, 5/16, 3/8, 1/2")



SCMT70827

Fuel & A/C Disconnect Tool Set

Barcode: 9311911708277

- 4 Piece kit suits most spring-lock couplers on fuel injection and airconditioning lines
- Suits fuel & A/C lines 5/16" (8mm), 1/2" (13mm), 5/8" (16mm), 3/4" (19mm) used on Ford, GM & other vehicles



SCMT70374

Vacuum / Fuel Pump Tester

Barcode: 9311911703746

- Checks manifold vacuum and standard fuel pump pressure
- Range: 0-30 in Hg / 0-15 psi
- Long reach flexible hose (920mm)
- Includes brass cone adaptor



SCMT70736

Fuel Line Disconnect Tool

Barcode: 9311911707362

- Scissor-like design allows for easy, damage free fuel line, quick connect coupler release
- Fits 5/16" or 3/8" fuel lines found on most GM, Ford and Chrysler vehicles




SCMT70436

Oxygen Sensor / Vacuum Switch Socket

Barcode: 9311911704361

- Removes and installs oxygen sensors, vacuum switches and PVS TVS valve sockets found on Ford, GM, Chrysler and some imported vehicles
- "Cutaway" design prevents connector wire damage
- Suits: 7/8" (22mm) hex sensors and switches
- Operate with any 3/8" or 7/8" drive tool
- Allows sufficient depth to fit over sensor



SCMT71405

Combination Noid Lite Set

Barcode: 9311911714056

- Quickly checks power in fuel injector electrical wiring – plugs into harness
- Pack of 2 Noid Lites designed for use on:

- Multipoint Fuel Injection (PFI)
- Throttlebody Fuel Injection (TBI)



SCMT70898

Noid Light Set

Barcode: 9311911708987

- 10 Piece Deluxe Noid Lite Set
- Enables fast Diagnosis of EFI systems & IAC operation
- Checks for signal outputs from the computer system by plugging into wiring harness
- Tests most injectors inc: BOSCH PFI, BOSCH 2, FORD TBI, GEO TBI, GM PFI, GM TBI,
- GM SCPI, GM MULTITECH, IAC 4 pin round & IAC 4 pin flat signal test lights
- Supplied in blow moulded case for easy storage



SCMT70895

Autofill Brake Bleeder Automatic Refiller

Barcode: 9311911708956

- Automatically fills brake fluid reservoir during bleeding
- No more running reservoir empty
- Saves time and money
- Eliminates spills onto paintwork

SPECIFICATIONS

- 600ML (20 Fl oz.) Container



SCMT70858

Manual Brake Bleeder Kit

Barcode: 9311911708581

BRAKE FLUID RESERVOIR REFILLER

- Automatically refills brake fluid reservoir during brake bleeding
- Retaining clip provides positive clamping to all master cylinder reservoir types
- Height adjustment positions filler spout to maintain correct fluid level during brake bleeding; prevents running brake fluid reservoir dry
- Positive venting system supplies unbroken continual fluid flow
- On-off tap allows use and storage plus eliminates brake fluid spills
- Container Capacity: 600ml (20.0 fl. oz.)

BRAKE BLEED BOTTLE

- Universal rubber fitting holds securely on brake bleed screw
- Large collection bottle prevents overfilling
- Internal submersed tube prevents air drawback during brake bleeding
- Hanging hook for hands free use



SCMT80000


Vacuum Pump and Brake Bleeding Kit

Barcode: 9311911800001

- A multi-function kit that provides a vacuum pump for vacuum-related tests and brake bleeding
- The vacuum-operated systems includes intake manifold, automatic transmission, fuel control, exhaust gas recirculation (EGR), air conditioning and heating systems
- Bleeding air in the brake system with this kit can be operated individually, without needing another person depressing the brake pedal while bleeding the air
- It is suitable for ABS, conventional brake system and power brake system

Contents:

Vacuum pump with a gauge
Small kit with various adapters and tubes
200ml reservoir bottle
Storage lid
Fluid transfer lid
Connection hoses (2 pcs)



Engine Bay



Brake Bleeding



SCMT70850

Brake Bleeding Kit 500mL

Barcode: 9311911708505

- The ultimate one-man brake bleeding system
- Fast efficient vacuum brake bleeding
- Compact size fits easily in the wheel area
- Universal rubber fitting holds securely on brake bleed screw
- Convenient hanging hook and quick release trigger allows hands free operation
- Internal overfill valve prevents brake fluid spray if container reaches capacity
- Clear drain hose provides visible inspection of old fluid during bleeding
- On-off switch prevents spills when not in use
- Operates on compressed air

Specifications

Air Pressure:	Min 550KPa (80psi) Max 900KPa (130psi)
Air Consumption:	Max 180 Ltr/min (10 CFM) at 100psi
Vacuum:	24in.Hg at 100psi
Thread Connection:	1/4" BSP
Container Capacity:	500ml





SCMT70851

Vacuum Brake Bleeder 1.5L

Barcode: 9311911708512

- The ultimate one-man brake bleeding system
- Fast efficient vacuum brake bleeding
- Universal rubber fitting holds securely on brake bleed screw
- Convenient hang hook and quick release trigger allows hands free use
- Internal overfill valve prevents brake fluid spray if container reaches capacity
- Clear drain hose provides visible inspection of old fluid during bleeding
- On-Off switch prevents spills when not in use
- 700mm (28") bleeder hose
- Operates on compressed air

Specifications

Air Pressure:	Min 550KPa (80psi) Max 900KPa (130psi)
Air Consumption:	Max 180 Ltr/min (10 CFM) at 100psi
Vacuum:	25" Hg at 100psi
Thread Connection:	1/4" BSP (Airline fitting not included)
Container Capacity:	1.5L (3 Pints)



SCMT70855

1.5L QuickDraw Brake Bleeding Kit

Barcode: 9311911708550

FAST EFFICIENT VACUUM BRAKE BLEEDING

- The Ultimate One Person Brake Bleeding System
- Automatically bleed brakes and refills the fluid reservoir
- Saves Time and Money

1.5L Brake bleeder:

- Universal rubber fitting holds securely on brake bleed screw
- Convenient hang hook and quick release trigger allows hands free use
- Internal overfill valve prevents brake fluid spray if container reaches capacity
- Clear drain hose provides visible inspection of old fluid during bleeding
- On-Off switch prevents spills when not in use
- 700mm (28") bleeder hose

Brake Fluid Reservoir Refiller:

- Retaining clip provides positive clamping to all master cylinder reservoir types
- Height adjustment positions filler spout to maintain correct fluid level during brake bleeding; prevents running brake fluid reservoir dry
- Positive venting system supplies unbroken continual fluid flow
- On-Off tap allows use and storage plus eliminates brake fluid spills



SCMT70856

Quickdraw Brake Bleeding Kit 500mL

Barcode: 9311911708567

FAST EFFICIENT VACUUM BRAKE BLEEDING

- The Ultimate One Person Brake Bleeding System
- Automatically bleed brakes and refills the fluid reservoir
- Saves Time and Money

Vacuum Brake Bleeder:

- Compact size fits easily in the wheel area
- Universal rubber fitting holds securely on brake bleed screw
- Convenient hanging hook and quick release trigger allows hands free operation
- Internal overfill valve prevents brake fluid spray if container reaches capacity
- Clear drain hose provides visible inspection of old fluid during bleeding
- On-off switch prevents spills when not in use
- Operates on shop air
- Container Capacity: 500ml (18.5 fl. oz.)

Brake Fluid Reservoir Refiller:

- Automatically refills brake fluid reservoir during brake bleeding
- Retaining clip provides positive clamping to all master cylinder reservoir types
- Height adjustment positions filler spout to maintain correct fluid level during brake bleeding; prevents running brake fluid reservoir dry
- Positive venting system supplies unbroken continual fluid flow
- On-off tap allows use and storage plus eliminates brake fluid spills
- Container Capacity: 600ml (20.0 fl. oz.)



Vacuum Brake Bleeder



Automatic Reservoir Refiller

SCMT70145

Brake Cylinder Hone

Barcode: 9311911701452

- Flexible shaft, adjustable tension
- 2-arm design
- Range: 23/32" (18mm) to 2-1/4" (57mm)
- Stones fitted: 1-1/8" (28mm) medium 220 grit
- Replacement available in fine or medium grit



Replacement Stone Sets

- Suitable for Hone No. 70145

Part No.	Barcode	Size
SCMT70144	9311911701445	Fine 400 grit, 1-1/8" (28mm) long
SCMT70143	9311911701445	Medium 220 grit, 1-1/8" (28mm) long



SCMT70141

Brake Cylinder Hone

Barcode: 9311911701414

- Flexible shaft, adjustable tension
- 3-arm design
- Range: 3/4" (19mm) to 2-1/2" (64mm)
- Stones fitted: 28mm medium 220 grit
- Replacement available in fine, medium or coarse grit



SCMT70148

Disc Brake Cylinder Hone

Barcode: 9311911701483

- Flexible shaft, adjustable tension
- Range: 1-1/4" (32mm) to 3-1/2" (89mm)
- Stones fitted: 3/4" (19mm) fine 400 grit
- Replacement stones available



Replacement Stone Sets

- Suitable for Hone No's. 70141 & 70148

Part No.	Barcode	Size
SCMT70140	9311911701407	Fine 400 grit, 1-1/8" (28mm) long
SCMT70139	9311911701407	Medium 220 grit, 1-1/8" (28mm) long
SCMT70138	9311911701384	Coarse 100 grit, 1-1/8" (28mm) long



SCMT70916

4 in 1 Brake Caliper Tool

Barcode: 9311911709168

- Prevents damage to pistons, hubs or calipers
- Ensures parallel piston retraction on dual and quad piston calipers.
- Easy left and right side use
- Designed to retract the toughest caliper pistons
- Single lever mechanism used to apply and release force for ease of operation and faster service.



SCMT70214

Disc Brake Pad Spreader

Barcode: 9311911702145

- Essential when installing new brake pads
- Steady "screw-in" action pushes against inner pad to correctly reset the brake piston
- WARNING: Check brake fluid reservoir level before spreading pads



SCMT70043

Brake Shoe Retaining Clip Spring Tool

Barcode: 9311911700431

- Seals flexible brake & fuel lines
- Smooth rounded edges to ensure no damage to the internal reinforcement of hydraulic brake lines



SCMT70723

Small Brake Adjusting Tool

Barcode: 9311911707232

- Small size for servicing brakes with limited access
- Blades width: 5/16" (8mm)
- Length: 5-1/8" (130mm)
- Designed for both left & right side brake drums



SCMT70724

Large Brake Adjusting Tool

Barcode: 9311911707249

- Designed for both left and right side brake star wheels on rear wheel drum brakes (not applicable to Chevrolet)
- 18 x 200mm
- Made from carbon steel



SCMT70667

Universal Rear Disc Brake Caliper Tool

Barcode: 9311911706679

- 3/8" square drive
- Fits six different piston cavity configurations
- Used to return piston when replacing pads



SCMT70826

Universal Caliper Wind Back Kit

Barcode: 9311911708260

- Used to return rear disc brake pistons when replacing brake pads
- 11 piece kit suiting a wide range of domestic and imported passenger vehicles
- Stored in blow moulded case






SCMT70925

2 in 1 Deluxe Tyre Pressure Gauge with Tread Depth Function

Barcode: 9311927709251

- Tyre pressure and tread depth gauge in 1 tool
- Easy to read dial face
- Portable
- Rubber protector for shock resistance if knocked



SCMT71950

Hub Nut Socket

Barcode: 9311911719501

- Suits most popular 4 wheel drive hub nuts - e.g. Nissan
- 54mm 6 Point Opening
- 1/2" square drive allows the use of a torque wrench
- Not to be used with pneumatic power tools



SCMT70756

Hub Nut Socket

Barcode: 9311911707560

- Suits most popular 4 wheel drive hub nuts - e.g. Toyota
- 55mm 6 Point Opening
- 1/2" square drive allows the use of a torque wrench
- Not to be used with pneumatic power tools




SCMT70058

Universal Clutch Aligning Tool

Barcode: 9311911700585

- Fast & Easy to use
- Fits 95% of cars
- Ideal for front wheel drive cars



SCMT70573

Bridge Type Pilot Bearing Puller

Barcode: 9311911705733

- Suits most flywheel, transmission, alternator pilot bearings & bushes
- Includes small jaw set, I.D. capacity: 23/64" (9mm) to 1-7/64" (28mm)



SCMT70841

Pilot Bearing Puller

Barcode: 9311911708413

- Suits most flywheel, transmission and alternator pilot bearings and bushes
- Jaws to suit ID capacities 1/2" (13mm) to 1-1/2" (38mm)



SCMT70622

Bearing Packer

Barcode: 9311911706228

- Operated by air or hand powered grease gun
- Fast & efficient operation
- Durable, non-corrosive plastic cones



SCMT70842

CV Joint Banding Tool with Cutter

Barcode: 9311911708420

- Enables quick, easy & correct installation of band-type CV boot clamps
- Built-in band cutter
- Allows for correct tensioning of CV boot clamps



SCMT70070

Universal Coil Spring Compressor

Barcode: 9311911700707

- Heavy duty double claw design
- Suits most passenger vehicles
- Features 'acme' thread – approximately 30% more efficient than conventional thread, faster easier to use





SCMT70834

25 Piece Hydraulic Puller Set

Barcode: 9311911708345

- For all heavy automotive and industrial pulling requirements
- Kit includes:
 - 10 ton hydraulic ram
 - 4" (100mm), 6" (150mm) & 8" (200mm) pulling legs
 - Bearing separator (105mm)
 - 2 & 3 jaw yoke assemblies and cross beam
 - Extension rods
 - Centering adaptors
- Provided in blow moulded case

SCMT70834-4 10 Ton Ram Seal Kit

Barcode: 9311911324231

SCMT70834-R 10 Ton Replacement Ram


Barcode: 9311911201402

SCMT70752

8 Way Slide Hammer Kit

Barcode: 9311911707522

- For easy removal of bearings, oil seals, bushings, flange-type axles and other pressed fit parts
- 8 Functions include:
 - 2 & 3 Jaw yokes with internal & external pulling capabilities
 - Flange-type axle puller attachment
 - Dent/lip puller hook attachment
 - Self tapping screw attachment
 - 5/8" UNC Threaded attachment
- Provided in blow moulded case



SCMT70744

Bearing Separator

Barcode: 9311911707447

- Capacity: 3" - 4" (75 - 105mm)
- Drop-forged Chrome Vanadium Steel



SCMT70407

Universal Hub Separator

Barcode: 9311911704071

- Extremely versatile – adaptors provided to suit most popular domestic and imported front wheel drive vehicles
- Uses "Acme" threads for both forcing and adjusting screws – approx 30% more efficient than conventional threads
- Yoke attaches to hubs/struts with bolts, not straps – highly secure
- Detailed brochure available
- Supplied in Blow Moulded Case

SCMT70407-4 Forcing Screw Assembly

Barcode: 9311911323982



SCMT70750

2 Jaw Reversible Gear Puller

Barcode: 9311911707508

- 6" (150mm) Maximum Spread
- 4" (100mm) Maximum Reach
- Drop-forged Chrome Vanadium Steel



SCMT70746

3 Jaw Reversible Gear Puller

Barcode: 9311911707461

- 5" (125mm) Maximum Spread
- 3" (75mm) Maximum Reach
- Drop-forged Chrome Vanadium Steel Jaws



SCMT70747

3 Jaw Reversible Gear Puller

Barcode: 9311911707478

- 6" (150mm) Maximum Spread
- 4" (100mm) Maximum Reach
- Drop-forged Chrome Vanadium Steel Jaws



SCMT70748

3 Jaw Reversible Gear Puller

Barcode: 9311911707485

- 9" (225mm) Maximum Spread
- 6" (150mm) Maximum Reach
- Drop-forged Chrome Vanadium Steel Jaws



SCMT70260

Double Pointed Scriber

Barcode: 9311911702602

- Heat treated tough high carbon steel points
- Large knurled handle for a comfortable grip
- Straight and 90° angle points for marking in awkward places
- Length: 260mm



SCMT70262

Tungsten Carbide Tipped Scriber

Barcode: 9311911702626

- Magnetic pick-up in handle
- Scriber safety cap
- Handy pocket clip
- Scribe on metal, glass, plastic, ceramics & tools



SCMT70265

Scriber Pick & Hook Set 4 Piece

Barcode: 9311911702657

- Magnetic pick-up in handle
- 4 attachments
- Self contained in a vinyl pouch





SCMT70673

4 Piece Mini Pick and Hook Set

Barcode: 9311911706730

- Soft rubber handle with non slip grip
- Chrome plated for corrosion resistance
- Ideal for "O" Ring removal, separating wires and marking metal
- Contents:
 - Mini straight pick
 - Mini 90° pick
 - Mini offset pick
 - Mini hook pick



SCMT70061

4 Piece Long Pick and Hook Set

Barcode: 9311927700616

- Soft rubber handle with non slip grip
- Chrome plated for corrosion resistance
- Ideal for "O" Ring removal, separating wires and marking metal
- Contents:
 - Long straight pick
 - Long 90° pick
 - Long offset pick
 - Long hook pick



SCMT70176

Screwdriver Bit Magnetising & De-Magnetising Block

Barcode: 9311911701766

- Makes any tool magnetic
- Suits:
 - Power Screwdriver Bits
 - Screwdrivers
 - Pickup Tools



SCMT70064

Magnetic Parts Tray Round

Barcode: 9311927700647

- Ideal for keeping track of small parts and tools
- One powerful magnet with rubber cover
- Stainless steel
- Oil resistant
- Size:
 - Radius: 750mm
 - Diameter: 150mm



SCMT70065

Magnetic Parts Tray 2 Magnets

Barcode: 9311927700654

- Ideal for keeping track of small parts and tools
- Two powerful magnet with rubber cover
- Stainless steel
- Oil resistant
- Size: 240 x 135mm



SCMT70067

Magnetic Parts Tray 4 Magnets - Rectangle

Barcode: 9311927700678

- Ideal for keeping track of small parts and tools
- Four powerful magnets with rubber cover
- Stainless steel
- Oil resistant
- Size: 295 x 275mm



SCMT70092

Double Flaring Kit AF

Barcode: 9311911700929

- Includes 5 adaptors for 3/16" to 1/2" pipes
- Produces double or single flare

SCMT70092-10 Adaptor 3/16"

Barcode: 9311911202133

SCMT70092-11 Adaptor 1/4"

Barcode: 9311911202140

SCMT70092-12 Adaptor 5/16"

Barcode: 9311911202157



SCMT70879

Double Flaring Kit Metric

Barcode: 9311911708796

- Includes 5 adaptors for 4.75mm to 10mm pipes
- Produces double or single flare

SCMT70879-10 Adaptor 4.75mm

Barcode: 9311911328857

SCMT70879-11 Adaptor 5mm

Barcode: 9311911328864



SCMT70311

Mini Tube Cutter

Barcode: 9311911703111

- Compact size for confined spaces
- Replaceable alloy steel cutter wheel
- Range: 1/8" (3mm) to 5/8" (16mm)
- With guide rollers for a smoother more accurate cut



SCMT70311-10

Replacement Cutting Wheel

Barcode: 9311911323906

- Suits SCMT70311

SCMT70416

Tubing Bender

Barcode: 9311911704163

- Bends 3/16" (5mm), 1/4" (6mm), 5/16" (8mm) and 3/8" (10mm) diameter tubing without kinking or flattening
- Heavy duty handle and mandrel





SCMT70035

Small Line Clamp

Barcode: 9311911700356

- Seals flexible brake and fuel lines
- Smooth rounded edges on jaws to ensure no damage to the internal reinforcement of hydraulic brake lines
- Light weight material
- Non-Conductive bright high-visibility colour
- Quick and easy to use
- Size range 1/8" (3mm) – 5/16" (8mm) diameter




SCMT70533

Medium Line Clamp

Barcode: 9311911705337

- Seals heater hose brake and fuel lines
- Smooth rounded edges on jaws to ensure no damage to the internal hose linings
- Light weight material
- Non-Conductive bright high-visibility colour
- Quick and easy to use
- Size range 1/2" (13mm) to 3/4" (19mm) diameter




SCMT70684

Large Line Clamp

Barcode: 9311911706846

- Seals radiator hose etc.
- Light weight material
- Non-Conductive bright high-visibility colour
- Quick and easy to use
- Size range 3/4" (19mm) to 2-1/4" (57mm) diameter




SCMT70717

Small Line Clamp - 2 Pack

Barcode: 9311911707171

- Seals flexible brake and fuel lines
- Smooth rounded edges on jaws to ensure no damage to the internal reinforcement of hydraulic brake lines
- Light weight material
- Non-Conductive bright high-visibility colour
- Quick and easy to use
- Size range 1/8" (3mm) – 5/16" (8mm) diameter




SCMT70713

Line Clamp Master Pack - 3 Pack

Barcode: 9311911707133

- Contains: 1x small, 1x medium and 1x Large line clamp
- Covers all hose sizes from 3mm (1/8") to 57mm (2-1/4")
- Light weight material
- Non-Conductive bright high-visibility colour
- Seals all types of hoses
- Smooth rounded edges to ensure no damage to the internal reinforcement of hydraulic brake lines



SCMT70801

Cooling System Flush Gun

Barcode: 9311911708017

MULTIPURPOSE CLEANING GUN

- Unique Vortex Air Delivery System
- One handed operation – with integrated air and water controls
- Enables quick and efficient Cooling System flushing
- Suits most radiator and heater hoses
- Also suitable for engine and floor wash applications
- Converts to Vacuum / Air Blow Gun



SCMT50400

Heavy Duty Spider Creeper

Barcode: 9311927504009

- 40" Heavy duty creeper
- Full size, comfortable and tough
- 400lbs capacity (181kg)
- Tough and sturdy to handle the toughest shop floors
- 1/2" Ground clearance
- 2" Height allows for service to be performed on low profile vehicles



SCMT70103

Ratcheting Tail Pipe/Pipe Cutter

Barcode: 9311927701033

- Quick ratcheting system
- Cuts a perfect line
- Reduced hand fatigue



SCMT70069

Mini Scraper 30 Piece Merchandiser

Barcode: 9311927700692

- Handy pocket size scraper
- Ideal for detail, body work, removing stickers, labels and paint
- Reversible blade
- Angled head




SCMT70942

Trim & Panel Removal Kit

Barcode: 9311911709427

- 6 Pc kit designed to remove door clips, panels, trims, bezels, vents etc.
- Unique shape & design allows removal of most trim fasteners
- Made from Impact resistant nylon to prevent trim damage




SCMT70738

28 Piece Master Disconnect Set

Barcode: 9311927707387

- Complete disconnection set
- Includes: Clutch, transmission, heater hose and air conditioning disconnect tools
- Heavy duty case for easy access and storage



PROTO

J9500A

5 Piece Screw Extractor Set

Barcode: 662679531553

- Removes broken studs, screws, bolts, pipes, etc.
- 5 piece set 1/8, 3/16, 7/32, 5/16, 3/8"
- Vinyl Pouch



SCMT70420

Screw Extractor Set

Barcode: 9311911704200

- Removes broken studs, screws, bolts, pipes, etc.
- 5 piece set for 1/8" to 3/8" drill size



PROTO

J9500B

10 Piece Screw Extractor Set

Barcode: 662679531577

- Removes broken studs, screws, bolts, pipes, etc.
- 10 piece set for 1/8, 3/16, 7/32, 5/16, 3/8, 7/16, 17/32, 5/8, 3/4, 1"
- Blow moulded box with drill bit slots



SCMT70920

"Turnout" Stud Extractor Kit

Barcode: 9311911709205

- Designed to remove broken studs & bolts with 5 to 16mm thread size
- Removes broken fasteners without breaking or jamming
- High torque levels possible without expanding the broken fastener
- 5 LH HSS drills: 3.2, 4.8, 6.4, 8, 8.7mm
- No.1 – No.5 Fluted Stud Extractors & turn out nuts D1 -D5
- 10 Guide bushes B1 – B10, to allow accurate centred drilling of sunken or protruding fasteners
- Manufactured from C4150 Alloy Steel
- Contained in moulded storage case

Stud Extractor Application Chart

Bolt Size	Pre-Drill Size -mm	Drill Size mm	Extractor Size	Turn Out Nut Size	Wrench Size -mm
M5		3.2	No.1	D1	10
M6		3.2	No.1	D1	10
M7	3.2	4.8	No.2	D2	11
M8	3.2	4.8	No.2	D2	11
M9	4.8	6.4	No.3	D3	13
M10	4.8	6.4	No.3	D3	13
M12	4.8	8	No.4	D4	14
M14	6.4	8.7	No.5	D5	17
M16	6.4	8.7	No.5	D5	17

Guide Bush Chart

Guide Size	Bolt Size mm	Drill Size mm
B1	5	3.2
B2	6	3.2
B3	7	3.2
B4	8	3.2
B5	8	4.8
B6	9	4.8
B7	10	4.8
B8	11	4.8
B9	12	6.4
B10	14	6.4

70920-11 Extractor Pin No. 3

Barcode: 9311911325092

70920-12 Extractor Pin No. 4

Barcode: 9311911325108



Internal / External Thread Files

- Restores damaged left or right-hand internal or external threads
- Also makes an ideal thread gauge
- Metric ISO: 80, 100, 125, 150, 175, 200, 250, 300
- AF UNF-UNC: TPI 11, 12, 13, 14, 16, 18, 20, 24

Part No.	Barcode	Type
SCMT70553	9311911705535	Metric (Purple cap)
SCMT70554	9311911705542	AF (Green cap)



External Thread Files

- Restores damaged left or right-hand external threads, any diameter
- Ideal as a thread gauge
- Metric Thread Pitch: .75, 1.00, 1.25, 1.50, 1.75, 2.00, 2.50, 3.00
- AF UNC - UNF: TPI 11, 12, 13, 14, 16, 18, 20, 24

Part No.	Barcode	Type
SCMT70450	9311911704507	Metric
SCMT70449	9311911704491	AF



SCMT60000

Gas Soldering Iron

Barcode: 9311927600008

- 4 FUNCTIONS IN 1 TOOL
- Rechargeable with butane gas.
- Integrated ignition mechanism.
- Adjustable power.
- Complies with safety standards.
- Maximum temperature 1300 c.
- Per-heating time: 40 seconds
- Autonomy: 45 minutes.
- Power 10 to 75 watts
- Made in Ireland



SCMT70457

Tip Cleaning Set

Barcode: 9311911704576

- 12 drill sizes: 0.57mm – 1.61mm
- Magnetic cap stores drills in body
- Drills carburettor jets, circuit boards & oxy cutting tips.
- Magnetic pick-up in handle allows for quick pickup of drill bits



Service & Support

Website
Social Media
Merchandising Solutions
Business Development
Warranty Terms
Spare Parts & Repair Kits
Size Charts
Product Index



SIDCHROME WEBSITE

VISIT WWW.SIDCHROME.COM.AU FOR ALL THE LATEST NEWS AND PRODUCT INFORMATION.

Check out our latest promotions and sign up to TOOL TALK, our eNewsletter to receive up to date information.



SIDCHROME FACEBOOK

LIKE OUR FACEBOOK PAGE AT
WWW.FACEBOOK.COM/SIDCHROME

SIDCHROME YOUTUBE

SUBSCRIBE TO OUR YOUTUBE CHANNEL AT
WWW.YOUTUBE.COM/USER/SIDCHROMETV



M E R C H A N D I S I N G S O L U T I O N S

STORE MERCHANDISING SOLUTIONS

Sidchrome End Users have a number of tool and storage requirements, from Professional Engineers and Professional Mechanics to Enthusiasts working on projects.

To ensure you stock the right range to provide a solution for your customer needs, we have built a variety of stock profile solutions.

Each profile can be scaled up and down depending upon your needs and space available in store.

For more information on how we can provide you with your very own stock profile and merchandising solution, please contact us through your local Sales Representative or:

Phone: 1800 338 002 | Email: sidchrome@sbdinc.com



INDUSTRIAL TOOL & STORAGE SOLUTIONS

SAVE TIME, EFFORT AND MONEY

DEDICATED and **EXPERIENCED**

...our team of Technical Sales Representatives are here to help

To help save you **TIME, EFFORT, and MONEY** please contact a Technical Support Representative to discuss your requirements.



ENERGY



MINING



AEROSPACE



TRANSPORT



MANUFACTURING

CONTACT US TO BUILD A TOOL & STORAGE SOLUTION SPECIFIC TO YOU



Head Office **1800 338 002**



WARRANTY TERMS

This warranty is provided by Sidchrome (**Stanley Black & Decker Australia**)

Warranty related enquiries and claims may be directed to:

Stanley Black & Decker
810 Whitehorse Road, Box Hill, Victoria 3128
1800 338 002
enquiries@sidchrome.com.au

The Consumer Guarantee Statement

Our goods come with guarantees that cannot be excluded under Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

1. General Limited Warranty against Defects

1.1 (Applicable brands) Stanley Black & Decker manufactures and markets a range of premium quality professional hand tools and accessories, under the Stanley, Sidchrome, Bostitch, Proto (including products marketed as "by Proto"), Facom and ABW brands (**Sidchrome Products**).

1.2 (Warranty against defects) Under this warranty, Sidchrome warrants that, subject to the limitations and conditions in this document, each Sidchrome Product will be free from defects in workmanship and materials for the applicable warranty term (set out below) and will be repaired or replaced free of charge if the applicable conditions of this warranty are met. You may have additional rights in relation to Sidchrome Products under the Australian Consumer Law.

1.3 (Limitations on express warranty) This warranty is offered to you only if you are the original purchaser of the Sidchrome Product in addition to all statutory rights conferred on you. Claims under this warranty are limited to the cost of repairing or replacing the product. You may be able to claim for other forms of loss or damage under the Australian Consumer Law.

1.4 (Term of warranty) Sidchrome offers this warranty for the term of the useful life of all Sidchrome Products, with the following exceptions:

- (a) the warranty against defects in materials and workmanship for Sidchrome Products with electrical or electronic components is twelve (12) months;
- (b) Sidchrome and Facom airtools are warranted for two (2) years from the date of purchase, excluding normally wearing parts such as vanes, gaskets and o-rings;
- (c) Sidchrome and Facom electronic instruments are warranted for six (6) months from the date of purchase;
- (d) Sidchrome and Facom testing instruments are warranted for twelve (12) months from the date of purchase;
- (e) Sidchrome, Proto and Facom torque wrenches, torque multipliers and torque testers are warranted for twelve (12) months, except for calibration which is warranted for ninety (90) days from the date of purchase (torque products are precise measuring devices that require care in handling. Sidchrome recommends that all torque wrenches be recalibrated at least once per year, depending on usage); Under this warranty where more than one of the above exceptions applies, the shortest warranty period is the applicable period.

1.5 (Express exclusions from warranty) Unless otherwise specified, this warranty **does not** cover:

- (a) modified, abused, neglected, accidentally damaged or excessively worn products, or products that have become damaged or defective as a result of improper use;
- (b) repairs attempted or made by other than our regional repair centre or authorised warranty service centre;
- (c) conditions or malfunctions caused by the reasonable effects of fair wear and tear or the malfunction of normally wearing parts, which include but are not limited to: vanes, gaskets, o-rings, driver blades, bumpers, pistons and piston rings;
- (d) consumable items, such as batteries, trimming knives, drill points, surform blades, hacksaw blades, hole saws, staples or nails, if they have been used;
- (e) for Proto products - universal sockets, universal joints, thin-wall impact sockets, adapters and retaining rings;
- (f) Facom products that are not distributed through Sidchrome's authorised distributors and resellers; and
- (g) ultrasonic measuring tools.

1.6 (Products capable of repair) For certain Sidchrome Products that are found to be defective but repairable, it may only be necessary to replace a particular part. Where this is applicable, only replacement of the defective, required part will be free of charge. Items which Sidchrome may consider repairable include, but are not limited to, socket ratchets, flexbars, torque wrenches, bit braces, hand drills, air tools, planes & laser levels.

1.7 (Non-warranty repairs at customers cost) For the avoidance of doubt, parts of socket ratchets and other repairable items that are merely experiencing the reasonable effects of fair wear and tear are not covered by this warranty but Sidchrome may provide replacement parts or a replacement product at your cost.

1.8 (Warranty non-transferrable) This warranty is not transferrable beyond the original purchaser.

2. How to make a warranty claim

Unless otherwise specified by Sidchrome, the process for making a warranty claim is as follows:

- (a) Any product subject to a warranty claim should be returned to the place of purchase for assessment by a Sidchrome distributor or representative. You are responsible for returning the product to the place of purchase unless the cost of returning, removing or transporting the product is significant, in which case you should contact Sidchrome to make alternative arrangements.
- (b) You must present proof of purchase when making a warranty claim.
- (c) The claim under this warranty (you may have additional rights under the Australian Consumer Law) will be assessed by a Sidchrome distributor or representative on the basis of their product knowledge and reasonable judgment and will be accepted if:
 - (i) a relevant defect is found;
 - (ii) the warranty claim is made during the relevant warranty period set out in cl 1.4 of this warranty;
 - (iii) none of the exclusions in cl 1.5 of this warranty apply.
- (d) Upon acceptance of a claim under this warranty, Sidchrome will send you a replacement product or arrange for your product to be repaired free of charge.
- (e) Any warranty related enquiries or claims may be directed to Sidchrome at the address or contact details listed above.

3. Repair notices

Goods presented for repair may be replaced by refurbished goods of the same type rather than being repaired. Refurbished parts may be used to repair the goods.

The repair of your goods may result in the loss of any user-generated data. Please ensure that you have made a copy of any data saved on your goods.



		Roller Cab						Top Chest														Side Cab		Wall Cab
Part No	Description	50207	50247	50215	50224	50244	50273	50200	50250	50208	50228	50248	50216	50226	50246	50218	50243	50233	50203	50272	50331	50347	51252	
SID-SP-1	Regular Caster Set Of 4, 2Fxd/2Sswl	√	√	√																				
SID-SP-2	Heavy Duty Caster Set Of 4, 2Fxd/2Sswl				√	√																		
SID-SP-3	Oval Handle Assy Classic Cab	√		√	√																			
SID-SP-4	Lock Assy 50250								√															
SID-SP-5	Lock Assy Classic Chest									√	√		√	√		√					√			
SID-SP-6	Lock Assy Premium Chest											√			√									
SID-SP-7	Lock Assy Classic Roll Cab	√		√	√																	√		
SID-SP-8	Lock Assy Premium Roll Cab		√			√																		
SID-SP-9	Lock Assy 50200							√																
SID-SP-10	Mat Assy Classic Roll Cab	√		√																				
SID-SP-11	Mat Assy Premium Roll Cab		√																					
SID-SP-12	Mat Assy Side Cab																				√	√		
SID-SP-13	Small Sidchrome Badge	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	
SID-SP-14	Sidchrome Premium Badge								√			√			√		√							
SID-SP-15	Mat Assy 50233																		√					
SID-SP-16	2 Locks/Keys Assy For SCMT50273						√																	
SID-SP-17	Six Caster Kit For SCMT50273						√																	
SID-SP-18	Wall Cabinet Lock Kit																						√	
SCMT066577	Slides 35mm X 225mm																		√					
SCMT057215	Slides 45mm X 400mm Left	√	√	√	√	√		√	√							√	√				√	√		
SCMT057216	Slides 45mm X 400mm Right	√	√	√	√	√		√	√							√	√				√	√		
SCMT057303	Slides 37mm X 400mm							√	√															
SCMT058416	Slides 37mm X 260mm									√	√	√	√	√	√			√	√					
SCMT058363	Drawer Liners 50215			√																				
SCMT057322	Drawer Liner Set 50207 , 50247	√	√																					
SCMT066580	Drawer Liner Set 50203																		√					
SCMT059731	Drawer Liner Set50216.50246												√	√	√									
SCMT058562	Drawer Liner Set 50208.50248									√	√	√												
SCMT058529	Drawer Liner Set 50233																	√						
SCMT058600	Drawer Liner Set 50200.50250							√	√															
SCMT058690	Drawer Liner Set 50218.50243															√	√							
SCMT058364	Drawer Liner Set 50224.50244				√	√																		
SCMT058851	Drawer Liner Set 50347																					√		

Part No	Description	Deflecting Beam				Digital Torque Wrench						
		26920	26921	26922	26923	26924	26925	26926	26927	26950	26951	26952
SCMT26954	TRIP KIT 26922/26923			✓	✓							
SCMT26955	WEDGE KIT 26922			✓								
SCMT26956	WEDGE KIT 26923				✓							
SCMT26957	ADAPTER 26920	✓										
SCMT26959	ADAPTER 26922/26923			✓	✓							
SCMT26990	1/4" RATCHET HEAD					✓				✓		
SCMT26991	3/8" RATCHET HEAD						✓				✓	
SCMT26992	1/2" RATCHET HEAD							✓				✓
SCMT26993	1/2" RATCHET HEAD								✓			

SCMT44095

Repair Kit

Barcode: 9311927440956

- Suits 12905 Ratchet



SCMT44105

Repair Kit

Barcode: 9311927441052

- Suits 13906 Ratchet



SCMT44107

Repair Kit

Barcode: 9311927441076

- Suits 14906/14904 Ratchets



SCMT44113

Repair Kit

Barcode: 9311927441137

- Suits 13919 Microtough Ratchet



SCMT44114

Repair Kit

Barcode: 9311927441144

- Suits 14919 Microtough Ratchet



SCMT44116

Repair Kit

Barcode: 9311927441168

- Suits 15950 Ratchet





SCMT44108

Repair Kit

Barcode: 9311927441083

- Suits 13904 Ratchet



SCMT44166

Repair Kit

Barcode: 9311927441663

- Suits 14930/14931/14932 Offset Handles



SCMT44167

Repair Kit

Barcode: 9311927441670

- Suits 14933 Offset Handle



SCMT44102

Repair Kit

Barcode: 9311911324118

- Suits 14947/14948 Breaker Bars
- Old Part Number: 70709-10



Equivalent for Inches, A/F (S.A.E) Whitworth, B.S. and Metric



ins	A/F ins	WHIT. ins	B.S. ins	mm
.193				
.197				5
.218	7/32			
.220				
.236				6
.248				
.250	1/4			
.276				7
.281	9/32			
.282				
.312	5/16			
.316				8
.324		1/8		
.338				
.343	11/32			
.354				9
.365				
.375	3/8			
.394				10
.406	13/32			
.413				
.433				11
.437	7/16			
.445		3/16	1/4	
.469	15/32			
.472				12
.500	1/2			
.512				13
.525		1/4	5/16	
.551				14
.562	9/16			
.590				15
.593	19/32			
.600		5/16	3/8	
.625	5/8			
.629				16
.656	21/32			
.669				17
.687	11/16			
.708				18
.710		3/8	7/16	
.748				19
.750	3/4			
.781	25/32			

ins	A/F ins	WHIT. ins	B.S. ins	mm
.787				20
.812	13/16			
.820		7/16	1/2	
.826				21
.866				22
.875	7/8			
.905				23
.920		1/2	9/16	
.937	15/16			
.944				24
.968	31/32			
.984				25
1.000	1			
1.010		9/16	5/8	
1.023				26
1.062	1-1/16			27
1.100		5/8	11/16	
1.102				28
1.125	1-1/8			
1.141				29
1.181				30
1.187	1-3/16			
1.200		11/16	3/4	
1.220				31
1.250	1-1/4			
1.259				32
1.300		3/4	7/8	33
1.312	1-5/16			
1.375	1-3/8			
1.377				35
1.390		13/16	15/16	
1.417				36
1.437	1-7/16			
1.480		7/8		
1.496				38
1.500	1-1/2			
1.535				39
1.562	1-9/16			
1.574				40
1.580		15/16		
1.614				41
1.625	1-5/8			
1.653				42
1.670		1	1-1/8	




1/4" Drive 6 Point Metric Sockets - Standard

14 SLM	Part No.	L	Ø R	Ø H	W	TYPE
4	12215	25.0	12.0	6.9	3.6	A
5	12216	25.0	12.0	8.1	4.2	A
6	12217	25.0	12.0	9.4	4.8	A
7	12218	25.0	12.0	10.9	5.4	A
8	12219	25.0	12.0	11.5	5.4	B
9	12220	25.0	13.2	12.0	6.0	B
10	12221	25.0	14.7	13.0	7.0	B
11	12222	25.0	16.0	13.0	8.0	B
12	12223	25.0	16.9	13.5	8.0	B
13	12224	25.0	17.7	14.0	8.0	B




1/4" Drive 6 Point AF Sockets - Standard

14 SL	Part No.	L	Ø R	Ø H	W	TYPE
3 / 16	12415	25.0	12.0	8.0	3.6	A
7 / 32	12416	25.0	12.0	8.8	4.2	A
1 / 4	12417	25.0	12.0	10.0	4.8	A
9 / 32	12418	25.0	12.0	10.9	4.0	B
5 / 16	12419	25.0	12.0	/	4.0	C
11 / 32	12420	25.0	13.2		4.5	C
3 / 8	12421	25.0	14.7		4.5	C
7 / 16	12422	25.0	16.0		6.0	C
1 / 2	12423	25.0	17.7		7.2	C




1/4" Drive 6 Point Metric Sockets - Deep

14 LM	Part No.	L	Ø R	Ø H	W	Ø B	C	TYPE
4	12235	49.5	11.8	6.9	5.0	3.0	/	A
5	12236	49.5	11.8	8.0	5.5	3.2		A
6	12237	49.5	11.8	9.4	6.5	3.6		A
7	12238	49.5	11.8	10.9	10.5	4.4		A
8	12239	49.5	11.8	/	10.5	5.4	35.0	B
9	12240	49.5	12.8		11.5	5.4		B
10	12241	49.5	14.5		13.0	6.6		B
11	12242	49.5	15.6		14.0	7.7		B
12	12243	49.5	16.6		15.0	8.4		B
13	12244	49.5	17.6		17.0	8.4	35.0	B



1/4" Drive 6 Point AF Sockets - Deep


14 L	Part No.	L	Ø R	Ø H	W	Ø B	C	TYPE
3 / 16	12435	49.5	11.8	8.0	5.0	3.2	/	A
7 / 32	12436	49.5	11.8	9.0	5.5	3.2		A
1 / 4	12437	49.5	11.8	10.0	6.5	3.6		A
9 / 32	12438	49.5	11.8	11.0	6.5	4.4		A
5 / 16	12439	49.5	11.8	/	10.5	4.4	35.0	B
11 / 32	12440	49.5	12.8		11.5	5.2		B
3 / 8	12441	49.5	14.5		12.5	7.2		B
7 / 16	12442	49.5	15.6		14.5	7.2		B
1 / 2	12443	49.5	17.6		16.5	8.8		B




3/8" Drive 12 Point Metric Sockets - Standard

38 SM	L	Ø R	Ø H	W	(C)	L1	TYPE
9	25.7	17.1	13.2	6.0	6.1	12.1	A
10	25.7	17.1	14.7	7.0	6.9	12.1	A
11	25.7	17.1	16.0	8.0	8.2	12.1	A
12	25.7	17.1	16.5	8.5	9.2	10.0	B
13	25.7	18.3	17.0	8.5	10.2	10.0	B
14	25.7	19.5	18.0	10.0	12.6	10.0	B
15	25.7	20.4	18.0	12.0		10.0	C
16	29.0	22.1	19.0	13.5		11.0	C
17	29.0	23.3	19.0	13.5		11.0	C
18	29.0	24.2	20.0	14.0		11.0	C
19	29.0	25.5	21.0	14.0		11.0	C
20	29.0	26.8	22.0	14.0		11.0	C
21	29.0	27.7	23.0	14.0		11.0	C
22	29.0	29.5	24.0	14.0		11.0	C


TYPE: A



TYPE: B



TYPE: C




3/8" Drive 12 Point AF Sockets - Standard

38 SL	L	Ø R	Ø H	W	(C)	L1	TYPE
5 / 16	29.0	17.1	11.7	4.5	5.4	12.7	A
3 / 8	29.0	17.1	14.2	5.0	6.0	12.7	A
7 / 16	29.0	17.1	16.3	7.0	8.4	12.7	A
1 / 2	29.0	18.3	17.0	7.0	10.2	11.0	B
9 / 16	29.0	19.5	18.0	9.0	12.5	11.0	B
5 / 8	29.0	22.1	19.0	10.0		11.0	C
11 / 16	29.0	24.2	20.0	10.0		11.0	C
3 / 4	29.0	25.7	21.0	12.0		11.0	C


3/8" Drive 6 Point Metric Sockets - Deep

38 LM	L	Ø R	Ø H	W	Ø B	C	TYPE
10	45.5	16.5	14.7	15.0	6.6		A
11	45.5	16.5	16.0	17.0	7.7		A
12	45.5	17.1		18.0	8.4		B
13	45.5	18.5		18.0	8.4		B
14	50.0	19.5		18.0	10.4	35.0	B
15	53.0	20.4		20.0	10.4	38.0	B
16	53.0	22.0		20.0	11.7	38.0	B
17	56.0	23.3		20.0	12.4	40.0	B
18	56.0	24.2	22.0	20.0	12.4	40.0	C
19	56.0	25.5	23.0	20.0	14.4	40.0	C


TYPE: A



TYPE: B



TYPE: C



3/8" Drive 6 Point AF Sockets - Deep


38 L	L	Ø R	Ø H	W	Ø B	C	TYPE
3 / 8	45.5	16.5	14.2	15.0	7.2		A
7 / 16	45.5	16.5		17.0	7.2		B
1 / 2	45.5	18.5		18.0	8.8		B
9 / 16	50.0	19.5		18.0	10.4	35.0	B
5 / 8	53.0	22.0		20.0	12.0	38.0	C
11 / 16	56.0	24.2		20.0	12.0	40.0	C
3 / 4	56.0	25.7		22.0	13.5	40.0	C




1/2" Drive 12 Point Metric Sockets - Standard

12 SM	L	W	H	T	W	L1	TYPE
8	38.0	21.8	12.4	16.0	9.0	19	A
9	38.0	21.8	14.0	16.0	10.0	19	A
10	38.0	21.8	15.5	16.0	10.0	19	A
11	38.0	21.8	16.7	16.0	10.0	19	A
12	38.0	21.8	18.0	16.0	10.0	19	A
13	38.0	21.8	19.2	16.0	10.0	19	A
14	38.0	21.8	20.5	16.0	10.0	19	A
15	38.0	21.8	21.0	16.0	14.0	19	A
16	38.0	23.3	22.5	17.0	14.0	19	A
17	38.0	24.0	23.0	17.0	14.0	16	B
18	38.0	24.8	23.0	17.0	14.0	16	B
19	38.0	26.3	24.0	17.0	18.0	16	C
20	38.0	26.8	24.0	17.0	18.0	16	C
21	38.0	27.7	24.0	17.0	18.0	16	C
22	40.0	29.8	26.0	17.0	18.0	17	C
23	40.0	30.8	26.0	17.0	20.0	17	C
24	40.0	31.8	26.0	17.0	20.0	17	C
25	40.0	32.8	27.0	17.0	20.0	17	C
26	43.0	33.8	28.8	17.0	21.0	18	C
27	43.0	35.8	29.5	17.0	21.0	18	C
28	43.0	37.6	30.5	17.0	21.0	18	C
29	43.0	37.8	31.5	17.0	21.0	18	C
30	43.0	39.8	32.5	17.0	21.0	18	C
31	43.0	41.8	33.5	17.0	21.0	18	C
32	43.0	41.8	34.5	17.0	22.0	18	C


TYPE: A



TYPE: B




TYPE: C




1/2" Drive 12 Point AF Sockets - Standard

12S	L	W	H	T	W	L1	TYPE
3/8"	38.0	21.8	14.7	16.0	9.0	19	A
7/16"	38.0	21.8	17.0	16.0	9.0	19	A
9/16"	38.0	21.8	20.8	16.0	12.5	19	A
5/8"	38.0	23.3	22.5	16.0	14.3	19	A
11/16"	38.0	24.2	23.5	16.0	14.3	16	B
3/4"	38.0	26.3	24.0	16.0	16.7	16	C
25/32"	38.0	26.8	24.0	16.0	17.3	16	C
13/16"	38.0	27.7	24.0	16.0	18.0	16	C
7/8"	40.0	29.8	26.0	17.0	18.0	17	C
15/16"	40.0	31.8	26.0	17.0	18.0	17	C
1"	43.0	33.8	27.5	17.0	18.0	18	C
1-1/16"	43.0	35.8	29.0	17.0	20.0	18	C
1-1/8"	43.0	37.8	30.5	17.0	20.0	18	C
1-3/16"	43.0	39.8	32.5	17.0	20.0	18	C
1-1/4"	43.0	41.8	34.0	17.0	20.0	18	C


TYPE: A



TYPE: B



TYPE: C






1/2" Drive 6 Point Metric Sockets - Deep

12LM:	L	W	H	W	B	C	TYPE
10	79.0	22.0	15.5	17.0	6.6		A
11	79.0	22.0	16.7	18.0	7.7		A
12	79.0	22.0	18.0	19.0	8.4		A
13	79.0	22.0	19.2	21.0	8.4		A
14	79.0	22.0	20.5	25.0	10.4		A
15	79.0	22.0	21.0	28.0	10.4		A
16	79.0	23.3	22.5	31.0	11.7		A
17	79.0	24.0		34.0	12.4	56.0	B
18	79.0	25.3		34.0	12.4	56.0	B
19	79.0	26.5		36.0	14.3	56.0	B


1/2" Drive 6 Point AF Sockets - Deep

12 L:	L	W	H	W	B	C	TYPE
3 / 8	79.0	22.0	14.7	16.0	7.2		A
7 / 16	79.0	22.0	17.0	16.0	7.2		A
1 / 2	79.0	22.0	19.0	20.0	8.8		A
9 / 16	79.0	22.0	20.8	22.0	10.4		A
5 / 8	79.0	23.3	22.5	24.0	12.0	56.0	B
11 / 16	79.0	24.3		26.0	12.0	56.0	B
3 / 4	79.0	26.8		29.0	13.5	56.0	C




Combination Spanner

SIZE		L	A	B	C	D	E	F	H	T
1 / 4	6	128	4.7	11.0	3.9	14.0	7.0	12.7	7.1	3.4
9 / 32	7	138.2	5.0	12.7	4.2	15.4	7.7	14.0	7.6	3.5
5 / 16	8	148.3	5.4	13.9	4.5	17.6	8.8	16.0	8.1	3.6
	9	160.3	5.9	15.0	4.7	19.8	9.8	17.9	9.0	3.9
3 / 8	10	167.3	6.5	16.2	5.2	22.0	10.9	19.5	9.7	4.1
7 / 16	11	186.3	7.1	17.9	5.6	24.1	12.2	21.5	10.6	4.4
	12	196.4	7.7	19.1	6.0	25.9	13.2	23.4	11.4	4.6
1 / 2	13	205.4	8.5	20.7	6.5	27.3	14.3	24.6	12.3	4.9
9 / 16	14	223.4	9.1	22.3	7.1	30.6	15.7	27.2	13.3	5.2
	15	233.4	9.7	23.5	7.4	32.2	16.5	28.5	14.3	5.4
5 / 8	16	243.4	10.3	24.7	7.8	33.7	17.6	29.6	15.3	5.6
11 / 16	17	262.4	11.1	26.9	8.1	36.6	19.1	32.2	16.3	5.9
	18	272.4	11.9	28.2	8.4	38.4	20.0	33.7	16.9	6.1
3 / 4	19	281.4	12.7	29.2	8.7	40.2	20.9	35.2	17.5	6.2
	20	290.4	13.1	30.5	8.9	41.7	22.0	36.0	18.6	6.3
13 / 16		301.4	13.5	31.8	9.1	43.2	22.7	37.1	19.7	6.5
7 / 8	22,23	319.4	14.3	34.3	9.5	46.5	24.4	40.0	20.0	6.8
15 / 16	24	339.4	15.7	36.0	10.2	49.7	26.0	42.7	22.1	7.4
1"	25	358.4	16.9	37.0	11.0	52.9	27.8	45.5	23.5	7.8
	26	373.4	17.7	38.2	11.5	54.5	28.6	46.9	24.2	8.0
1-1 / 16	27	388.4	18.3	40.5	11.9	56.1	29.4	48.2	24.9	8.2
	28	396.4	18.9	41.7	12.3	57.7	30.2	49.6	25.6	8.4
1-1 / 8	29	404.5	19.5	42.8	12.7	59.2	31.0	50.9	26.2	8.6
	30	404.5	19.5	42.8	12.7	59.2	32.1	52.7	26.2	8.6
1-1 / 4	32	431.5	21.7	47.4	14.1	65.6	34.4	56.4	29.2	9.4




Double Ring Spanner

SIZE		L	A	AI	B	BI	H	T
1/4*5/16	6*7	168.0	5.6	6.3	10.7	12.2	8.0	4.1
5/16*3/8	8*9	183.0	6.6	7.0	13.6	15.1	9.3	4.5
3/8*7/16	10*11	198.0	7.4	7.7	16.6	18.0	11.3	4.9
7/16*1/2	12*13	217.0	8.1	8.4	19.5	20.9	13.0	5.4
9/16*5/8	14*15	239.0	8.8	9.1	22.4	23.7	13.8	5.7
5/8*11/16	16*17	260.0	9.5	9.8	25.3	26.7	14.9	6.2
11/16*3/4	18*19	292.0	10.1	10.4	28.2	29.7	16.0	6.6
13/16*7/8	20*22	318.0	10.9	11.4	31.1	34.0	17.4	7.1
	21*23	326.5	11.2	11.6	33.5	35.5	18.0	7.6
15/16*1-1/16	24*27	329.0	12.4	13.4	36.9	40.5	20.0	8.1
1"*1-1/8	25*28	347.0	12.7	13.7	38.4	42.8	20.6	8.5
	27*32	355.0	13.4	15.2	41.4	48.5	21.0	8.8
1-1/8*1-1/4	30*32	362.0	14.4	15.2	45.5	48.5	21.5	9.0
	32*36	415.0	15.2	16.5	48.5	54.5	23.0	9.6




Geared Wrench Flex Head

Size	B	C	D	G	I	J	K	L	T
7	15.4	14.0	7.6	17	4.0	6.8	14	122	2.8
8	5/16	17.6	16.0	8.1	17	4.0	6.8	14	26.8
9		19.8	17.9	9.0	19	4.4	7.2	15	131.4
10	3/8	22.0	19.5	9.7	20	4.8	7.6	15	135.9
11	7/16	24.1	21.5	10.6	21	5.2	8.0	16	140.9
12		25.9	23.4	11.4	23	5.5	8.5	17	147.4
13	1/2	27.3	24.6	12.3	25	5.8	9.0	17	153.9
14	9/16	30.6	27.2	13.3	27	6.2	9.3	19	159.8
15		32.2	28.5	14.3	28	6.5	9.7	20	168.9
16	5/8	33.7	29.6	15.3	30	6.8	10.2	21	178.9
17	11/16	36.6	32.2	16.3	32	7.2	10.6	21	189.8
18		38.4	33.7	16.9	33	7.7	11.0	23	203
19	3/4	40.2	35.2	17.5	34	8.2	11.5	23	215




Open End Spanner

SIZE	L	C	A	B	D	E	H	T
1/4*5/16"	6*7	123	3.7	15.5	18.0	6.5	7.5	2.9
3/8*7/16"	8*9	140	4.0	20.4	22.7	8.5	9.6	3.1
7/16*1/2"	10*11	156	5.0	24.9	27.1	10.7	11.7	3.4
1/2*9/16"	12*13	172	5.5	29.2	31.2	12.8	13.8	3.8
5/8*11/16"	14*15	188.5	5.9	33.3	35.3	14.9	15.9	4.1
11/16*3/4"	16*17	204	6.3	37.1	38.9	17	18	4.4
13/16*7/8"	18*19	221	6.7	40.9	42.8	19	20	4.6
15/16*1"	20*22	237	7.1	44.8	48.8	21.2	22.2	4.9
	21*23	247	7.7	46.8	50.8	22.2	24.2	5.2
15/16*1-1/16"	24*27	263	8.1	52.8	59.1	25.4	25.4	5.4
1-1/8*1/4"	30*32	298	9.0	65.4	69.8	31.4	31.4	6.0



Flare Nut Spanner

SIZE	L	C	A	B	D	E	H	T
3/8*7/16"	8*9	152.4	7.9	21.4	23	7	8.2	10.7
1/2*9/16"	12*13 13*14	178.6	10	25	27.4	9	10.3	13.1
5/8*11/16"	15*17	196	11.6	29.9	31.9	11.9	13.3	15.1
3/4*7/8"	19*22	207.7	13.8	34.2	38.2	14.8	17.8	17.0





Part No.	Description	Size	Page
FLT10005S	Ret-Ring	31.75mm	165
FTL10008S	Ret-Ring	44.45mm	165
FTL10010S	Ret-Ring	50.80mm	165
FTL10015S	Ret-Ring	53.97mm	165
FTL10020S	Ret-Ring	73.02mm	165
FTL10032S	Ret-Ring	36.51mm	165
FTL10034S	Ret-Ring	41.27mm	165
FTL18708S	Ret-Ring	44.45mm	165
FTL18710S	Ret-Ring	50.80mm	165
J1316PGD	Ball Pein Hammer	450g	116
J1324PGD	Ball Pein Hammer	680g	116
J1332PGD	Ball Pein Hammer	900g	116
J2100	4 Piece Pry Bar Set		122
J2116	Aligning Pry Bar	16"	122
J2120	Aligning Pry Bar	18"	122
J2124	Aligning Pry Bar	24"	122
J2125	Aligning Pry Bar	30"	122
J2126	Rolling Head Bar	12"	122
J2130	Rolling Head Bar	16"	122
J240G	Long Needle Nose Pliers		110
J360B	12 Piece Retaining Ring Plier Set		110
J46	26 Piece Punch & Chisel Set		121
J4749	1/4" Drive Ratchet		44
J47A	7 Piece Drive Pin Punch Set		121
J48007	7 Piece Super-Duty Drive Pin Punch Set		120
J5450	1/2" Drive Heavy Duty Long Ratchet		45
J712SC	Adjustable Spud Wrench - Klik-Stop®		92
J801	Universal Chain Wrench		93
J812HD	Pipe Wrenches—Heavy Duty	2"	94
J814HD	Pipe Wrenches—Heavy Duty	2"	94
J818HD	Pipe Wrenches—Heavy Duty	3-1/2"	94
J824HD	Pipe Wrenches—Heavy Duty	4"	94
J86B	7 Piece Cold Chisel Set		121
J86C	5 Piece Cold Chisel Set		122
J9500A	5 Piece Screw Extractor Set		213
J9500B	10 Piece Screw Extractor Set		213
JC471	Adjustable Hook Spanners	3/4" to 2"	94
JC472	Adjustable Hook Spanners	1-1/4" to 3"	94
JC474	Adjustable Hook Spanners	2" to 4-3/4"	94
JC474A	Adjustable Hook Spanners	4-1/2" to 6-1/4"	94
JC474B	Adjustable Hook Spanners	6-1/8" to 8-3/4"	94
JC482	Adjustable Face Spanners	2"	93
JC483	Adjustable Face Spanners	3"	93
JC484	Adjustable Face Spanners	4"	93
JC907	Structural Wrenches - Offset Head	1-1/16"	92
JC908	Structural Wrenches - Offset Head	1-1/4"	92
JC908A	Structural Wrenches - Offset Head	1-5/16"	92
JHD032M	Super Heavy Duty 12 Point - Offset Metric	32mm	94
JHD036M	Super Heavy Duty 12 Point - Offset Metric	36mm	94
JHD041M	Super Heavy Duty 12 Point - Offset Metric	41mm	94

Part No.	Description	Size	Page
JHD046M	Super Heavy Duty 12 Point - Offset Metric	46mm	94
JHD050M	Super Heavy Duty 12 Point - Offset Metric	50mm	94
JHD055M	Super Heavy Duty 12 Point - Offset Metric	55mm	94
JHD060M	Super Heavy Duty 12 Point - Offset Metric	60mm	94
JHD065M	Super Heavy Duty 12 Point - Offset Metric	65mm	94
JHD070M	Super Heavy Duty 12 Point - Offset Metric	70mm	94
JHD075M	Super Heavy Duty 12 Point - Offset Metric	75mm	94
JHD080M	Super Heavy Duty 12 Point - Offset Metric	80mm	94
JHD085M	Super Heavy Duty 12 Point - Offset Metric	85mm	94
JHD090M	Super Heavy Duty 12 Point - Offset Metric	90mm	94
JHD095M	Super Heavy Duty 12 Point - Offset Metric	95mm	94
JHD100M	Super Heavy Duty 12 Point - Offset Metric	100mm	94
JHD105M	Super Heavy Duty 12 Point - Offset Metric	105mm	94
JHD110M	Super Heavy Duty 12 Point - Offset Metric	110mm	94
JHD115M	Super Heavy Duty 12 Point - Offset Metric	115mm	94
JRR07523	Ret-Ring	41mm	165
JRR07526	Ret-Ring	46mm	165
JRR10028	Ret-Ring	49mm	165
JRR10032	Ret-Ring	56mm	165
JRR10034	Ret-Ring	59mm	165
JRR10036	Ret-Ring	62mm	165
JRR15046	Ret-Ring	80mm	165
JRR15054	Ret-Ring	95mm	165
JUSN321	Super Heavy Duty 12 Point - Offset AF	1-5/16"	94
JUSN323	Super Heavy Duty 12 Point - Offset AF	1-7/16"	94
JUSN326	Super Heavy Duty 12 Point - Offset AF	1-5/8"	94
JUSN327	Super Heavy Duty 12 Point - Offset AF	1-11/16"	94
JUSN329	Super Heavy Duty 12 Point - Offset AF	1-13/16"	94
JUSN330	Super Heavy Duty 12 Point - Offset AF	1-7/8"	94
JUSN332	Super Heavy Duty 12 Point - Offset AF	2"	94
JUSN335	Super Heavy Duty 12 Point - Offset AF	2-3/16"	94
JUSN338	Super Heavy Duty 12 Point - Offset AF	2-3/8"	94
JUSN340	Super Heavy Duty 12 Point - Offset AF	2-1/2"	94
JUSN341	Super Heavy Duty 12 Point - Offset AF	2-9/16"	94
JUSN342	Super Heavy Duty 12 Point - Offset AF	2-5/8"	94
JUSN344	Super Heavy Duty 12 Point - Offset AF	2-3/4"	94
JUSN347	Super Heavy Duty 12 Point - Offset AF	2-15/16"	94
JUSN348	Super Heavy Duty 12 Point - Offset AF	3"	94
JUSN350	Super Heavy Duty 12 Point - Offset AF	3-1/8"	94
JUSN354	Super Heavy Duty 12 Point - Offset AF	3-3/8"	94
JUSN356	Super Heavy Duty 12 Point - Offset AF	3-1/2"	94
JUSN360	Super Heavy Duty 12 Point - Offset AF	3-3/4"	94
JUSN362	Super Heavy Duty 12 Point - Offset AF	3-7/8"	94
JUSN366	Super Heavy Duty 12 Point - Offset AF	4-1/8"	94
JUSN368	Super Heavy Duty 12 Point - Offset AF	4-1/4"	94
JUSN372	Super Heavy Duty 12 Point - Offset AF	4-1/2"	94
SCMT00145	Fender Cover		188
SCMT10100K	527 Piece Metric/AF Tool Kit		8
SCMT10105	225 Piece Metric/AF Tool Kit		29
SCMT10109K	317 Piece Metric/AF Tool Kit		13

Part No.	Description	Size	Page
SCMT10110K	244 Piece Metric/AF Tool Kit		18
SCMT10111K	244 Piece Metric/AF Tool Kit		17
SCMT10112K	159 Piece Metric/AF Tool Kit		23
SCMT10113K	192 Piece Metric/AF Tool Kit		21
SCMT10114	364 Piece Metric/AF Tool Kit		11
SCMT10116K	107 Piece Metric/AF Tool Kit		27
SCMT10117	101 Piece Metric Tool Kit		28
SCMT10118	260 Piece Metric/AF Tool Kit		16
SCMT10119	286 Piece Metric/AF Tool Kit		15
SCMT10122	165 Piece Metric/AF Tool Kit		22
SCMT10127	147 Piece Metric/AF Tool Kit		24
SCMT10133	198 Piece Metric/AF Tool Kit		20
SCMT10135	131 Piece Metric/AF Tool Kit		25
SCMT10136	136 Piece Metric/AF Tool Kit		30
SCMT10137	199 Piece Metric/AF Foam Tool Kit		19
SCMT10138	112 Piece Metric/AF Tool Kit		31
SCMT10142	65 Piece Metric/AF Tool Kit		32
SCMT10144	319 Piece Metric/AF Tool Kit		12
SCMT10146	364 Piece Metric/AF Tool Kit		10
SCMT10150K	124 Piece Metric/AF Tool Kit		26
SCMT10152K	313 Piece Metric/AF Tool Kit		14
SCMT10175	60 Piece Metric/AF 1/4" & 1/2" Drive Socket & Spanner Set		69
SCMT10178	56 Piece Metric/AF 1/4" & 1/2" Drive Socket & Spanner Set		71
SCMT10184	35 Piece Metric/AF 1/2" Drive Socket & Spanner Set		70
SCMT10236	31 Piece Metric 1/2" Drive Socket & Spanner Set		70
SCMT10351	56 Piece Metric/AF 1/4" & 3/8" Drive Tool Set		65
SCMT10355	60 Piece Metric/AF 1/4" Drive Socket Set		57
SCMT10356	42 Piece Metric/AF 1/2" Drive Socket Set		62
SCMT10801	61 Piece Metric 1/2" Drive Socket Set		63
SCMT10803	36 Piece Metric/AF 1/4" Drive Socket & Spanner Set		72
SCMT10804	20 Piece Metric 3/8" Drive Socket Set		58
SCMT10810	57 Piece Metric/AF 1/4" Drive Socket & Spanner Set		72
SCMT10811	69 Piece Metric/AF 3/8" Drive Tool Set		72
SCMT12105	30 Piece Metric/AF 1/4" Drive Socket & Spanner Set		70
SCMT12110	23 Piece Metric/AF 1/4" Drive Socket Set		57
SCMT12120	38 Piece Metric 1/4" Drive Nano Set		56
SCMT12130	43 Piece Metric/AF 1/4" Drive Socket Set		57
SCMT12215	6 Point Metric Sockets - Standard	4mm	49
SCMT12216	6 Point Metric Sockets - Standard	5mm	49
SCMT12217	6 Point Metric Sockets - Standard	6mm	49
SCMT12218	6 Point Metric Sockets - Standard	7mm	49
SCMT12219	6 Point Metric Sockets - Standard	8mm	49
SCMT12220	6 Point Metric Sockets - Standard	9mm	49
SCMT12221	6 Point Metric Sockets - Standard	10mm	49
SCMT12222	6 Point Metric Sockets - Standard	11mm	49
SCMT12223	6 Point Metric Sockets - Standard	12mm	49
SCMT12224	6 Point Metric Sockets - Standard	13mm	49

Part No.	Description	Size	Page
SCMT12230	10 Piece 1/4" Drive Deep Socket Set		49
SCMT12235	6 Point Metric Sockets - Deep	4mm	49
SCMT12236	6 Point Metric Sockets - Deep	5mm	49
SCMT12237	6 Point Metric Sockets - Deep	6mm	49
SCMT12238	6 Point Metric Sockets - Deep	7mm	49
SCMT12239	6 Point Metric Sockets - Deep	8mm	49
SCMT12240	6 Point Metric Sockets - Deep	9mm	49
SCMT12241	6 Point Metric Sockets - Deep	10mm	49
SCMT12242	6 Point Metric Sockets - Deep	11mm	49
SCMT12243	6 Point Metric Sockets - Deep	12mm	49
SCMT12244	6 Point Metric Sockets - Deep	13mm	49
SCMT12375	Sockets Tru-Torque (Torx®)	T-10	50
SCMT12376	Sockets Tru-Torque (Torx®)	T-15	50
SCMT12377	Sockets Tru-Torque (Torx®)	T-20	50
SCMT12378	Sockets Tru-Torque (Torx®)	T-25	50
SCMT12415	6 Point AF Sockets - Standard	3/16"	49
SCMT12416	6 Point AF Sockets - Standard	7/32"	49
SCMT12417	6 Point AF Sockets - Standard	1/4"	49
SCMT12418	6 Point AF Sockets - Standard	9/32"	49
SCMT12419	6 Point AF Sockets - Standard	5/16"	49
SCMT12420	6 Point AF Sockets - Standard	11/32"	49
SCMT12421	6 Point AF Sockets - Standard	3/8"	49
SCMT12422	6 Point AF Sockets - Standard	7/16"	49
SCMT12423	6 Point AF Sockets - Standard	1/2"	49
SCMT12430	9 Piece 1/4" Drive Deep Socket Set		49
SCMT12435	6 Point AF Sockets - Deep	3/16"	49
SCMT12436	6 Point AF Sockets - Deep	7/32"	49
SCMT12437	6 Point AF Sockets - Deep	1/4"	49
SCMT12438	6 Point AF Sockets - Deep	9/32"	49
SCMT12439	6 Point AF Sockets - Deep	5/16"	49
SCMT12440	6 Point AF Sockets - Deep	11/32"	49
SCMT12441	6 Point AF Sockets - Deep	3/8"	49
SCMT12442	6 Point AF Sockets - Deep	7/16"	49
SCMT12443	6 Point AF Sockets - Deep	1/2"	49
SCMT12905	1/4" Drive Reversible Ratchet		44
SCMT12906	Extensions	50mm	50
SCMT12907	Extensions	150mm	50
SCMT12908	1/4" Drive Adjustable Offset Handle		46
SCMT12909	Universal Joint		50
SCMT12910	1/4" Drive Socket Driver		46
SCMT12914	1/4" Drive Rotator Ratchet		44
SCMT12919	1/4" Drive Microtough Ratchet		44
SCMT12970	1/4" Drive Maintenance Free Pear Head Ratchet		44
SCMT13105	32 Piece Metric/AF 3/8" Drive Socket Set		58
SCMT13107	43 Piece Metric/AF 3/8" Drive Socket Set		59
SCMT13110	56 Piece Metric/AF 3/8" Drive Socket Set		59
SCMT13115	68 Piece Metric/AF 3/8" Drive Socket & Spanner Set		71
SCMT13200	10 Piece Crowfoot Wrenches - Metric		93
SCMT13205	21 Piece Metric 3/8" Drive Socket Set		58





Part No.	Description	Size	Page
SCMT13215	6 Point Metric Sockets - Standard	5mm	51
SCMT13216	6 Point Metric Sockets - Standard	6mm	51
SCMT13217	6 Point Metric Sockets - Standard	7mm	51
SCMT13218	12 Point Metric Sockets -Standard	8mm	51
SCMT13219	12 Point Metric Sockets -Standard	9mm	51
SCMT13220	12 Point Metric Sockets -Standard	10mm	51
SCMT13221	12 Point Metric Sockets -Standard	11mm	51
SCMT13222	12 Point Metric Sockets -Standard	12mm	51
SCMT13223	12 Point Metric Sockets -Standard	13mm	51
SCMT13224	12 Point Metric Sockets -Standard	14mm	51
SCMT13225	12 Point Metric Sockets -Standard	15mm	51
SCMT13226	12 Point Metric Sockets -Standard	16mm	51
SCMT13227	12 Point Metric Sockets -Standard	17mm	51
SCMT13228	12 Point Metric Sockets -Standard	18mm	51
SCMT13229	12 Point Metric Sockets -Standard	19mm	51
SCMT13230	12 Point Metric Sockets -Standard	20mm	51
SCMT13231	12 Point Metric Sockets -Standard	21mm	51
SCMT13232	12 Point Metric Sockets -Standard	22mm	51
SCMT13235	10 Piece 3/8" Drive Deep Socket Set		52
SCMT13240	6 Point Metric Sockets - Deep	10mm	51
SCMT13241	6 Point Metric Sockets - Deep	11mm	51
SCMT13242	6 Point Metric Sockets - Deep	12mm	51
SCMT13243	6 Point Metric Sockets - Deep	13mm	51
SCMT13244	6 Point Metric Sockets - Deep	14mm	51
SCMT13245	6 Point Metric Sockets - Deep	15mm	51
SCMT13246	6 Point Metric Sockets - Deep	16mm	51
SCMT13247	6 Point Metric Sockets - Deep	17mm	51
SCMT13248	6 Point Metric Sockets - Deep	18mm	51
SCMT13249	6 Point Metric Sockets - Deep	19mm	51
SCMT13280	9 Piece Metric 3/8" Drive In-Hex Socket Set		68
SCMT13375	Sockets Tru-Torque (Torx®)	T-27	52
SCMT13376	Sockets Tru-Torque (Torx®)	T-30	52
SCMT13377	Sockets Tru-Torque (Torx®)	T-40	52
SCMT13378	Sockets Tru-Torque (Torx®)	T-45	52
SCMT13379	Sockets Tru-Torque (Torx®)	T-50	52
SCMT13380	Sockets Tru-Torque (Torx®)	T-55	52
SCMT13400	7 Piece Crowfoot Wrenches - AF		93
SCMT13415	6 Point AF Sockets - Standard	1/4"	51
SCMT13416	12 Point AF Sockets - Standard	5/16"	51
SCMT13417	12 Point AF Sockets - Standard	3/8"	51
SCMT13418	12 Point AF Sockets - Standard	7/16"	51
SCMT13419	12 Point AF Sockets - Standard	1/2"	51
SCMT13420	12 Point AF Sockets - Standard	9/16"	51
SCMT13421	12 Point AF Sockets - Standard	5/8"	51
SCMT13422	12 Point AF Sockets - Standard	11/16"	51
SCMT13423	12 Point AF Sockets - Standard	3/4"	51
SCMT13424	12 Point AF Sockets - Standard	13/16"	51
SCMT13425	12 Point AF Sockets - Standard	7/8"	51
SCMT13430	7 Piece 3/8" Drive Deep Socket Set		52
SCMT13435	12 Point Spark Plug Sockets	5/8"	52

Part No.	Description	Size	Page
SCMT13436	12 Point Spark Plug Sockets	13/16"	52
SCMT13440	6 Point AF Sockets - Deep	3/8"	51
SCMT13441	6 Point AF Sockets - Deep	7/16"	51
SCMT13442	6 Point AF Sockets - Deep	1/2"	51
SCMT13443	6 Point AF Sockets - Deep	9/16"	51
SCMT13444	6 Point AF Sockets - Deep	5/8"	51
SCMT13445	6 Point AF Sockets - Deep	11/16"	51
SCMT13456	7 Piece A/F 3/8" Drive In-Hex Socket Set		68
SCMT13904	3/8" Drive Swiveling Head Ratchet		44
SCMT13906	3/8" Drive Reversible Ratchet		44
SCMT13914	3/8" Drive Rotator Ratchet		44
SCMT13915	Extensions - Male & Female	75mm	52
SCMT13916	Extensions - Male & Female	150mm	52
SCMT13917	Extensions - Male & Female	250mm	52
SCMT13918	Extensions - Male & Female	500mm	52
SCMT13920	Extensions - Male & Female Wobble	75mm	52
SCMT13921	Extensions - Male & Female Wobble	150mm	52
SCMT13922	Extensions - Male & Female Wobble	250mm	52
SCMT13925	3/8" Drive Adjustable Offset Handle		46
SCMT13928	3/8" Drive Sliding T Handle		46
SCMT13930	3/8" Drive Speed Brace		46
SCMT13950	Universal Joint		52
SCMT13970	3/8" Drive Maintenance Free Pear Head Ratchet		44
SCMT14104	41 Piece Metric/AF 1/2" Drive Socket Set		62
SCMT14105	40 Piece Metric/AF 1/2" Drive Socket Set		62
SCMT14110	24 Piece Metric/AF 1/2" Drive Socket Set		61
SCMT14115	52 Piece Metric/AF 1/2" Drive Socket & Spanner Set		71
SCMT14130	51 Piece Metric/AF 1/2" Drive Socket Set		63
SCMT14208	20 Piece Metric 1/2" Drive Socket Set		60
SCMT14210	33 Piece Metric 1/2" Drive Socket Set		61
SCMT14214	20 Piece Metric 1/2" Drive Socket Set		60
SCMT14225	12 Point Metric Sockets - Standard	8mm	53
SCMT14226	12 Point Metric Sockets - Standard	9mm	53
SCMT14227	12 Point Metric Sockets - Standard	10mm	53
SCMT14228	12 Point Metric Sockets - Standard	11mm	53
SCMT14229	12 Point Metric Sockets - Standard	12mm	53
SCMT14230	12 Point Metric Sockets - Standard	13mm	53
SCMT14231	12 Point Metric Sockets - Standard	14mm	53
SCMT14232	12 Point Metric Sockets - Standard	15mm	53
SCMT14233	12 Point Metric Sockets - Standard	16mm	53
SCMT14234	12 Point Metric Sockets - Standard	17mm	53
SCMT14235	12 Point Metric Sockets - Standard	18mm	53
SCMT14236	12 Point Metric Sockets - Standard	19mm	53
SCMT14237	12 Point Metric Sockets - Standard	20mm	53
SCMT14238	12 Point Metric Sockets - Standard	21mm	53
SCMT14239	12 Point Metric Sockets - Standard	22mm	53
SCMT14240	12 Point Metric Sockets - Standard	23mm	53
SCMT14241	12 Point Metric Sockets - Standard	24mm	53
SCMT14242	12 Point Metric Sockets - Standard	25mm	53

Part No.	Description	Size	Page
SCMT14243	12 Point Metric Sockets - Standard	26mm	53
SCMT14244	12 Point Metric Sockets - Standard	27mm	53
SCMT14245	12 Point Metric Sockets - Standard	28mm	53
SCMT14246	12 Point Metric Sockets - Standard	29mm	53
SCMT14247	12 Point Metric Sockets - Standard	30mm	53
SCMT14248	12 Point Metric Sockets - Standard	31mm	53
SCMT14249	12 Point Metric Sockets - Standard	32mm	53
SCMT14252	10 Piece 1/2" Drive Deep Socket Set		53
SCMT14255	12 Point Metric Sockets - Deep	10mm	53
SCMT14256	12 Point Metric Sockets - Deep	11mm	53
SCMT14257	12 Point Metric Sockets - Deep	12mm	53
SCMT14258	12 Point Metric Sockets - Deep	13mm	53
SCMT14259	12 Point Metric Sockets - Deep	14mm	53
SCMT14260	12 Point Metric Sockets - Deep	15mm	53
SCMT14261	12 Point Metric Sockets - Deep	16mm	53
SCMT14262	12 Point Metric Sockets - Deep	17mm	53
SCMT14263	12 Point Metric Sockets - Deep	18mm	53
SCMT14264	12 Point Metric Sockets - Deep	19mm	53
SCMT14274	7 Piece Metric 1/2" Drive In-Hex Socket Set		68
SCMT14275	13 Piece Metric 1/2" Drive In-Hex & Spline Socket Set		69
SCMT14280	Metric Inhex Sockets	6 x 60mm	54
SCMT14281	Metric Inhex Sockets	7 x 60mm	54
SCMT14282	Metric Inhex Sockets	8 x 60mm	54
SCMT14283	Metric Inhex Sockets	10 x 60mm	54
SCMT14284	Metric Inhex Sockets	12 x 60mm	54
SCMT14285	Metric Inhex Sockets	14 x 60mm	54
SCMT14286	Metric Inhex Sockets	17 x 60mm	54
SCMT14287	Metric Inhex Sockets	8 x 135mm	54
SCMT14288	Metric Inhex Sockets	10 x 135mm	54
SCMT14295	Spline Type Inhex Sockets	M6 x 60mm	54
SCMT14296	Spline Type Inhex Sockets	M8 x 110mm	54
SCMT14297	Spline Type Inhex Sockets	M10 x 110mm	54
SCMT14298	Spline Type Inhex Sockets	M12 x 110mm	54
SCMT14370	1/2" 8 Piece Torsion Bar Kit		153
SCMT14412	21 Piece AF 1/2" Drive Socket Set		61
SCMT14414	15 Piece AF 1/2" Drive Socket Set		60
SCMT14425	12 Point AF Sockets - Standard	3/8"	53
SCMT14426	12 Point AF Sockets - Standard	7/16"	53
SCMT14427	12 Point AF Sockets - Standard	1/2"	53
SCMT14428	12 Point AF Sockets - Standard	9/16"	53
SCMT14429	12 Point AF Sockets - Standard	5/8"	53
SCMT14430	12 Point AF Sockets - Standard	11/16"	53
SCMT14431	12 Point AF Sockets - Standard	3/4"	53
SCMT14432	12 Point AF Sockets - Standard	13/16"	53
SCMT14433	12 Point AF Sockets - Standard	7/8"	53
SCMT14434	12 Point AF Sockets - Standard	15/16"	53
SCMT14435	12 Point AF Sockets - Standard	1"	53
SCMT14436	12 Point AF Sockets - Standard	1-1/16"	53
SCMT14437	12 Point AF Sockets - Standard	1-1/8"	53
SCMT14438	12 Point AF Sockets - Standard	1-3/16"	53

Part No.	Description	Size	Page
SCMT14439	12 Point AF Sockets - Standard	1-1/4"	53
SCMT14445	12 Point Spark Plugs	5/8"	54
SCMT14446	12 Point Spark Plugs	13/16"	54
SCMT14454	12 Point AF Sockets - Deep	3/8"	53
SCMT14455	12 Point AF Sockets - Deep	7/16"	53
SCMT14456	12 Point AF Sockets - Deep	1/2"	53
SCMT14457	12 Point AF Sockets - Deep	9/16"	53
SCMT14458	12 Point AF Sockets - Deep	5/8"	53
SCMT14459	12 Point AF Sockets - Deep	11/16"	53
SCMT14460	12 Point AF Sockets - Deep	3/4"	53
SCMT14465	9 Piece AF 1/2" Drive In-Hex Socket Set		69
SCMT14470	AF Inhex Sockets	3/16" x 60mm	54
SCMT14471	AF Inhex Sockets	7/32" x 60mm	54
SCMT14472	AF Inhex Sockets	1/4" x 60mm	54
SCMT14473	AF Inhex Sockets	9/32" x 60mm	54
SCMT14474	AF Inhex Sockets	5/16" x 60mm	54
SCMT14475	AF Inhex Sockets	3/8" x 60mm	54
SCMT14476	AF Inhex Sockets	1/2" x 60mm	54
SCMT14477	AF Inhex Sockets	9/16" x 60mm	54
SCMT14478	AF Inhex Sockets	5/8" x 60mm	54
SCMT14904	1/2" Drive BigFella Ratchet		45
SCMT14906	1/2" Drive Reversible Ratchet		45
SCMT14907	1/2" Drive Swivel Head Ratchet with T-Bar Handle		47
SCMT14914	1/2" Drive Rotator Ratchet		45
SCMT14915	Extensions - Male & Female	65mm	54
SCMT14916	Extensions - Male & Female	125mm	54
SCMT14917	Extensions - Male & Female	250mm	54
SCMT14918	Extensions - Male & Female	500mm	54
SCMT14919	1/2" Drive Microtough Ratchet		45
SCMT14920	Extensions - Male & Female Wobble	70mm	54
SCMT14921	Extensions - Male & Female Wobble	150mm	54
SCMT14922	Extensions - Male & Female Wobble	250mm	54
SCMT14925	Extension		54
SCMT14930	1/2" Drive Adjustable Offset Handle		46
SCMT14931	1/2" Drive Adjustable Offset Handle		46
SCMT14932	1/2" Drive Adjustable Offset Handle		46
SCMT14933	1/2" Drive Adjustable Offset Handle		46
SCMT14935	1/2" Drive Sliding T Handle		46
SCMT14937	1/2" Drive Speed Brace		47
SCMT14940	Universal Joint		54
SCMT14941	1/2" Drive ELL Handle		47
SCMT14947	1/2" Drive Extra Long Adjustable Offset Handle		46
SCMT14948	1/2" Drive Extra Long Adjustable Offset Handle		46
SCMT14949	1/2" Drive Impact Bar		47
SCMT14970	1/2" Drive Maintenance Free Pear Head Ratchet		45
SCMT15106	32 Piece Metric/AF 3/4" Drive Socket Set		64
SCMT15205	17 Piece Metric 3/4" Drive Socket Set		64
SCMT15405	19 Piece AF 3/4" Drive Socket Set		64





Part No.	Description	Size	Page
SCMT15715	12 Point Metric Sockets - Standard	19mm	55
SCMT15717	12 Point Metric Sockets - Standard	22mm	55
SCMT15718	12 Point Metric Sockets - Standard	24mm	55
SCMT15720	12 Point Metric Sockets - Standard	27mm	55
SCMT15722	12 Point Metric Sockets - Standard	30mm	55
SCMT15723	12 Point Metric Sockets - Standard	32mm	55
SCMT15725	12 Point Metric Sockets - Standard	36mm	55
SCMT15726	12 Point Metric Sockets - Standard	38mm	55
SCMT15727	12 Point Metric Sockets - Standard	41mm	55
SCMT15728	12 Point Metric Sockets - Standard	46mm	55
SCMT15729	12 Point Metric Sockets - Standard	50mm	55
SCMT15730	12 Point Metric Sockets - Standard	55mm	55
SCMT15800	12 Point AF Sockets - Standard	3/4"	55
SCMT15801	12 Point AF Sockets - Standard	13/16"	55
SCMT15802	12 Point AF Sockets - Standard	7/8"	55
SCMT15803	12 Point AF Sockets - Standard	15/16"	55
SCMT15804	12 Point AF Sockets - Standard	1"	55
SCMT15805	12 Point AF Sockets - Standard	1-1/16"	55
SCMT15806	12 Point AF Sockets - Standard	1-1/8"	55
SCMT15807	12 Point AF Sockets - Standard	1-3/16"	55
SCMT15808	12 Point AF Sockets - Standard	1-1/4"	55
SCMT15809	12 Point AF Sockets - Standard	1-5/16"	55
SCMT15810	12 Point AF Sockets - Standard	1-3/8"	55
SCMT15811	12 Point AF Sockets - Standard	1-7/16"	55
SCMT15812	12 Point AF Sockets - Standard	1-1/2"	55
SCMT15813	12 Point AF Sockets - Standard	1-5/8"	55
SCMT15814	12 Point AF Sockets - Standard	1-11/16"	55
SCMT15815	12 Point AF Sockets - Standard	1-3/4"	55
SCMT15816	12 Point AF Sockets - Standard	1-13/16"	55
SCMT15817	12 Point AF Sockets - Standard	1-7/8"	55
SCMT15818	12 Point AF Sockets - Standard	2"	55
SCMT15951	Extensions - Male & Female	100mm	55
SCMT15952	Extensions - Male & Female	200mm	55
SCMT15953	Extensions - Male & Female	400mm	55
SCMT15954	3/4" Drive Adjustable Offset Handle		47
SCMT15955	3/4" Drive Sliding T Handle		47
SCMT15956	3/4" Drive ELL Handle		47
SCMT15957	Universal Joint		55
SCMT15970	3/4" Drive Dust Proof Ratchet		45
SCMT19105	38 Piece Metric/AF 1/4" & 3/8" Drive Socket Set		65
SCMT19107	10 Piece 1/4 & 3/8" Drive Socket Set - Tru-Torque (TORX®)		67
SCMT19120	64 Piece Metric/AF 1/4", 3/8" & 1/2" Socket Set		66
SCMT19130	37 Piece Metric/AF 1/4" & 1/2" Drive Socket Set		66
SCMT19135	51 Piece Metric/AF 1/4" & 1/2" Drive Socket Set		66
SCMT19155	Adaptor	3/8" Female to 1/4" Male	52
SCMT19156	Adaptor	1/2" Female to 3/8" Male	54

Part No.	Description	Size	Page
SCMT19157	Adaptor	3/8" Female to 1/2" Male	52
SCMT19158	Adaptor	3/4" Female to 1/2" Male	55
SCMT19159	Adaptor	1/2" Female to 3/4" Male	54
SCMT19160	Adaptor	3/4" Female to 1" Male	55
SCMT19230	57 Piece Metric 1/4" & 3/8" Drive Socket Set		65
SCMT20211	8 Piece Open End Spanner Set - Metric		86
SCMT20213	11 Piece Open End Spanner Set - Metric		86
SCMT20411	9 Piece Open End Spanner Set - AF		87
SCMT20412	7 Piece Open End Spanner Set - AF		87
SCMT20700	Open End Spanners - Metric	6 x 7mm	86
SCMT20701	Open End Spanners - Metric	8 x 9mm	86
SCMT20702	Open End Spanners - Metric	10 x 11mm	86
SCMT20703	Open End Spanners - Metric	12 x 13mm	86
SCMT20704	Open End Spanners - Metric	14 x 15mm	86
SCMT20705	Open End Spanners - Metric	16 x 17mm	86
SCMT20706	Open End Spanners - Metric	18 x 19mm	86
SCMT20707	Open End Spanners - Metric	20 x 22mm	86
SCMT20708	Open End Spanners - Metric	21 x 23mm	86
SCMT20709	Open End Spanners - Metric	24 x 27mm	86
SCMT20710	Open End Spanners - Metric	30 x 32mm	86
SCMT20800	Open End Spanners - AF	1/4 x 5/16"	86
SCMT20801	Open End Spanners - AF	3/8 x 7/16"	86
SCMT20802	Open End Spanners - AF	7/16 x 1/2"	86
SCMT20803	Open End Spanners - AF	1/2 x 9/16"	86
SCMT20804	Open End Spanners - AF	5/8 x 11/16"	86
SCMT20805	Open End Spanners - AF	11/16 x 3/4"	86
SCMT20807	Open End Spanners - AF	13/16 x 7/8"	86
SCMT20808	Open End Spanners - AF	15/16 x 1"	86
SCMT20809	Open End Spanners - AF	15/16 x 1-1/16"	86
SCMT20810	Open End Spanners - AF	1-1/8 x 1-1/4"	86
SCMT21100	13 Piece Metric & AF Ring Spanner Set		88
SCMT21202	6 Piece Flat Ring Spanner Set - Metric		89
SCMT21206	7 Piece Ring Spanner Set - Metric		88
SCMT21211	11 Piece Ring Spanner Set - Metric		88
SCMT21257	5 Piece Flare Nut Spanner Set - Metric		90
SCMT21300	Ring Spanners - Metric	6 x 7mm	87
SCMT21301	Ring Spanners - Metric	8 x 9mm	87
SCMT21302	Ring Spanners - Metric	10 x 11mm	87
SCMT21303	Ring Spanners - Metric	12 x 13mm	87
SCMT21304	Ring Spanners - Metric	14 x 15mm	87
SCMT21305	Ring Spanners - Metric	16 x 17mm	87
SCMT21306	Ring Spanners - Metric	18 x 19mm	87
SCMT21307	Ring Spanners - Metric	20 x 22mm	87
SCMT21308	Ring Spanners - Metric	21 x 23mm	87
SCMT21309	Ring Spanners - Metric	24 x 27mm	87
SCMT21310	Ring Spanners - Metric	30 x 32mm	87
SCMT21321	Long Flat Ring Spanners - Metric	10 x 11mm	89
SCMT21322	Long Flat Ring Spanners - Metric	12 x 14mm	89

Part No.	Description	Size	Page
SCMT21323	Long Flat Ring Spanners - Metric	13 x 15mm	89
SCMT21324	Long Flat Ring Spanners - Metric	16 x 18mm	89
SCMT21325	Long Flat Ring Spanners - Metric	17 x 19mm	89
SCMT21326	Long Flat Ring Spanners - Metric	22 x 24mm	89
SCMT21350	11 Piece Ratchet Ring Driver - Metric		91
SCMT21412	6 Piece Ring Spanner Set - AF		89
SCMT21413	8 Piece Ring Spanner Set - AF		89
SCMT21459	4 Piece Flare Nut Spanner Set - AF		90
SCMT21500	Ring Spanners - AF	1/4 x 5/16"	87
SCMT21501	Ring Spanners - AF	3/8 x 7/16"	87
SCMT21502	Ring Spanners - AF	7/16 x 1/2"	87
SCMT21503	Ring Spanners - AF	1/2 x 9/16"	87
SCMT21504	Ring Spanners - AF	9/16 x 5/8"	87
SCMT21505	Ring Spanners - AF	5/8 x 11/16"	87
SCMT21506	Ring Spanners - AF	11/16 x 3/4"	87
SCMT21507	Ring Spanners - AF	3/4 x 7/8"	87
SCMT21508	Ring Spanners - AF	13/16 x 7/8"	87
SCMT21509	Ring Spanners - AF	15/16 x 1"	87
SCMT21510	Ring Spanners - AF	1" x 1-1/8"	87
SCMT21511	Ring Spanners - AF	1-1/8 x 1-1/4"	87
SCMT21700	Flare Nut Spanners - AF	3/8 x 7/16"	90
SCMT21701	Flare Nut Spanners - AF	1/2 x 9/16"	90
SCMT21702	Flare Nut Spanners - AF	5/8 x 11/16"	90
SCMT21703	Flare Nut Spanners - AF	3/4 x 7/8"	90
SCMT21704	Flare Nut Spanners - Metric	10 x 11mm	90
SCMT21705	Flare Nut Spanners - Metric	12 x 13mm	90
SCMT21706	Flare Nut Spanners - Metric	13 x 14mm	90
SCMT21707	Flare Nut Spanners - Metric	15 x 17mm	90
SCMT21708	Flare Nut Spanners - Metric	19 x 22mm	90
SCMT22104	24 Piece Ring & Open End Spanner Set - Metric & AF		78
SCMT22105	16 Piece Ring & Open End Spanner Set - Metric & AF		78
SCMT22106	24 Piece 440 Pro Series Ring & Open End Spanner Set - Metric & AF		75
SCMT22201	16 Piece 467 Pro Series Geared Spanners Set - Metric		82
SCMT22202	10 Piece Pro Series Geared Spanners Set - Metric		83
SCMT22203	10 Piece 467 Pro Series Stubby Geared Spanners Set - Metric		84
SCMT22204	5 Piece Flex-Head Geared Spanners Set - Metric		85
SCMT22208	10 Piece Ring & Open End Spanner Set - Metric		79
SCMT22209	7 Piece Ring & Open End Spanner Set - Metric		79
SCMT22210	14 Piece Ring & Open End Spanner Set - Metric		78
SCMT22211	13 Piece Pro Series Geared Spanners Set - AF		83
SCMT22212	6 Piece 467 Pro Series Geared Spanners Spanner Set - Metric		82
SCMT22215	Ring & Open End Spanners - Metric	6mm	77
SCMT22216	Ring & Open End Spanners - Metric	7mm	77
SCMT22217	Ring & Open End Spanners - Metric	8mm	77
SCMT22218	Ring & Open End Spanners - Metric	9mm	77

Part No.	Description	Size	Page
SCMT22219	Ring & Open End Spanners - Metric	10mm	77
SCMT22220	Ring & Open End Spanners - Metric	11mm	77
SCMT22221	Ring & Open End Spanners - Metric	12mm	77
SCMT22222	Ring & Open End Spanners - Metric	13mm	77
SCMT22223	Ring & Open End Spanners - Metric	14mm	77
SCMT22224	Ring & Open End Spanners - Metric	15mm	77
SCMT22225	Ring & Open End Spanners - Metric	16mm	77
SCMT22226	Ring & Open End Spanners - Metric	17mm	77
SCMT22227	Ring & Open End Spanners - Metric	18mm	77
SCMT22228	Ring & Open End Spanners - Metric	19mm	77
SCMT22229	Ring & Open End Spanners - Metric	20mm	77
SCMT22230	Ring & Open End Spanners - Metric	21mm	77
SCMT22231	Ring & Open End Spanners - Metric	22mm	77
SCMT22232	Ring & Open End Spanners - Metric	23mm	77
SCMT22233	Ring & Open End Spanners - Metric	24mm	77
SCMT22236	Ring & Open End Spanners - Metric	27mm	77
SCMT22239	Ring & Open End Spanners - Metric	30mm	77
SCMT22240	Ring & Open End Spanners - Metric	32mm	77
SCMT22241	Ring & Open End Spanners - Metric	36mm	77
SCMT22242	Ring & Open End Spanners - Metric	41mm	77
SCMT22243	Ring & Open End Spanners - Metric	46mm	77
SCMT22244	Ring & Open End Spanners - Metric	50mm	77
SCMT22255	Geared Spanners Flex Head	8mm	85
SCMT22265	467 Pro Series Reversible Geared Spanners - Metric	10mm	81
SCMT22266	467 Pro Series Reversible Geared Spanners - Metric	11mm	81
SCMT22267	467 Pro Series Reversible Geared Spanners - Metric	12mm	81
SCMT22268	467 Pro Series Reversible Geared Spanners - Metric	13mm	81
SCMT22269	467 Pro Series Reversible Geared Spanners - Metric	14mm	81
SCMT22270	467 Pro Series Reversible Geared Spanners - Metric	15mm	81
SCMT22271	467 Pro Series Reversible Geared Spanners - Metric	16mm	81
SCMT22272	467 Pro Series Reversible Geared Spanners - Metric	17mm	81
SCMT22273	467 Pro Series Reversible Geared Spanners - Metric	18mm	81
SCMT22274	467 Pro Series Reversible Geared Spanners - Metric	19mm	81
SCMT22275	467 Pro Series Reversible Geared Spanners Stubby - Metric	10mm	84
SCMT22276	467 Pro Series Reversible Geared Spanners Stubby - Metric	11mm	84
SCMT22277	467 Pro Series Reversible Geared Spanners Stubby - Metric	12mm	84
SCMT22278	467 Pro Series Reversible Geared Spanners Stubby - Metric	13mm	84
SCMT22279	467 Pro Series Reversible Geared Spanners Stubby - Metric	14mm	84
SCMT22285	Geared Spanners Flex Head	10mm	85
SCMT22286	Geared Spanners Flex Head	11mm	85
SCMT22287	Geared Spanners Flex Head	12mm	85
SCMT22288	Geared Spanners Flex Head	13mm	85
SCMT22289	Geared Spanners Flex Head	14mm	85
SCMT22296	5 Piece 440 Pro Series Spanners - Metric		76





Part No.	Description	Size	Page
SCMT22297	14 Piece 440 Pro Series Ring & Open End Spanner Set - Metric		75
SCMT22298	14 Piece Pro Series Geared Spanners Set - Metric		82
SCMT22300	467 Pro Series Reversible Geared Spanners Stubby - Metric	8mm	84
SCMT22301	467 Pro Series Reversible Geared Spanners Stubby - Metric	9mm	84
SCMT22306-440	440 Pro Series Ring & Open End Spanner - Metric	6mm	74
SCMT22307-440	440 Pro Series Ring & Open End Spanner - Metric	7mm	74
SCMT22308-440	440 Pro Series Ring & Open End Spanner - Metric	8mm	74
SCMT22309-440	440 Pro Series Ring & Open End Spanner - Metric	9mm	74
SCMT22310-440	440 Pro Series Ring & Open End Spanner - Metric	10mm	74
SCMT22311-440	440 Pro Series Ring & Open End Spanner - Metric	11mm	74
SCMT22312-440	440 Pro Series Ring & Open End Spanner - Metric	12mm	74
SCMT22313-440	440 Pro Series Ring & Open End Spanner - Metric	13mm	74
SCMT22314-440	440 Pro Series Ring & Open End Spanner - Metric	14mm	74
SCMT22315-440	440 Pro Series Ring & Open End Spanner - Metric	15mm	74
SCMT22316-440	440 Pro Series Ring & Open End Spanner - Metric	16mm	74
SCMT22317-440	440 Pro Series Ring & Open End Spanner - Metric	17mm	74
SCMT22318-440	440 Pro Series Ring & Open End Spanner - Metric	18mm	74
SCMT22319-440	440 Pro Series Ring & Open End Spanner - Metric	19mm	74
SCMT22320-440	440 Pro Series Ring & Open End Spanner - Metric	20mm	74
SCMT22321-440	440 Pro Series Ring & Open End Spanner - Metric	21mm	74
SCMT22322-440	440 Pro Series Ring & Open End Spanner - Metric	22mm	74
SCMT22323-440	440 Pro Series Ring & Open End Spanner - Metric	23mm	74
SCMT22324-440	440 Pro Series Ring & Open End Spanner - Metric	24mm	74
SCMT22327-440	440 Pro Series Ring & Open End Spanner - Metric	27mm	74
SCMT22330-440	440 Pro Series Ring & Open End Spanner - Metric	30mm	74
SCMT22332-440	440 Pro Series Ring & Open End Spanner - Metric	32mm	74
SCMT22351	467 Pro Series Reversible Geared Spanners - Metric	21mm	81
SCMT22352	467 Pro Series Reversible Geared Spanners - Metric	22mm	81
SCMT22354	467 Pro Series Reversible Geared Spanners - Metric	24mm	81
SCMT22355	467 Pro Series Reversible Geared Spanners - Metric	27mm	81
SCMT22356	467 Pro Series Reversible Geared Spanners - Metric	30mm	81
SCMT22357	467 Pro Series Reversible Geared Spanners - Metric	32mm	81
SCMT22360	467 Pro Series Reversible Geared Spanners - Metric	6mm	81
SCMT22361	467 Pro Series Reversible Geared Spanners - Metric	7mm	81
SCMT22362	467 Pro Series Reversible Geared Spanners - Metric	8mm	81
SCMT22363	467 Pro Series Reversible Geared Spanners - Metric	9mm	81

Part No.	Description	Size	Page
SCMT22402	7 Piece Pro Series Geared Spanners Set - AF		83
SCMT22403	7 Piece 467 Pro Series Stubby Geared Spanners Set - AF		84
SCMT22408	10 Piece Ring & Open End Spanner Set		80
SCMT22410	13 Piece Ring & Open End Spanner Set - AF		79
SCMT22413	7 Piece Ring & Open End Spanner Set - AF		80
SCMT22415	Ring & Open End Spanners - AF	1/4"	77
SCMT22416	Ring & Open End Spanners - AF	5/16"	77
SCMT22417	Ring & Open End Spanners - AF	3/8"	77
SCMT22418	Ring & Open End Spanners - AF	7/16"	77
SCMT22419	Ring & Open End Spanners - AF	1/2"	77
SCMT22420	Ring & Open End Spanners - AF	9/16"	77
SCMT22421	Ring & Open End Spanners - AF	5/8"	77
SCMT22422	Ring & Open End Spanners - AF	11/16"	77
SCMT22423	Ring & Open End Spanners - AF	3/4"	77
SCMT22424	Ring & Open End Spanners - AF	13/16"	77
SCMT22425	Ring & Open End Spanners - AF	7/8"	77
SCMT22426	Ring & Open End Spanners - AF	15/16"	77
SCMT22427	Ring & Open End Spanners - AF	1"	77
SCMT22428	Ring & Open End Spanners - AF	1-1/16"	77
SCMT22429	Ring & Open End Spanners - AF	1-1/8"	77
SCMT22430	Ring & Open End Spanners - AF	1-1/4"	77
SCMT22431	Ring & Open End Spanners - AF	1-5/16"	77
SCMT22432	Ring & Open End Spanners - AF	1-3/8"	77
SCMT22433	Ring & Open End Spanners - AF	1-7/16"	77
SCMT22434	Ring & Open End Spanners - AF	1-1/2"	77
SCMT22435	Ring & Open End Spanners - AF	1-5/8"	77
SCMT22436	Ring & Open End Spanners - AF	1-11/16"	77
SCMT22437	Ring & Open End Spanners - AF	1-3/4"	77
SCMT22438	Ring & Open End Spanners - AF	1-13/16"	77
SCMT22439	Ring & Open End Spanners - AF	1-7/8"	77
SCMT22440	Ring & Open End Spanners - AF	2"	77
SCMT22442	5 Piece 440 Pro Series Spanners - AF		76
SCMT22443	14 Piece 440 Pro Series Ring & Open End Spanner Set - AF		75
SCMT22462	467 Pro Series Reversible Geared Spanners - AF	3/8"	81
SCMT22463	467 Pro Series Reversible Geared Spanners - AF	7/16"	81
SCMT22464	467 Pro Series Reversible Geared Spanners - AF	1/2"	81
SCMT22465	467 Pro Series Reversible Geared Spanners - AF	9/16"	81
SCMT22466	467 Pro Series Reversible Geared Spanners - AF	5/8"	81
SCMT22467	467 Pro Series Reversible Geared Spanners - AF	11/16"	81
SCMT22468	467 Pro Series Reversible Geared Spanners - AF	3/4"	81
SCMT22469	467 Pro Series Reversible Geared Spanners Stubby - AF	3/8"	84
SCMT22470	467 Pro Series Reversible Geared Spanners Stubby - AF	7/16"	84
SCMT22471	467 Pro Series Reversible Geared Spanners Stubby - AF	1/2"	84
SCMT22472	467 Pro Series Reversible Geared Spanners Stubby - AF	9/16"	84

Part No.	Description	Size	Page
SCMT22473	467 Pro Series Reversible Geared Spanners Stubby - AF	5/8"	84
SCMT22474	467 Pro Series Reversible Geared Spanners Stubby - AF	11/16"	84
SCMT22475	467 Pro Series Reversible Geared Spanners Stubby - AF	3/4"	84
SCMT22476	467 Pro Series Reversible Geared Spanners - AF	13/16"	81
SCMT22477	467 Pro Series Reversible Geared Spanners - AF	7/8"	81
SCMT22478	467 Pro Series Reversible Geared Spanners - AF	15/16"	81
SCMT22479	467 Pro Series Reversible Geared Spanners - AF	1"	81
SCMT22480	467 Pro Series Reversible Geared Spanners - AF	1-1/16"	81
SCMT22481	467 Pro Series Reversible Geared Spanners - AF	1-1/8"	81
SCMT22483	467 Pro Series Reversible Geared Spanners - AF	1-1/4"	81
SCMT22484	467 Pro Series Reversible Geared Spanners - AF	1/4"	81
SCMT22485	467 Pro Series Reversible Geared Spanners - AF	5/16"	81
SCMT22490	467 Pro Series Reversible Geared Spanners Stubby - AF	5/16"	84
SCMT22510-440	440 Pro Series Ring & Open End Spanners - AF	1/4"	74
SCMT22511-440	440 Pro Series Ring & Open End Spanners - AF	9/32"	74
SCMT22512-440	440 Pro Series Ring & Open End Spanners - AF	5/16"	74
SCMT22513-440	440 Pro Series Ring & Open End Spanners - AF	11/32"	74
SCMT22514-440	440 Pro Series Ring & Open End Spanners - AF	3/8"	74
SCMT22515-440	440 Pro Series Ring & Open End Spanners - AF	7/16"	74
SCMT22516-440	440 Pro Series Ring & Open End Spanners - AF	1/2"	74
SCMT22517-440	440 Pro Series Ring & Open End Spanners - AF	9/16"	74
SCMT22518-440	440 Pro Series Ring & Open End Spanners - AF	5/8"	74
SCMT22519-440	440 Pro Series Ring & Open End Spanners - AF	11/16"	74
SCMT22520-440	440 Pro Series Ring & Open End Spanners - AF	3/4"	74
SCMT22521-440	440 Pro Series Ring & Open End Spanners - AF	13/16"	74
SCMT22522-440	440 Pro Series Ring & Open End Spanners - AF	7/8"	74
SCMT22523-440	440 Pro Series Ring & Open End Spanners - AF	15/16"	74
SCMT22524-440	440 Pro Series Ring & Open End Spanners - AF	1"	74
SCMT22525-440	440 Pro Series Ring & Open End Spanners - AF	1-1/16"	74
SCMT22526-440	440 Pro Series Ring & Open End Spanners - AF	1-1/8"	74
SCMT22527-440	440 Pro Series Ring & Open End Spanners - AF	1-3/16"	74
SCMT22528-440	440 Pro Series Ring & Open End Spanners - AF	1-1/4"	74
SCMT25105	Adjustable Big Mouth Wrench Premium		91
SCMT25110	Premium Chrome Plated Adjustable Wrench	100mm	91
SCMT25111	Premium Chrome Plated Adjustable Wrench	150mm	91
SCMT25112	Premium Chrome Plated Adjustable Wrench	200mm	91
SCMT25113	Premium Chrome Plated Adjustable Wrench	250mm	91

Part No.	Description	Size	Page
SCMT25114	Premium Chrome Plated Adjustable Wrench	300mm	91
SCMT25115	Premium Chrome Plated Adjustable Wrench	375mm	91
SCMT25116	Premium Chrome Plated Adjustable Wrench	450mm	91
SCMT25150	Adjustable Wrenches Chrome Plated	100mm	91
SCMT25151	Adjustable Wrenches Chrome Plated	150mm	91
SCMT25152	Adjustable Wrenches Chrome Plated	200mm	91
SCMT25153	Adjustable Wrenches Chrome Plated	250mm	91
SCMT25154	Adjustable Wrenches Chrome Plated	300mm	91
SCMT25155	Adjustable Wrenches Chrome Plated	375mm	91
SCMT25156	Adjustable Wrenches Chrome Plated	450mm	91
SCMT25157	Adjustable Wrenches Chrome Plated	600mm	91
SCMT25206	Premium Black Finish Adjustable Wrenches	150mm	91
SCMT25207	Premium Black Finish Adjustable Wrenches	200mm	91
SCMT25208	Premium Black Finish Adjustable Wrenches	250mm	91
SCMT25209	Premium Black Finish Adjustable Wrenches	300mm	91
SCMT25210	Premium Black Finish Adjustable Wrenches	375mm	91
SCMT25211	Premium Black Finish Adjustable Wrenches	450mm	91
SCMT26103	Outside Micrometers	0-25mm	123
SCMT26104	Outside Micrometers	25-50mm	123
SCMT26105	Outside Micrometers	50-75mm	123
SCMT26106	Outside Micrometers	75-100mm	123
SCMT26107	3 Piece Outside Micrometer Set		123
SCMT26108	Digital Outside Micrometer		124
SCMT26109	Magnetic Base		124
SCMT26110	0-10mm Dial Indicator		124
SCMT26112	Digital Dial Indicator		124
SCMT26113	Vernier Calipers	0-150mm/6"	122
SCMT26114	Vernier Calipers	0-200mm/8"	122
SCMT26115	Digital Calipers	0-150mm/6"	122
SCMT26116	Digital Calipers	0-200mm/8"	122
SCMT26117	Digital Calipers	0-300mm/12"	122
SCMT26118	Dual Graduation Dial Caliper	0-150mm/6"	122
SCMT26119	6 Piece Telescoping Gauge Set		124
SCMT26134	8M Measuring Tape		124
SCMT26912	Torque Wrench 3/8" Drive, 1-20Nm (10-180 in/lb)		133
SCMT26913	Torque Wrench 3/8" Drive, 8-60Nm (5-45 ft/lb)		133
SCMT26914	Torque Wrench 3/4" Drive, 80-400Nm (60-300 ft/lb)		133
SCMT26915	Torque Wrench 1/2" Drive, 40-200Nm (30-150 ft/lb)		133
SCMT26920	Torque Wrench 3/8" Drive, 1-22Nm (10-200 in/lb)		133
SCMT26921	Torque Wrench 3/8" Drive, 5-110Nm (4-80 ft/lb)		134
SCMT26922	Torque Wrench 1/2" Drive, 10-160Nm (10-120 ft/lb)		134
SCMT26923	Torque Wrench 1/2" Drive, 30-270Nm (20-200 ft/lb)		134
SCMT26924	1/4" Dr 1.5-30Nm Digital Torque Wrench		132
SCMT26933	1/2" Micrometer Torque Wrench 40-200Nm (35-150 ft/lb)		134
SCMT26940	Angle Digital Adaptor 0° to 360°		132
SCMT26943	Torque & Angle Digital Adaptor 17-340Nm		132





Part No.	Description	Size	Page
SCMT26950	Digital Torque Wrench inc. Angle Adjustment - 1/4"Dr 1.5-30Nm		132
SCMT26952	Digital Torque Wrench inc. Angle Adjustment - 1/2"Dr 10-200Nm		132
SCMT27105	5 Piece Centre Punch Set		118
SCMT27110	Centre Punch	100mm x 2mm	119
SCMT27111	Centre Punch	100mm x 2.5mm	119
SCMT27112	Centre Punch	100mm x 3mm	119
SCMT27113	Centre Punch	100mm x 4mm	119
SCMT27114	Centre Punch	100mm x 5mm	119
SCMT27115	Centre Punch	125mm x 6.5mm	119
SCMT27116	Centre Punch	125mm x 8mm	119
SCMT27117	Centre Punch	150mm x 10mm	119
SCMT27118	Centre Punch	150mm x 12mm	119
SCMT27130	5 Piece Nail Punch Set		118
SCMT27155	6 Piece Starter Drift Punch Set		119
SCMT27190	7 Piece Short Pin Punch Set		118
SCMT27205	8 Piece Long Pin Punch Set		117
SCMT27209	9 Piece Combination Pin Punch Set		117
SCMT27210	Long Pin Punch	155mm x 2.5mm	119
SCMT27211	Long Pin Punch	155mm x 3mm	119
SCMT27212	Long Pin Punch	160mm x 4mm	119
SCMT27213	Long Pin Punch	165mm x 5mm	119
SCMT27214	Long Pin Punch	170mm x 6mm	119
SCMT27241	10 Piece Combination Punch Set		117
SCMT27303	3 Piece Cold Chisel Set		120
SCMT27305	5 Piece Cold Chisel Set		120
SCMT27330	Cold Chisel	150mm x 12mm	119
SCMT27331	Cold Chisel	175mm x 16mm	119
SCMT27332	Cold Chisel	200mm x 19mm	119
SCMT27333	Cold Chisel	230mm x 22mm	119
SCMT27334	Cold Chisel	250mm x 25mm	119
SCMT27436	Club Hammer		116
SCMT27440	Antivibe Ball Pein Hammer	225g	116
SCMT27441	Antivibe Ball Pein Hammer	450g	116
SCMT27442	Antivibe Ball Pein Hammer	680g	116
SCMT27443	Antivibe Ball Pein Hammer	900g	116
SCMT28407	Curved Jaw Locking Pliers	35mm	108
SCMT28408	Curved Jaw Locking Pliers	50mm	108
SCMT28416	Versa Jaw Locking Pliers		108
SCMT28460	Mini Plier Set		110
SCMT28500	Locking Twin Slip Joint Multigrip Pliers	250mm	108
SCMT28502	High Performance Multigrip Pliers 250mm		108
SCMT28510	Diagonal Cutting Pliers (Side Cutters)	160mm	105
SCMT28511	Diagonal Cutting Pliers (Side Cutters)	180mm	105
SCMT28512	Diagonal Cutting Pliers (Side Cutters)	200mm	105
SCMT28520	Long Nose Pliers	200mm	106
SCMT28522	Long Nose Pliers Bent	200mm	106
SCMT28523	Long Nose Pliers	160mm	106
SCMT28530	Combination Pliers	165mm	105

Part No.	Description	Size	Page
SCMT28531	Combination Pliers	185mm	105
SCMT28532	Combination Pliers	200mm	105
SCMT28535	Linesman Plier	208mm	105
SCMT28552	Heavy Duty End Nipper Pliers	230mm	110
SCMT28560	Heavy Duty Universal Shears - Straight		112
SCMT28561	Heavy Duty Universal Shears - Bent		112
SCMT28562	Heavy Duty Scissors		112
SCMT28563	Aviation Snips	Left Cut - Red	113
SCMT28564	Aviation Snips	Right Cut - Green	113
SCMT28565	Aviation Snips	Straight Cut - Yellow	113
SCMT28566	Offset Aviation Snips	Offset Left - Red	113
SCMT28567	Offset Aviation Snips	Offset Right - Green	113
SCMT28568	Heavy Duty Multi-Functional Scissors		112
SCMT28582	Circlip Pliers External Straight	19-60mm	109
SCMT28583	Circlip Pliers External Bent	19-60mm	109
SCMT28584	Circlip Pliers Internal Straight	19-60mm	110
SCMT28585	Circlip Pliers Internal Bent	19-60mm	110
SCMT29070	Thru Tang Screwdriver Standard Tip	5mm x 100mm	98
SCMT29071	Thru Tang Screwdriver Standard Tip	6mm x 150mm	98
SCMT29072	Thru Tang Screwdriver Standard Tip	8mm x 200mm	98
SCMT29073	Thru Tang Screwdriver Standard Tip	10mm x 250mm	98
SCMT29080	Thru Tang Screwdriver Phillips® Tip	75mm x #1	98
SCMT29081	Thru Tang Screwdriver Phillips® Tip	100mm x #2	98
SCMT29082	Thru Tang Screwdriver Phillips® Tip	150mm x #2	98
SCMT29083	Thru Tang Screwdriver Phillips® Tip	200mm x #3	98
SCMT29179	Ergonomic Screwdrivers Phillips® Tip	75mm x #0	98
SCMT29180	Ergonomic Screwdrivers Phillips® Tip	75mm x #1	98
SCMT29181	Ergonomic Screwdrivers Phillips® Tip	40mm x #2	98
SCMT29182	Ergonomic Screwdrivers Phillips® Tip	100mm x #2	98
SCMT29183	Ergonomic Screwdrivers Phillips® Tip	200mm x #2	98
SCMT29184	Ergonomic Screwdrivers Phillips® Tip	150mm x #3	98
SCMT29187	Ergonomic Screwdrivers Standard Tip	75mm x 3.2mm	98
SCMT29188	Ergonomic Screwdrivers Standard Tip	100mm x 4.75mm	98
SCMT29189	Ergonomic Screwdrivers Standard Tip	150mm x 4.75mm	98
SCMT29190	Ergonomic Screwdrivers Standard Tip	200mm x 4.75mm	98
SCMT29191	Ergonomic Screwdrivers Standard Tip	40mm x 6.35mm	98
SCMT29192	Ergonomic Screwdrivers Standard Tip	100mm x 6.35mm	98
SCMT29193	Ergonomic Screwdrivers Standard Tip	250mm x 6.35mm	98
SCMT29194	Ergonomic Screwdrivers Standard Tip	150mm x 7.9mm	98
SCMT29195	Ergonomic Screwdrivers Standard Tip	200mm x 9.5mm	98
SCMT29300	16 Piece Ratcheting Screwdriver Set		99
SCMT29505	Hex Key Set A/F Long Ball Point 8 Piece		101
SCMT29510	Hex Key Set Metric Long Ball Point 9 Piece		101
SCMT29515	Tonx® Key Set 8 Piece		101
SCMT29520	Hex Key Set Metric 9 Piece		101

Part No.	Description	Size	Page
SCMT29525	Hex Key Set A/F 8 Piece		101
SCMT29530	9 Piece Long Arm Ball Point Hex Key Set - Metric		102
SCMT29540	9 Piece Long Arm Ball Point Hex Key Set - AF		102
SCMT29550	8 Piece T Handle Hex Key Set - Metric		102
SCMT29560	10 Piece T Handle Hex Key Set - AF		102
SCMT29570	21 Pce T-Handle Ratcheting Screwdriver		99
SCMT29700	8 Piece Pro Twist Screwdriver Set		97
SCMT29701	7 Piece Pro Twist Shock Thru Tang Screwdriver Set		97
SCMT29721	Pro Twist Shock Thru Tang Screwdriver Standard Tip	5.5mm x 125mm	97
SCMT29722	Pro Twist Shock Thru Tang Screwdriver Standard Tip	6.5mm x 150mm	97
SCMT29723	Pro Twist Shock Thru Tang Screwdriver Standard Tip	8mm x 175mm	97
SCMT29725	Pro Twist Shock Thru Tang Screwdriver Standard Tip	10mm x 175mm	97
SCMT29740	Pro Twist Screwdriver Standard Tip	2.5mm x 75mm	97
SCMT29743	Pro Twist Screwdriver Standard Tip	4mm x 100mm	97
SCMT29745	Pro Twist Screwdriver Standard Tip	5.5mm x 150mm	97
SCMT29749	Pro Twist Screwdriver Standard Tip	8mm x 150mm	97
SCMT29780	Pro Twist Screwdriver Phillips® Tip	#0 x 75mm	97
SCMT29781	Pro Twist Screwdriver Phillips® Tip	#1 x 100mm	97
SCMT29782	Pro Twist Screwdriver Phillips® Tip	#2 x 125mm	97
SCMT29783	Pro Twist Screwdriver Phillips® Tip	#3 x 150mm	97
SCMT47855	Heavy-Duty Hacksaw		114
SCMT47860	High Performance Heavy-Duty Hacksaw		114
SCMT50000	Open Tote Contractor's Tool Bag		39
SCMT50001	Heavy Duty Round Top Tool Bag		39
SCMT50200	10 Drawer Extra Deep Tool Chest		35
SCMT50203	3 Drawer Tool Chest		35
SCMT50207	7 Drawer Roller Cabinet		36
SCMT50208	8 Drawer Tool Chest		35
SCMT50215	5 Drawer Roller Cabinet		36
SCMT50216	6 Drawer Tool Chest		35
SCMT50218	8 Drawer Widebody Tool Chest		36
SCMT50224	13 Drawer Widebody Roller Cabinet		37
SCMT50233	3 Drawer Intermediate Tool Chest		38
SCMT50272	12 Drawer Triple Bank Top Chest		37
SCMT50273	20 Drawer Triple Bank Roll Cabinet		37
SCMT50330	Side Shelf		38
SCMT50331	Side Cabinet		38
SCMT50347	7 Drawer Side Cabinet		38
SCMT50350	3 Tier Trolley		38
SCMT50400	Heavy Duty Spider Creeper		211
SCMT51108	5 Tray Cantilever Tool Box		39
SCMT51130	Cantilever Tool Box		39
SCMT51252	2 Drawer Wall Cabinet		39
SCMT60000	Gas Soldering Iron		214
SCMT65000	Inspection Lamp		169
SCMT65010	Rechargeable Penlight		169
SCMT65100	Slimline Cordless Light		169

Part No.	Description	Size	Page
SCMT70035	Small Line Clamp		210
SCMT70043	Brake Shoe Retaining Clip Spring Tool		203
SCMT70058	Universal Clutch Aligning Tool		205
SCMT70061	4 Piece Long Pick and Hook Set		208
SCMT70062	Long Blade Gasket Scraper		185
SCMT70063	3 Piece Gasket Scraper Set		185
SCMT70064	Magnetic Parts Tray Round		208
SCMT70065	Magnetic Parts Tray 2 Magnets		208
SCMT70067	Magnetic Parts Tray 4 Magnets - Rectangle		208
SCMT70068	15 in 1 Multi-Function Tool with LED Light		113
SCMT70069	Mini Scraper 30 Piece Merchandiser		212
SCMT70070	Universal Coil Spring Compressor		205
SCMT70079	Circuit Tester 6 - 12v		178
SCMT70083	Continuity Tester		178
SCMT70085	Deluxe Circuit Tester 6 - 12v		178
SCMT70086	Heavy Duty Circuit Tester 18 - 36v		178
SCMT70090	Dashboard Memory Back Up		192
SCMT70092	Double Flaring Kit AF		209
SCMT70103	Ratcheting Tail Pipe/Pipe Cutter		211
SCMT70107	Offset Feeler Gauge 4"		190
SCMT70109	Mechanics Feeler Gauge 3"		189
SCMT70115	Metric Feeler Gauge 3"		190
SCMT70117	Double Sided Offset Feeler Gauge 4"		190
SCMT70119	Master Mechanics Feeler Gauge 3"		190
SCMT70123	Strap Filter Wrench		192
SCMT70125	Small Swivel Grip Oil Filter Wrench		192
SCMT70127	Medium Swivel Grip Oil Filter Wrench		191
SCMT70128	Large Swivel Grip Oil Filter Wrench		191
SCMT70133	Replacement Stone Sets	Coarse 100 grit	184
SCMT70134	Replacement Stone Sets	Medium 220 grit	184
SCMT70135	Replacement Stone Sets	Fine 400 grit	184
SCMT70136	Engine Cylinder Hone		184
SCMT70138	Replacement Stone Sets	Coarse 100 grit, 1-1/8" (28mm) long	202
SCMT70139	Replacement Stone Sets	Medium 220 grit, 1-1/8" (28mm) long	202
SCMT70140	Replacement Stone Sets	Fine 400 grit, 1-1/8" (28mm) long	202
SCMT70141	Brake Cylinder Hone		202
SCMT70143	Replacement Stone Sets	Medium 220 grit, 1-1/8" (28mm) long	202
SCMT70144	Replacement Stone Sets	Fine 400 grit, 1-1/8" (28mm) long	202
SCMT70145	Brake Cylinder Hone		202
SCMT70148	Disc Brake Cylinder Hone		202
SCMT70150	Replacement Stone Sets	Medium 220 grit, 2" (51mm) long	184
SCMT70151	Replacement Stone Sets	Fine 400 grit, 2" (51mm) long	184
SCMT70152	Small Engine Cylinder Hone		184





Part No.	Description	Size	Page
SCMT70164	Lock Ring Pliers		113
SCMT70166	Telescopic Magnetic Pick Up Tool		171
SCMT70168	Flexible Magnetic Pick Up Tool		171
SCMT70170	Telescopic Magnetic Pick Up Tool		171
SCMT70172	Flexible Shaft Magnetic Pick Up Tool		171
SCMT70174	Telescopic Magnetic Pick-Up Tool		171
SCMT70176	Screwdriver Bit Magnetising & De-Magnetising Block		208
SCMT70178	Telescopic Inspection Mirror		170
SCMT70180	Small Round Telescopic Inspection Mirror		170
SCMT70184	Telescopic Magnifying Inspection Mirror		170
SCMT70186	Oval Telescopic Inspection Mirror		170
SCMT70188	Large Telescopic Inspection Mirror		170
SCMT70190	Telescopic Inspection Mirror		170
SCMT70209	Piston Ring Compressor		183
SCMT70211	Piston Ring Compressor		183
SCMT70213	Safety Wire Twister Pliers		111
SCMT70214	Disc Brake Pad Spreader		203
SCMT70218	Cylinder Compression Tester		181
SCMT70220	Four-In-One Compression Tester		181
SCMT70221	Diesel Compression Testing Adaptors		183
SCMT70222	Diesel Engine Compression Tester		182
SCMT70223	Diesel Compression Testing Adaptors	10mm x 1.25"	183
SCMT70224	Diesel Compression Testing Adaptors	10mm x 1.25"	183
SCMT70225	Diesel Compression Testing Adaptors	10mm x 1.0"	183
SCMT70226	Diesel Compression Testing Adaptors	12mm x 1.25"	183
SCMT70227	Diesel Compression Testing Adaptors	24mm x 2.0"	183
SCMT70237	Spring Claw Pick-Up Tool		171
SCMT70257	Power / Impact Screwdriving Bits Set		100
SCMT70260	Double Pointed Scriber		207
SCMT70262	Tungsten Carbide Tipped Scriber		207
SCMT70265	Scriber Pick & Hook Set 4 Piece		207
SCMT70267	Mechanics Stethoscope		176
SCMT70270	Seal Puller		185
SCMT70272	1/4" Socket Holding Rail		50
SCMT70274	3/8" Socket Holding Rail		52
SCMT70276	1/2" Socket Holding Rail		54
SCMT70288	9 Piece Torx® Socket Set		67
SCMT70307	Bits Set To Suit Torx® Screws		100
SCMT70309	Bits Set To Suit Tamper-Proof Torx® Screws		100
SCMT70310	Screwdrivers To Suit Torx® Screw	T-6H	99
SCMT70311	Mini Tube Cutter		209
SCMT70313	Screwdrivers To Suit Torx® Screw	T-8H	99
SCMT70316	Screwdrivers To Suit Torx® Screw	T-10H	99
SCMT70320	Screwdrivers To Suit Torx® Screw	T-15H	99
SCMT70324	Screwdrivers To Suit Torx® Screw	T-20H	99
SCMT70328	Screwdrivers To Suit Torx® Screw	T-25H	99
SCMT70336	Screwdrivers To Suit Torx® Screw	T-30H	99
SCMT70337	Extra Long Torx® Screwdriver Set		99
SCMT70338	Extra Long Tamperproof Torx® Screwdriver Set		99

Part No.	Description	Size	Page
SCMT70374	Vacuum / Fuel Pump Tester		199
SCMT70407	Universal Hub Separator		206
SCMT70412	Spark Plug Thread Insert Kit		185
SCMT70414	High Energy Ignition Tester		191
SCMT70416	Tubing Bender		209
SCMT70420	Screw Extractor Set		213
SCMT70421	Rear Main Bearing Seal Remover / Installer		185
SCMT70426	Battery Brush		192
SCMT70436	Oxygen Sensor / Vacuum Switch Socket		199
SCMT70445	Master Fuel Injection Test Kit		197
SCMT70449	External Thread Files	AF	214
SCMT70450	External Thread Files	Metric	214
SCMT70451	Safety Lock Wire	0.025" (.635mm)	111
SCMT70452	Safety Lock Wire	0.041" (1.04mm)	111
SCMT70453	Ramp-Style Spark Plug Gauge		190
SCMT70457	Tip Cleaning Set		214
SCMT70469-S	Deluxe Strap Wrench		192
SCMT70474	Wooden Handled Parts Brush		189
SCMT70480	Safety Lock Wire	0.020" (.508mm)	111
SCMT70481	Safety Lock Wire	0.032" (.813mm)	111
SCMT70484	1/2" Front Wheel Drive Axle Nut Sockets 1-3/16" (30mm)		153
SCMT70485	1/2" Front Wheel Drive Axle Nut Sockets 1-17/64" (32mm)		153
SCMT70486	1/2" Front Wheel Drive Axle Nut Sockets 1-27/64" (36mm)		153
SCMT70497	Diesel Compression Testing Adaptors	10mm x 1.0"	183
SCMT70498	Diesel Compression Testing Adaptors	24mm x 2.0"	183
SCMT70501	Diesel Compression Testing Adaptors	.800" & .820" (Dual)	183
SCMT70502	Diesel Compression Testing Adaptors	Detriot Diesel	183
SCMT70504	Diesel Compression Testing Adaptors	10mm x 1.25"	183
SCMT70505	Diesel Compression Testing Adaptors	24mm x 1.5"	183
SCMT70506	Diesel Compression Testing Adaptors	0.67"	183
SCMT70508	Diesel Compression Testing Adaptors	0.625"	183
SCMT70511	Deluxe Overhead Valve Spring Compressor		185
SCMT70517-S	Extra Long Feeler Gauge 12"		190
SCMT70533	Medium Line Clamp		210
SCMT70536	Adjustable Ignition Spark Tester		191
SCMT70538	Leak-Down Tester		181
SCMT70540	Automatic Centre Punch		119
SCMT70543	Safety Wire Twister Pliers	6"	111
SCMT70549	Combination Fuel Injection Test Kit		197
SCMT70552	Impact Driver Kit		100
SCMT70553	Internal / External Thread Files	Metric (Purple cap)	214
SCMT70554	Internal / External Thread Files	AF (Green cap)	214
SCMT70573	Bridge Type Pilot Bearing Puller		205
SCMT70576	Master Diesel Engine Compression Tester		182
SCMT70584	Large 2 Way Oil Filter Wrench		192
SCMT70586	Combustion Leak Test Kit		196

Part No.	Description	Size	Page
SCMT70587	Test Fluid		196
SCMT70594	Rubber Hose Cutter - Replacement Blade		196
SCMT70597	Large Hose Cutters		196
SCMT70610	4 Piece Pry Bar Set		122
SCMT70617	Digital Automotive Multimeter		174
SCMT70618	Non-Contact Infrared Thermometer		175
SCMT70622	Bearing Packer		205
SCMT70667	Universal Rear Disc Brake Caliper Tool		203
SCMT70672	Through Parts Washer Brush		189
SCMT70673	4 Piece Mini Pick and Hook Set		208
SCMT70679	Radiator Hose Clamp Tool		196
SCMT70681	Deluxe Feeler Gauge Set 3"		189
SCMT70684	Large Line Clamp		210
SCMT70689	Lock Ring Pliers		113
SCMT70713	Line Clamp Master Pack - 3 Pack		210
SCMT70715	Valve Hold Up Hose		180
SCMT70716	Deluxe Compression Tester Kit		182
SCMT70717	Small Line Clamp - 2 Pack		210
SCMT70721	Flow Through Parts Brush Tube		189
SCMT70723	Small Brake Adjusting Tool		203
SCMT70724	Large Brake Adjusting Tool		203
SCMT70726	Fuel Rail Adaptor		197
SCMT70733	Mini Swivel Grip Filter Wrench		192
SCMT70736	Fuel Line Disconnect Tool		199
SCMT70738	28 Piece Master Disconnect Set		212
SCMT70744	Bearing Separator		206
SCMT70746	3 Jaw Reversible Gear Puller		207
SCMT70747	3 Jaw Reversible Gear Puller		207
SCMT70748	3 Jaw Reversible Gear Puller		207
SCMT70750	2 Jaw Reversible Gear Puller		206
SCMT70752	8 Way Slide Hammer Kit		206
SCMT70756	Hub Nut Socket		204
SCMT70795	Large Schrader Hose Fitting		198
SCMT70799	Heavy Duty Universal & GM Harmonic Balancer Puller		188
SCMT70800	Cooling System Pressure Tester		193
SCMT70801	Cooling System Flush Gun		211
SCMT70805	Universal 3 Jaw Oil Filter Wrench		192
SCMT70806	Economy Wire Twisting Pliers		111
SCMT70808	Power Tip 5Lb Telescopic Magnet		172
SCMT70813	Heavy Duty Circuit Tester 6-12V		178
SCMT70814	Vacuum / Fuel Pump Test Kit		180
SCMT70818	Engine Oil Pressure Tester		180
SCMT70819	Minimeter - Digital Multimeter		174
SCMT70824	Rubber Hose Cutter		196
SCMT70826	Universal Caliper Wind Back Kit		203
SCMT70827	Fuel & A/C Disconnect Tool Set		198
SCMT70829	Oil Pressure Switch Socket		184
SCMT70832	Alternator & Power Steering Pump Pulley Remover/Installer		189
SCMT70834	25 Piece Hydraulic Puller Set		206

Part No.	Description	Size	Page
SCMT70838	Battery Hydrometer		192
SCMT70841	Pilot Bearing Puller		205
SCMT70842	CV Joint Banding Tool with Cutter		205
SCMT70850	Brake Bleeding Kit 500mL		200
SCMT70851	Vacuum Brake Bleeder 1.5L		201
SCMT70855	1.5L QuickDraw Brake Bleeding Kit		201
SCMT70856	Quickdraw Brake Bleeding Kit 500mL		201
SCMT70858	Manual Brake Bleeder Kit		200
SCMT70862	Fuel Rail Adaptor		197
SCMT70865	Powerbar Hand Impact Wrench		188
SCMT70879	Double Flaring Kit Metric		209
SCMT70880	Quickfill - Cooling System Refilling Gun		195
SCMT70885	43 Piece Mechanics Bit Set		100
SCMT70886	Self Powered Timing/Work Light		177
SCMT70887	Advance Timing Light		177
SCMT70888-10	Deluxe Cooling System Pressure Tester Cap Adaptors		194
SCMT70888-11	Radiator Neck Extensions		194
SCMT70888-11	Radiator Neck Extensions		193
SCMT70889	Deluxe Cooling System Pressure Tester		194
SCMT70890	E-Vac Fluid Evacuation Kit		180
SCMT70891	35 Piece Master Torx® Bit & Socket Set		67
SCMT70895	Autofill Brake Bleeder Automatic Refiller		200
SCMT70896	Camclamp™ - Timing Gear Clamp		186
SCMT70898	Noid Light Set		199
SCMT70899	CamClamp™ Timing Gear Single Clamps 4 Pieces		186
SCMT70900	CamClamp™ Kit Timing Gear Clamps		187
SCMT70907	Timing Gear Service Kit		187
SCMT70916	4 in 1 Brake Caliper Tool		202
SCMT70918	Pocket Infrared Thermometer with Laser Pointer		175
SCMT70920	"Turnout" Stud Extractor Kit		213
SCMT70921	Dual Graduation Dial Caliper	0-150mm/6"	123
SCMT70925	2 in 1 Deluxe Tyre Pressure Gauge with Tread Depth Function		204
SCMT70930	TS Star Bits To Suit Tamper Proof '5 Point' Torx® Fasteners		99
SCMT70934	Digital Photo Tachometer		176
SCMT70938	Truck Radiator Pressure Test Kit		195
SCMT70942	Trim & Panel Removal Kit		212
SCMT70960	Camshaft & Crankshaft Seal Tool Kit		188
SCMT70975	LED Test Light - Extra Long 6 - 24v		178
SCMT70980	Refractometer - Engine Coolant & Battery Fluid Tester		196
SCMT70981	Master Engine Oil Pressure Tester		180
SCMT70993	Fuel & Transmission Line Disconnect Tool		198
SCMT71110	Toyota Oil Filter Cup - 4 Cylinder		191
SCMT71113	Toyota Oil Filter Cup - 6 & 8 Cylinder		191
SCMT71405	Combination Noid Lite Set		199
SCMT71950	Hub Nut Socket		204
SCMT74118	Combination Electronic Stethoscope Kit		176
SCMT80000	Vacuum Pump and Brake Bleeding Kit		200





Part No.	Description	Size	Page
SCMT80004	Tool Chest Cooler		40
SCMT90000	1/2" Drive 18V Impact Tool Kit		145
SCMT90001	1/2" Drive 18V Impact Tool		145
SCMT90010	3/8" Drive 10.8V Impact Tool Kit		145
SCMT90011	3/8" Drive 10.8V Impact Tool		145
SCMT90040	3/8" 10.8V Ratchet Kit		146
SCMT90041	3/8" 10.8V Ratchet		146
SCMT90050	10.8V 1.5Ah Compact Li-Ion Battery		147
SCMT90053	10.8V 2Ah Compact Li-Ion Battery		147
SCMT90056	18V 5.0Ah Li-Ion Slide Pack Battery		148
SCMT90059	18V 4.0Ah Li-Ion Slide Pack Battery		147
SCMT90061	10.8V & 18V Li-Ion Battery Charger		148
SCMTRH1012	Ratchet Podger Bars	10 x 12mm	92
SCMTRH1417	Ratchet Podger Bars	14 x 17mm	92
SCMTRH1824	Ratchet Podger Bars	18 x 24mm	92
SCMTRH1921	Ratchet Podger Bars	19 x 21mm	92
SCMTRH1924	Ratchet Podger Bars	19 x 24mm	92
SCMTRH1924S	Stubby Ratchet Podger Bars	19 x 24mm	92
SCMTRH2124S	Stubby Ratchet Podger Bars	21 x 24mm	92
SCMTRH2427	Ratchet Podger Bars	24 x 27mm	92
SCMTRH2430	Ratchet Podger Bars	24 x 30mm	92
SCMTRH2732	Ratchet Podger Bars	27 x 32mm	92
SCMTRH3036	Ratchet Podger Bars	30 x 36mm	92
SCMTRH3236	Ratchet Podger Bars	32 x 36mm	92
SCMTRH3641	Ratchet Podger Bars	36 x 41mm	92
SCMTSA-375M	3/8" Mini Ratchet		140
SCMTSA-375P	3/8" Palm Ratchet		140
SCMTSA-375RTW	3/8" Sq Dr Air Impact Ratchet		139
SCMTSA-500D	1/2" Super Duty Air Drill		142
SCMTSA-500RTW	1/2" Sq Dr Air Impact Ratchet		139
SCMTSA-500S	1/2" Standard Ratchet		141
SCMTSA-AH	Air Hammer		142
SCMTSA-LUB2	Grease Gun		143
SCMTSA-OS2	Orbital Sander		141
SCMTSAT0-250	Fresh Air Tool Oil		143
SCMTTA-038	3/8" Drive Impact Tool		137
SCMTTA-050	1/2" Drive Impact Tool		138
SCMTTA-050C	1/2" Drive Compact Impact Tool		137
SCMTTA-075	3/4" Drive Impact Tool		138
X12100	1-1/2" AF Standard	3-1/8	163
X12100M	1-1/2" Drive Metric Standard	100mm	163
X12102	1-1/2" AF Standard	3-3/16	163
X12104	1-1/2" AF Standard	3-1/4	163
X12105M	1-1/2" Drive Metric Standard	105mm	163
X12106	1-1/2" AF Standard	3-5/16	163
X12108	1-1/2" AF Standard	3-3/8	163
X12110	1-1/2" AF Standard	3-7/16	163
X12112	1-1/2" AF Standard	3-1/2	163
X12116	1-1/2" AF Standard	3-5/8	163
X12120	1-1/2" AF Standard	3-3/4	163

Part No.	Description	Size	Page
X12120M	1-1/2" Drive Metric Standard	120mm	163
X12128	1-1/2" AF Standard	4	163
X12130	1-1/2" AF Standard	4-1/16	163
X12132	1-1/2" AF Standard	4-1/8	163
X12134	1-1/2" AF Standard	4-3/16	163
X12136	1-1/2" AF Standard	4-1/4	163
X12138	1-1/2" AF Standard	4-5/16	163
X12140	1-1/2" AF Standard	4-3/8	163
X12142	1-1/2" AF Standard	4-7/16	163
X12144	1-1/2" AF Standard	4-1/2	163
X12148	1-1/2" AF Standard	4-5/8	163
X12152	1-1/2" AF Standard	4-3/4	163
X1236M	1-1/2" Drive Metric Standard	36mm	163
X1238M	1-1/2" Drive Metric Standard	38mm	163
X1241M	1-1/2" Drive Metric Standard	41mm	163
X1241ML	1-1/2" Drive Metric Long	41mm	163
X1242M	1-1/2" Drive Metric Standard	42mm	163
X1242ML	1-1/2" Drive Metric Long	42mm	163
X1246	1-1/2" AF Standard	1-7/16	163
X1246M	1-1/2" Drive Metric Standard	46mm	163
X1246ML	1-1/2" Drive Metric Long	46mm	163
X1248	1-1/2" AF Standard	1-1/2	163
X1250M	1-1/2" Drive Metric Standard	50mm	163
X1250ML	1-1/2" Drive Metric Long	50mm	163
X1252	1-1/2" AF Standard	1-5/8	163
X1252L	1-1/2" AF Long	1-5/8	164
X1254	1-1/2" AF Standard	1-11/16	163
X1254L	1-1/2" AF Long	1-11/16	164
X1254ML	1-1/2" Drive Metric Long	54mm	163
X1255M	1-1/2" Drive Metric Standard	55mm	163
X1255ML	1-1/2" Drive Metric Long	55mm	163
X1256	1-1/2" AF Standard	1-3/4	163
X1256L	1-1/2" AF Long	1-3/4	164
X1258	1-1/2" AF Standard	1-13/16	163
X1258L	1-1/2" AF Long	1-13/16	164
X1260	1-1/2" AF Standard	1-7/8	163
X1260L	1-1/2" AF Long	1-7/8	164
X1260M	1-1/2" Drive Metric Standard	60mm	163
X1260ML	1-1/2" Drive Metric Long	60mm	163
X1262	1-1/2" AF Standard	1-15/16	163
X1262L	1-1/2" AF Long	1-15/16	164
X1263M	1-1/2" Drive Metric Standard	63mm	163
X1263ML	1-1/2" Drive Metric Long	63mm	163
X1264	1-1/2" AF Standard	2	163
X1264L	1-1/2" AF Long	2	164
X1265M	1-1/2" Drive Metric Standard	65mm	163
X1265ML	1-1/2" Drive Metric Long	65mm	163
X1266	1-1/2" AF Standard	2-1/16	163
X1266L	1-1/2" AF Long	2-1/16	164
X1268	1-1/2" AF Standard	2-1/8	163

Part No.	Description	Size	Page
X1268L	1-1/2" AF Long	2-1/8	164
X1270	1-1/2" AF Standard	2-3/16	163
X1270L	1-1/2" AF Long	2-3/16	164
X1270M	1-1/2" Drive Metric Standard	70mm	163
X1270ML	1-1/2" Drive Metric Long	70mm	163
X1272	1-1/2" AF Standard	2-1/4	163
X1272L	1-1/2" AF Long	2-1/4	164
X1274L	1-1/2" AF Long	2-5/16	164
X1275M	1-1/2" Drive Metric Standard	75mm	163
X1275ML	1-1/2" Drive Metric Long	75mm	163
X1276	1-1/2" AF Standard	2-3/8	163
X1276L	1-1/2" AF Long	2-3/8	164
X1277M	1-1/2" Drive Metric Standard	77mm	163
X1277ML	1-1/2" Drive Metric Long	77mm	163
X1278	1-1/2" AF Standard	2-7/16	163
X1278L	1-1/2" AF Long	2-7/16	164
X1280	1-1/2" AF Standard	2-1/2	163
X1280L	1-1/2" AF Long	2-1/2	164
X1280M	1-1/2" Drive Metric Standard	80mm	163
X1280ML	1-1/2" Drive Metric Long	80mm	163
X1282	1-1/2" AF Standard	2-9/16	163
X1282L	1-1/2" AF Long	2-9/16	164
X1284	1-1/2" AF Standard	2-5/8	163
X1284L	1-1/2" AF Long	2-5/8	164
X1285M	1-1/2" Drive Metric Standard	85mm	163
X1285ML	1-1/2" Drive Metric Long	85mm	163
X1286L	1-1/2" AF Long	2-11/16	164
X1288	1-1/2" AF Standard	2-3/4	163
X1288L	1-1/2" AF Long	2-3/4	164
X1290	1-1/2" AF Standard	2-13/16	163
X1290L	1-1/2" AF Long	2-13/16	164
X1290M	1-1/2" Drive Metric Standard	90mm	163
X1292	1-1/2" AF Standard	2-7/8	163
X1292L	1-1/2" AF Long	2-7/8	164
X1294	1-1/2" AF Standard	2-15/16	163
X1294L	1-1/2" AF Long	2-15/16	164
X1295M	1-1/2" Drive Metric Standard	95mm	163
X1296	1-1/2" AF Standard	3	163
X12UJB	1-1/2" AFversal Joint		164
X12X-125	1-1/2" Aftension Bars	125mm	164
X12X-250	1-1/2" Aftension Bars	250mm	164
X12X-500	1-1/2" Aftension Bars	500mm	164
X307M	3/8" Drive Metric Standard	7mm	150
X307ML	3/8" Drive 1" Drive Metric Long	7mm	150
X308M	3/8" Drive Metric Standard	8mm	150
X308ML	3/8" Drive 1" Drive Metric Long	8mm	150
X309M	3/8" Drive Metric Standard	9mm	150
X309ML	3/8" Drive 1" Drive Metric Long	9mm	150
X310-S	3/8" Drive A/F Standard	5/16	150
X310L	3/8" Drive A/F Long	5/16	150

Part No.	Description	Size	Page
X310M	3/8" Drive Metric Standard	10mm	150
X310ML	3/8" Drive 1" Drive Metric Long	10mm	150
X311M	3/8" Drive Metric Standard	11mm	150
X311ML	3/8" Drive 1" Drive Metric Long	11mm	150
X312	3/8" Drive A/F Standard	3/8	150
X312L	3/8" Drive A/F Long	3/8	150
X312M	3/8" Drive Metric Standard	12mm	150
X312ML	3/8" Drive 1" Drive Metric Long	12mm	150
X313M	3/8" Drive Metric Standard	13mm	150
X313ML	3/8" Drive 1" Drive Metric Long	13mm	150
X314	3/8" Drive A/F Standard	7/16	150
X314L	3/8" Drive A/F Long	7/16	150
X314M	3/8" Drive Metric Standard	14mm	150
X314ML	3/8" Drive 1" Drive Metric Long	14mm	150
X315M	3/8" Drive Metric Standard	15mm	150
X315ML	3/8" Drive 1" Drive Metric Long	15mm	150
X316	3/8" Drive A/F Standard	1/2	150
X316L	3/8" Drive A/F Long	1/2	150
X316M	3/8" Drive Metric Standard	16mm	150
X316ML	3/8" Drive 1" Drive Metric Long	16mm	150
X317M	3/8" Drive Metric Standard	17mm	150
X317ML	3/8" Drive 1" Drive Metric Long	17mm	150
X318	3/8" Drive A/F Standard	9/16	150
X318L	3/8" Drive A/F Long	9/16	150
X318M	3/8" Drive Metric Standard	18mm	150
X318ML	3/8" Drive 1" Drive Metric Long	18mm	150
X319M	3/8" Drive Metric Standard	19mm	150
X319ML	3/8" Drive 1" Drive Metric Long	19mm	150
X320-S	3/8" Drive A/F Standard	5/8	150
X320L	3/8" Drive A/F Long	5/8	150
X320M	3/8" Drive Metric Standard	20mm	150
X320ML	3/8" Drive 1" Drive Metric Long	20mm	150
X321M	3/8" Drive Metric Standard	21mm	150
X321ML	3/8" Drive 1" Drive Metric Long	21mm	150
X322-S	3/8" Drive A/F Standard	11/16	150
X322L	3/8" Drive A/F Long	11/16	150
X322M	3/8" Drive Metric Standard	22mm	150
X322ML	3/8" Drive 1" Drive Metric Long	22mm	150
X324	3/8" Drive A/F Standard	3/4	150
X324L	3/8" Drive A/F Long	3/4	150
X326	3/8" Drive A/F Standard	13/16	150
X328	3/8" Drive A/F Standard	7/8	150
X3H04M	3/8" Drive In-Hex Driver	4mm	150
X3H05M	3/8" Drive In-Hex Driver	5mm	150
X3H06M	3/8" Drive In-Hex Driver	6mm	150
X3H08M	3/8" Drive In-Hex Driver	8mm	150
X3H10M	3/8" Drive In-Hex Driver	10mm	150
X3UJB	3/8" Drive Universal Joint		150
X3X-125	3/8" Drive Extension Bars	125mm	150
X3X-75	3/8" Drive Extension Bars	75mm	150





Part No.	Description	Size	Page
X4-1921ML	1/2" Drive Double Ended Sockets	19x21mm	153
X4-2426L	1/2" Drive Double Ended Sockets	3/4"x13/16"	153
X408M	1/2" Drive Metric Standard	8mm	151
X410-S	1/2" Drive A/F Standard	5/16	151
X410M	1/2" Drive Metric Standard	10mm	151
X410ML	1/2" Drive 1" Drive Metric Long	10mm	151
X411M	1/2" Drive Metric Standard	11mm	151
X411ML	1/2" Drive 1" Drive Metric Long	11mm	151
X412	1/2" Drive A/F Standard	3/8	151
X412L	1/2" Drive A/F Long	3/8	152
X412M	1/2" Drive Metric Standard	12mm	151
X412ML	1/2" Drive 1" Drive Metric Long	12mm	151
X413M	1/2" Drive Metric Standard	13mm	151
X413ML	1/2" Drive 1" Drive Metric Long	13mm	151
X414	1/2" Drive A/F Standard	7/16	151
X414L	1/2" Drive A/F Long	7/16	152
X414M	1/2" Drive Metric Standard	14mm	151
X414ML	1/2" Drive 1" Drive Metric Long	14mm	151
X415M	1/2" Drive Metric Standard	15mm	151
X415ML	1/2" Drive 1" Drive Metric Long	15mm	151
X416	1/2" Drive A/F Standard	1/2	151
X416L	1/2" Drive A/F Long	1/2	152
X416M	1/2" Drive Metric Standard	16mm	151
X416ML	1/2" Drive 1" Drive Metric Long	16mm	151
X417M	1/2" Drive Metric Standard	17mm	151
X417ML	1/2" Drive 1" Drive Metric Long	17mm	151
X418	1/2" Drive A/F Standard	9/16	151
X418L	1/2" Drive A/F Long	9/16	152
X418M	1/2" Drive Metric Standard	18mm	151
X418ML	1/2" Drive 1" Drive Metric Long	18mm	151
X419M	1/2" Drive Metric Standard	19mm	151
X419ML	1/2" Drive 1" Drive Metric Long	19mm	151
X420-S	1/2" Drive A/F Standard	5/8	151
X420L	1/2" Drive A/F Long	5/8	152
X420M	1/2" Drive Metric Standard	20mm	151
X420ML	1/2" Drive 1" Drive Metric Long	20mm	151
X421M	1/2" Drive Metric Standard	21mm	151
X421ML	1/2" Drive 1" Drive Metric Long	21mm	151
X422	1/2" Drive A/F Standard	11/16	151
X422L	1/2" Drive A/F Long	11/16	152
X422M	1/2" Drive Metric Standard	22mm	151
X422ML	1/2" Drive 1" Drive Metric Long	22mm	151
X423M	1/2" Drive Metric Standard	23mm	151
X423ML	1/2" Drive 1" Drive Metric Long	23mm	151
X424	1/2" Drive A/F Standard	3/4	151
X424L	1/2" Drive A/F Long	3/4	152
X424M	1/2" Drive Metric Standard	24mm	151
X424ML	1/2" Drive 1" Drive Metric Long	24mm	151
X425M	1/2" Drive Metric Standard	25mm	151
X425ML	1/2" Drive 1" Drive Metric Long	25mm	151

Part No.	Description	Size	Page
X426	1/2" Drive A/F Standard	13/16	151
X426L	1/2" Drive A/F Long	13/16	152
X426M	1/2" Drive Metric Standard	26mm	151
X426ML	1/2" Drive 1" Drive Metric Long	26mm	151
X427M	1/2" Drive Metric Standard	27mm	151
X427ML	1/2" Drive 1" Drive Metric Long	27mm	151
X428	1/2" Drive A/F Standard	7/8	151
X428L	1/2" Drive A/F Long	7/8	152
X428M	1/2" Drive Metric Standard	28mm	151
X428ML	1/2" Drive 1" Drive Metric Long	28mm	151
X429M	1/2" Drive Metric Standard	29mm	151
X429ML	1/2" Drive 1" Drive Metric Long	29mm	151
X430	1/2" Drive A/F Standard	15/16	151
X430L	1/2" Drive A/F Long	15/16	152
X430M	1/2" Drive Metric Standard	30mm	151
X430ML	1/2" Drive 1" Drive Metric Long	30mm	151
X432	1/2" Drive A/F Standard	1	151
X432L	1/2" Drive A/F Long	1	152
X432M	1/2" Drive Metric Standard	32mm	151
X432ML	1/2" Drive 1" Drive Metric Long	32mm	151
X433M	1/2" Drive Metric Standard	33mm	151
X434	1/2" Drive A/F Standard	1-1/16	151
X434L	1/2" Drive A/F Long	1-1/16	152
X436	1/2" Drive A/F Standard	1-1/8	151
X436L	1/2" Drive A/F Long	1-1/8	152
X436M	1/2" Drive Metric Standard	36mm	151
X436ML	1/2" Drive 1" Drive Metric Long	36mm	151
X438	1/2" Drive A/F Standard	1-3/16	151
X438L	1/2" Drive A/F Long	1-3/16	152
X440-S	1/2" Drive A/F Standard	1-1/4	151
X440L	1/2" Drive A/F Long	1-1/4	152
X442	1/2" Drive A/F Standard	1-5/16	151
X442L	1/2" Drive A/F Long	1-5/16	152
X444	1/2" Drive A/F Standard	1-3/8	151
X444L	1/2" Drive A/F Long	1-3/8	152
X446	1/2" Drive A/F Standard	1-7/16	151
X446L	1/2" Drive A/F Long	1-7/16	152
X448	1/2" Drive A/F Standard	1-1/2	151
X448L	1/2" Drive A/F Long	1-1/2	152
X4H04M	1/2" Drive In-Hex Drivers Metric	4mm	152
X4H05M	1/2" Drive In-Hex Drivers Metric	5mm	152
X4H06	1/2" Drive In-Hex Drivers AF	3/16	152
X4H06M	1/2" Drive In-Hex Drivers Metric	6mm	152
X4H07	1/2" Drive In-Hex Drivers AF	7/32	152
X4H07M	1/2" Drive In-Hex Drivers Metric	7mm	152
X4H08	1/2" Drive In-Hex Drivers AF	1/4	152
X4H08M	1/2" Drive In-Hex Drivers Metric	8mm	152
X4H09	1/2" Drive In-Hex Drivers AF	9/32	152
X4H09M	1/2" Drive In-Hex Drivers Metric	9mm	152
X4H10	1/2" Drive In-Hex Drivers AF	5/16	152

Part No.	Description	Size	Page
X4H10M	1/2" Drive In-Hex Drivers Metric	10mm	152
X4H12	1/2" Drive In-Hex Drivers AF	3/8	152
X4H12M	1/2" Drive In-Hex Drivers Metric	12mm	152
X4H14	1/2" Drive In-Hex Drivers AF	7/16	152
X4H14M	1/2" Drive In-Hex Drivers Metric	14mm	152
X4H16	1/2" Drive In-Hex Drivers AF	1/2	152
X4H17M	1/2" Drive In-Hex Drivers Metric	17mm	152
X4H18	1/2" Drive In-Hex Drivers AF	9/16	152
X4H19M	1/2" Drive In-Hex Drivers Metric	19mm	152
X4H20	1/2" Drive In-Hex Drivers AF	5/8	152
X4H22	1/2" Drive In-Hex Drivers AF	11/16	152
X4H24	1/2" Drive In-Hex Drivers AF	3/4	152
X4UJB	1/2" Drive Universal Joint		152
X4X-125	1/2" Drive Extension Bars	125mm	152
X4X-250	1/2" Drive Extension Bars	250mm	152
X4X-460	1/2" Drive Extension Bars	460mm	152
X4X-610	1/2" Drive Extension Bars	610mm	152
X4X-75	1/2" Drive Extension Bars	75mm	152
X616	3/4" Drive AF Standard	1/2	156
X617M	3/4" Drive Metric Standard	17mm	156
X617ML	3/4" Drive 1" Drive Metric Long	17mm	156
X618	3/4" Drive AF Standard	9/16	156
X618M	3/4" Drive Metric Standard	18mm	156
X618ML	3/4" Drive 1" Drive Metric Long	18mm	156
X619M	3/4" Drive Metric Standard	19mm	156
X619ML	3/4" Drive 1" Drive Metric Long	19mm	156
X620	3/4" Drive AF Standard	5/8	156
X620L	3/4" Drive AF Long	5/8	157
X620M	3/4" Drive Metric Standard	20mm	156
X621M	3/4" Drive Metric Standard	21mm	156
X621ML	3/4" Drive 1" Drive Metric Long	21mm	156
X622	3/4" Drive AF Standard	11/16	156
X622M	3/4" Drive Metric Standard	22mm	156
X622ML	3/4" Drive 1" Drive Metric Long	22mm	156
X623M	3/4" Drive Metric Standard	23mm	156
X623ML	3/4" Drive 1" Drive Metric Long	23mm	156
X624	3/4" Drive AF Standard	3/4	156
X624L	3/4" Drive AF Long	3/4	157
X624M	3/4" Drive Metric Standard	24mm	156
X624ML	3/4" Drive 1" Drive Metric Long	24mm	156
X625M	3/4" Drive Metric Standard	25mm	156
X625ML	3/4" Drive 1" Drive Metric Long	25mm	156
X626	3/4" Drive AF Standard	13/16	156
X626L	3/4" Drive AF Long	13/16	157
X626M	3/4" Drive Metric Standard	26mm	156
X626ML	3/4" Drive 1" Drive Metric Long	26mm	156
X627M	3/4" Drive Metric Standard	27mm	156
X627ML	3/4" Drive 1" Drive Metric Long	27mm	156
X628	3/4" Drive AF Standard	7/8	156
X628L	3/4" Drive AF Long	7/8	157

Part No.	Description	Size	Page
X628M	3/4" Drive Metric Standard	28mm	156
X628ML	3/4" Drive 1" Drive Metric Long	28mm	156
X629M	3/4" Drive Metric Standard	29mm	156
X629ML	3/4" Drive 1" Drive Metric Long	29mm	156
X630	3/4" Drive AF Standard	15/16	156
X630L	3/4" Drive AF Long	15/16	157
X630M	3/4" Drive Metric Standard	30mm	156
X630ML	3/4" Drive 1" Drive Metric Long	30mm	156
X631M	3/4" Drive Metric Standard	31mm	156
X631ML	3/4" Drive 1" Drive Metric Long	31mm	156
X632	3/4" Drive AF Standard	1	156
X632L	3/4" Drive AF Long	1	157
X632M	3/4" Drive Metric Standard	32mm	156
X632ML	3/4" Drive 1" Drive Metric Long	32mm	156
X633M	3/4" Drive Metric Standard	33mm	156
X633ML	3/4" Drive 1" Drive Metric Long	33mm	156
X634	3/4" Drive AF Standard	1-1/16	156
X634L	3/4" Drive AF Long	1-1/16	157
X634M	3/4" Drive Metric Standard	34mm	156
X634ML	3/4" Drive 1" Drive Metric Long	34mm	156
X635M	3/4" Drive Metric Standard	35mm	156
X635ML	3/4" Drive 1" Drive Metric Long	35mm	156
X636	3/4" Drive AF Standard	1-1/8	156
X636L	3/4" Drive AF Long	1-1/8	157
X636M	3/4" Drive Metric Standard	36mm	156
X636ML	3/4" Drive 1" Drive Metric Long	36mm	156
X637M	3/4" Drive Metric Standard	37mm	156
X637ML	3/4" Drive 1" Drive Metric Long	37mm	156
X638	3/4" Drive AF Standard	1-3/16	156
X638L	3/4" Drive AF Long	1-3/16	157
X638M	3/4" Drive Metric Standard	38mm	156
X638ML	3/4" Drive 1" Drive Metric Long	38mm	156
X640	3/4" Drive AF Standard	1-1/4	156
X640L	3/4" Drive AF Long	1-1/4	157
X640M	3/4" Drive Metric Standard	40mm	156
X641M	3/4" Drive Metric Standard	41mm	156
X641ML	3/4" Drive 1" Drive Metric Long	41mm	156
X642	3/4" Drive AF Standard	1-5/16	156
X642L	3/4" Drive AF Long	1-5/16	157
X642M	3/4" Drive Metric Standard	42mm	156
X642ML	3/4" Drive 1" Drive Metric Long	42mm	156
X644	3/4" Drive AF Standard	1-3/8	156
X644L	3/4" Drive AF Long	1-3/8	157
X646	3/4" Drive AF Standard	1-7/16	156
X646L	3/4" Drive AF Long	1-7/16	157
X646M	3/4" Drive Metric Standard	46mm	156
X646ML	3/4" Drive 1" Drive Metric Long	46mm	156
X648	3/4" Drive AF Standard	1-1/2	156
X648L	3/4" Drive AF Long	1-1/2	157
X648M	3/4" Drive Metric Standard	48mm	156





Part No.	Description	Size	Page
X650	3/4" Drive AF Standard	1-9/16	156
X650L	3/4" Drive AF Long	1-9/16	157
X650M	3/4" Drive Metric Standard	50mm	156
X650ML	3/4" Drive 1" Drive Metric Long	50mm	156
X652	3/4" Drive AF Standard	1-5/8	156
X652L	3/4" Drive AF Long	1-5/8	157
X652M	3/4" Drive Metric Standard	52mm	156
X652ML	3/4" Drive 1" Drive Metric Long	52mm	156
X654	3/4" Drive AF Standard	1-11/16	156
X654L	3/4" Drive AF Long	1-11/16	157
X654M	3/4" Drive Metric Standard	54mm	156
X655M	3/4" Drive Metric Standard	55mm	156
X655ML	3/4" Drive 1" Drive Metric Long	55mm	156
X656	3/4" Drive AF Standard	1-3/4	156
X656L	3/4" Drive AF Long	1-3/4	157
X656M	3/4" Drive Metric Standard	56mm	156
X658	3/4" Drive AF Standard	1-13/16	156
X658L	3/4" Drive AF Long	1-13/16	157
X660-S	3/4" Drive AF Standard	1-7/8	156
X660L	3/4" Drive AF Long	1-7/8	157
X660M	3/4" Drive Metric Standard	60mm	156
X660ML	3/4" Drive 1" Drive Metric Long	60mm	156
X662	3/4" Drive AF Standard	1-15/16	156
X662L	3/4" Drive AF Long	1-15/16	157
X663M	3/4" Drive Metric Standard	63mm	156
X664	3/4" Drive AF Standard	2	156
X664L	3/4" Drive AF Long	2	157
X665M	3/4" Drive Metric Standard	65mm	156
X665ML	3/4" Drive 1" Drive Metric Long	65mm	156
X666	3/4" Drive AF Standard	2-1/16	156
X666L	3/4" Drive AF Long	2-1/16	157
X667M	3/4" Drive Metric Standard	67mm	156
X668	3/4" Drive AF Standard	2-1/8	156
X668L	3/4" Drive AF Long	2-1/8	157
X670	3/4" Drive AF Standard	2-3/16	156
X672	3/4" Drive AF Standard	2-1/4	156
X674	3/4" Drive AF Standard	2-5/16	156
X676	3/4" Drive AF Standard	2-3/8	156
X678	3/4" Drive AF Standard	2-7/16	156
X680	3/4" Drive AF Standard	2-1/2	156
X6B1735M	3/4" Drive Combination Bud Wheel	17x35mm	157
X6B17M	3/4" Drive 4pt Metric Bud Wheel	17mm	157
X6B19M	3/4" Drive 4pt Metric Bud Wheel	19mm	157
X6B20M	3/4" Drive 4pt Metric Bud Wheel	20mm	157
X6B2141M	3/4" Drive Combination Bud Wheel	21Sqx41Hex	157
X6B21M	3/4" Drive 4pt Metric Bud Wheel	21mm	157
X6H10M	3/4" Drive In-Hex Drivers Metric	10mm	158
X6H12M	3/4" Drive In-Hex Drivers Metric	12mm	158
X6H14M	3/4" Drive In-Hex Drivers Metric	14mm	158
X6H16	3/4" Drive In-Hex Drivers AF	1/2	158

Part No.	Description	Size	Page
X6H17M	3/4" Drive In-Hex Drivers Metric	17mm	158
X6H18	3/4" Drive In-Hex Drivers AF	9/16	158
X6H19M	3/4" Drive In-Hex Drivers Metric	19mm	158
X6H20	3/4" Drive In-Hex Drivers AF	5/8	158
X6H22M	3/4" Drive In-Hex Drivers Metric	22mm	158
X6H24	3/4" Drive In-Hex Drivers AF	3/4	158
X6H24M	3/4" Drive In-Hex Drivers Metric	24mm	158
X6H27M	3/4" Drive In-Hex Drivers Metric	27mm	158
X6H28	3/4" Drive In-Hex Drivers AF	7/8	158
X6H32	3/4" Drive In-Hex Drivers AF	1	158
X6UJB	3/4" Drive Universal Joint		158
X6X-100	3/4" Drive Extension Bars	100mm	158
X6X-175	3/4" Drive Extension Bars	175mm	158
X6X-250	3/4" Drive Extension Bars	250mm	158
X6X-330	3/4" Drive Extension Bars	330mm	158
X8100	1" AF Standard	3-1/8	161
X8100L	1" Drive AF Long	3-1/8	162
X8100M	1" Drive Metric Standard	100mm	161
X8100ML	1" Drive Metric Long	100mm	161
X8104	1" AF Standard	3-1/4	161
X8105M	1" Drive Metric Standard	105mm	161
X8105ML	1" Drive Metric Long	105mm	161
X8108	1" AF Standard	3-3/8	161
X8108L	1" Drive AF Long	3-3/8	162
X8110M	1" Drive Metric Standard	110mm	161
X8110ML	1" Drive Metric Long	110mm	161
X8112	1" AF Standard	3-1/2	161
X8112L	1" Drive AF Long	3-1/2	162
X8115M	1" Drive Metric Standard	115mm	161
X8115ML	1" Drive Metric Long	115mm	161
X8116	1" AF Standard	3-5/8	161
X8116L	1" Drive AF Long	3-5/8	162
X8120	1" AF Standard	3-3/4	161
X8120L	1" Drive AF Long	3-3/4	162
X8124	1" AF Standard	3-7/8	161
X8124L	1" Drive AF Long	3-7/8	162
X8128	1" AF Standard	4	161
X8128L	1" Drive AF Long	4	162
X8132	1" AF Standard	4-1/8	161
X8132L	1" Drive AF Long	4-1/8	162
X8136	1" AF Standard	4-1/4	161
X8136L	1" Drive AF Long	4-1/4	162
X819M	1" Drive Metric Standard	19 mm	161
X819ML	1" Drive Metric Long	19mm	161
X820M	1" Drive Metric Standard	20mm	161
X820ML	1" Drive Metric Long	20mm	161
X821M	1" Drive Metric Standard	21mm	161
X821ML	1" Drive Metric Long	21mm	161
X822	1" AF Standard	11/16	161
X822L	1" Drive AF Long	11/16	162

Part No.	Description	Size	Page
X822M	1" Drive Metric Standard	22mm	161
X822ML	1" Drive Metric Long	22mm	161
X823M	1" Drive Metric Standard	23mm	161
X824	1" AF Standard	3/4	161
X824L	1" Drive AF Long	3/4	162
X824M	1" Drive Metric Standard	24mm	161
X824ML	1" Drive Metric Long	24mm	161
X825M	1" Drive Metric Standard	25mm	161
X826	1" AF Standard	13/16	161
X826M	1" Drive Metric Standard	26mm	161
X827M	1" Drive Metric Standard	27mm	161
X827ML	1" Drive Metric Long	27mm	161
X828	1" AF Standard	7/8	161
X828M	1" Drive Metric Standard	28mm	161
X829M	1" Drive Metric Standard	29mm	161
X830	1" AF Standard	15/16	161
X830L	1" Drive AF Long	15/16	162
X830M	1" Drive Metric Standard	30mm	161
X830ML	1" Drive Metric Long	30mm	161
X831M	1" Drive Metric Standard	31mm	161
X832	1" AF Standard	1	161
X832L	1" Drive AF Long	1	162
X832M	1" Drive Metric Standard	32mm	161
X832ML	1" Drive Metric Long	32mm	161
X833M	1" Drive Metric Standard	33mm	161
X833ML	1" Drive Metric Long	33mm	161
X834	1" AF Standard	1-1/16	161
X834L	1" Drive AF Long	1-1/16	162
X834M	1" Drive Metric Standard	34mm	161
X834ML	1" Drive Metric Long	34mm	161
X835M	1" Drive Metric Standard	35mm	161
X835ML	1" Drive Metric Long	35mm	161
X836	1" AF Standard	1-1/8	161
X836L	1" Drive AF Long	1-1/8	162
X836M	1" Drive Metric Standard	36mm	161
X836ML	1" Drive Metric Long	36mm	161
X837M	1" Drive Metric Standard	37mm	161
X837ML	1" Drive Metric Long	37mm	161
X838	1" AF Standard	1-3/16	161
X838L	1" Drive AF Long	1-3/16	162
X838M	1" Drive Metric Standard	38mm	161
X838ML	1" Drive Metric Long	38mm	161
X839M	1" Drive Metric Standard	39mm	161
X840	1" AF Standard	1-1/4	161
X840L	1" Drive AF Long	1-1/4	162
X840M	1" Drive Metric Standard	40mm	161
X841M	1" Drive Metric Standard	41mm	161
X841ML	1" Drive Metric Long	41mm	161
X842	1" AF Standard	1-5/16	161

Part No.	Description	Size	Page
X842L	1" Drive AF Long	1-5/16	162
X842M	1" Drive Metric Standard	42mm	161
X842ML	1" Drive Metric Long	42mm	161
X843M	1" Drive Metric Standard	43mm	161
X844	1" AF Standard	1-3/8	161
X844L	1" Drive AF Long	1-3/8	162
X844M	1" Drive Metric Standard	44mm	161
X845M	1" Drive Metric Standard	45mm	161
X845ML	1" Drive Metric Long	45mm	161
X846	1" AF Standard	1-7/16	161
X846L	1" Drive AF Long	1-7/16	162
X846M	1" Drive Metric Standard	46mm	161
X846ML	1" Drive Metric Long	46mm	161
X847M	1" Drive Metric Standard	47mm	161
X848	1" AF Standard	1-1/2	161
X848L	1" Drive AF Long	1-1/2	162
X848M	1" Drive Metric Standard	48mm	161
X848ML	1" Drive Metric Long	48mm	161
X850-S	1" AF Standard	1-9/16	161
X850L	1" Drive AF Long	1-9/16	162
X850M	1" Drive Metric Standard	50mm	161
X850ML	1" Drive Metric Long	50mm	161
X852	1" AF Standard	1-5/8	161
X852L	1" Drive AF Long	1-5/8	162
X852M	1" Drive Metric Standard	52mm	161
X852ML	1" Drive Metric Long	52mm	161
X853M	1" Drive Metric Standard	53mm	161
X854	1" AF Standard	1-11/16	161
X854L	1" Drive AF Long	1-11/16	162
X854M	1" Drive Metric Standard	54mm	161
X854ML	1" Drive Metric Long	54mm	161
X855M	1" Drive Metric Standard	55mm	161
X855ML	1" Drive Metric Long	55mm	161
X856	1" AF Standard	1-3/4	161
X856L	1" Drive AF Long	1-3/4	162
X856M	1" Drive Metric Standard	56mm	161
X857M	1" Drive Metric Standard	57mm	161
X858	1" AF Standard	1-13/16	161
X858L	1" Drive AF Long	1-13/16	162
X858M	1" Drive Metric Standard	58mm	161
X858ML	1" Drive Metric Long	58mm	161
X860	1" AF Standard	1-7/8	161
X860L	1" Drive AF Long	1-7/8	162
X860M	1" Drive Metric Standard	60mm	161
X860ML	1" Drive Metric Long	60mm	161
X862	1" AF Standard	1-15/16	161
X862L	1" Drive AF Long	1-15/16	162
X863M	1" Drive Metric Standard	63mm	161
X863ML	1" Drive Metric Long	63mm	161
X864	1" AF Standard	2	161





Part No.	Description	Size	Page
X864L	1" Drive AF Long	2	162
X865M	1" Drive Metric Standard	65mm	161
X865ML	1" Drive Metric Long	65mm	161
X866	1" AF Standard	2-1/16	161
X866L	1" Drive AF Long	2-1/16	162
X868	1" AF Standard	2-1/8	161
X868L	1" Drive AF Long	2-1/8	162
X870	1" AF Standard	2-3/16	161
X870L	1" Drive AF Long	2-3/16	162
X870M	1" Drive Metric Standard	70mm	161
X870ML	1" Drive Metric Long	70mm	161
X872	1" AF Standard	2-1/4	161
X872L	1" Drive AF Long	2-1/4	162
X874	1" AF Standard	2-5/16	161
X874L	1" Drive AF Long	2-5/16	162
X875M	1" Drive Metric Standard	75mm	161
X875ML	1" Drive Metric Long	75mm	161
X876	1" AF Standard	2-3/8	161
X876L	1" Drive AF Long	2-3/8	162
X878	1" AF Standard	2-7/16	161
X880	1" AF Standard	2-1/2	161
X880L	1" Drive AF Long	2-1/2	162
X880M	1" Drive Metric Standard	80mm	161
X880ML	1" Drive Metric Long	80mm	161
X882	1" AF Standard	2-9/16	161
X882L	1" Drive AF Long	2-9/16	162
X884	1" AF Standard	2-5/8	161
X884L	1" Drive AF Long	2-5/8	162
X885M	1" Drive Metric Standard	85mm	161
X885ML	1" Drive Metric Long	85mm	161
X886	1" AF Standard	2-11/16	161
X886L	1" Drive AF Long	2-11/16	162
X888	1" AF Standard	2-3/4	161
X888L	1" Drive AF Long	2-3/4	162
X890	1" AF Standard	2-13/16	161
X890M	1" Drive Metric Standard	90mm	161
X890ML	1" Drive Metric Long	90mm	161
X892	1" AF Standard	2-7/8	161
X894	1" AF Standard	2-15/16	161
X894L	1" Drive AF Long	2-15/16	162
X895M	1" Drive Metric Standard	95mm	161
X895ML	1" Drive Metric Long	95mm	161
X896	1" AF Standard	3	161
X896L	1" Drive AF Long	3	162
X8H14M	1" Drive In-Hex Metric	14mm	162
X8H17M	1" Drive In-Hex Metric	17mm	162
X8H19M	1" Drive In-Hex Metric	19 mm	162
X8H20	1" Drive In-Hex AF	5/8	162
X8H22M	1" Drive In-Hex Metric	22mm	162
X8H24	1" Drive In-Hex AF	3/4	162

Part No.	Description	Size	Page
X8H24M	1" Drive In-Hex Metric	24mm	162
X8H27M	1" Drive In-Hex Metric	27mm	162
X8H28	1" Drive In-Hex AF	7/8	162
X8H30M	1" Drive In-Hex Metric	30mm	162
X8H32	1" Drive In-Hex AF	1	162
X8H32M	1" Drive In-Hex Metric	32mm	162
X8UJB	1" Drive universal Joint		162
X8X-175	1" Drive extension Bars	175mm	162
X8X-250	1" Drive extension Bars	250mm	162
X8X-330	1" Drive extension Bars	330mm	162
X8X-400	1" Drive extension Bars	400mm	162
XAD12-8	1" Drive adaptors	1-1/2Fx1M	162
XAD3-4	3/8" Drive In-Hex Driver Adaptor		150
XAD4-3	1/2" Drive Adaptors	1/2Fx3/8M	153
XAD4-6	1/2" Drive Adaptors	1/2Fx3/4M	153
XAD6-4	3/4" Drive Adaptors	3/4x1/2M	158
XAD6-8	3/4" Drive Adaptors	3/4x1M	158
XAD8-12	1" Drive adaptors	1Fx1-1/2M	162
XAD8-6	1" Drive adaptors	1Fx3/4M	162
XS410LT	10 Piece 1/2" Drive Long Impact Socket Set - AF		155
XS410MLT	10 Piece 1/2" Drive Long Impact Socket Set - Metric		155
XS410MT	10 Piece 1/2" Drive Impact Socket Set - Metric		154
XS410T	10 Piece 1/2" Drive Impact Socket Set - AF		155
XS418M	18 Piece 1/2" Drive Impact Socket Set - Metric		154
XS4H09MT	9 Piece 1/2" Drive In-Hex Impact Socket Set - Metric		154
XS4H09T	9 Piece 1/2" Drive In-Hex Impact Socket Set - AF		154
XS608	8 Piece 3/4" Drive Impact Socket Set - AF		159
XS608L	8 Piece 3/4" Drive Long Impact Socket Set - AF		160
XS608M	8 Piece 3/4" Drive Impact Socket Set - Metric		159
XS608ML	8 Piece 3/4" Drive Long Impact Socket Set - Metric		160



Products are manufactured to last a lifetime, and supported with a "Built to last a lifetime" warranty.

All efforts have been made to ensure the information portrayed in this document is accurate at the time of printing. Due to the printing process and colour reproduction, actual products may differ from those pictured in this document. Product specification may vary due to technical changes and availability. Sidchrome reserves the right to change or modify without notice. Printed in China. E&OE. ©Sidchrome 2016.

Stanley Black & Decker: 810 Whitehorse Road, Box Hill. Victoria, Australia 3128




SIDCHROME®

PRODUCT CATALOGUE

**YOU CANNA
HAND A MAN
A GRANDER
SPANNER**

EST. 1942



9 311927 996286

SCMTCAT2016